



# Fish and Wildlife Research Institute

## Invertebrate Collection

### List of FWC Invertebrate Species

Species catalogued in this Invertebrate Collection list are current as of 1996.  
List is in process of being updated with current taxonomic changes.

**Phylum Foraminifera**  
**Order Foraminiferida**

**Planorbulinidae**  
*Planorbulina* sp.

# Phylum Porifera

## Class Demospongiae

### **Stellettidae**

*Stelletta cf. gribii* Schmidt, 1862

### **Ancorinidae**

*Myriastras kallitetilla* de Laubenfels, 1936

### **Geodiidae**

*Geodia gibberosa* Lamarck, 1815

*Geodia* sp.

### **Craniellidae**

*Cinachyra alloclada* Uliczka, 1929

*Cinachyra* sp.

*Craniella crania*

Craniellidae sp.

### **Chondrosiidae**

*Chondrilla nucula* Schmidt, 1862

### **Spirastrellidae**

*Anthosigmella varians* (Duchassaing & Michelotti, 1864)

*Sphaciospongia vesparia* (Lamarck, 1814)

*Spirastrella coccinea* (Duchassaing & Michelotti, 1864)

*Spirastrella* sp.

### **Clionidae**

*Cliona celata* Grant, 1826

*Cliona* sp.

### **Tethyidae**

*Tethya* sp.

### **Placospongiidae**

*Placospongia carinata* (Bowerbank, 1858)

*Placospongia* sp.

### **Timeidae**

*Diplastrella* sp.

### **Axinellidae**

*Axinella polycapella* de Laubenfels, 1953

*Homaxinella rudis* (Verrill, 1907)

*Homaxinella waltonsmithi* de Laubenfels, 1953

*Pseudaxinella lunacharte* (Ridley & Dendy, 1886)

Axinellidae sp.

**Desmoxyidae**

*Higginsia* sp.

**Raspailiidae**

*Raspailia* sp.

*Raspailia* sp. A

*Raspailia* sp. B

**Agelasidae**

*Agelas dispar* Duchassaing & Michelotti, 1864

**Halichondridae**

*Halichondria panicea* (Pallas, 1766)

**Mycalidae**

*Mycale microsignata*

*Mycale* sp.

*Neofibularia nolitangere* (Duchassaing & Michelotti, 1864)

**Desmacidonidae**

*Gelliodes ramosa* (Carter, 1882)

**Myxillidae**

*Merriamium tortugasensis* de Laubenfels, 1936

**Tedaniidae**

*Lissodendoryx sigmata* (de Laubenfels, 1946)

Tedaniidae sp.

**Microcionidae**

*Microciona* sp.

*Pandaros* sp.

Microcionidae sp.

**Haliclونidae**

*Haliclona rubens* (Pallas, 1766)

*Haliclona (Reniera) aequeductus* Schmidt, 1862

*Haliclona* sp.

**Callyspongiidae**

*Callyspongia plicifera* (Lamarck, 1818)

*Callyspongia vaginalis* (Lamarck, 1814)

**Niphatidae**

*Niphates erecta* Duchassaing & Michelotti, 1864

**Oceanapiidae**

*Siphonodictyon* sp.

**Petrosiidae**

*Xestospongia muta* (Schmidt, 1870)

*Xestospongia* sp

**Spongiidae**

*Aplysina cauliformis* (Carter, 1882)

*Aplysina fistularis* forma *fulva* (Pallas, 1766)

*Ircinia campana* (Lamarck, 1814)

*Ircinia felix* (Duchassaing & Michelotti, 1864)

*Ircinia ramosa* (Keller,)

*Ircinia strobilina* (Lamarck, 1816)

*Spongia* sp.

*Verongia* sp.

**Dysideidae**

*Aiolachroia crassa* (Hyatt, 1875)

*Dysidea fragilis* (Montagu, 1814)

Dysideidae sp.

**Dictyodendrillidae**

*Igernella* sp.

**Scyphidae**

*Scypha acanthoxea*

# Phylum Cnidaria

## Class Scyphozoa

### Order Coronatae

#### Nausithoidae

*Stephanoscyphus* sp.

### Order Rhizostomeae

#### Cassiopeidae

*Cassiopea xamachana* Bigelow, 1892

*Cassiopea* sp.

## Class Hydrozoa

### Order Hydroida

#### Suborder Anthomedusae (=Gymnoblastea; Athecata)

*Gymnoblastea* sp.

#### Tubulariidae

*Ectopleura dumortieri* (van Beneden, 1844)

Tubularidae sp.

#### Hypolytidae

Hypolytidae sp.

#### Pennariidae

*Pennaria tiarella* (Ayres, 1854)

*Pennaria* sp. A

#### Hydractiniidae

*Hydractinia echinata* (Fleming, 1828)

*Podocoryne carnea* Sars, 1846

#### Bougainvilliidae

*Bimeria* sp.

*Bougainvillia inaequalis* Fraser, 1944

*Bougainvillia tenella* (Fraser, 1937)

Eudendriidae

*Eudendrium carneum* Clarke, 1882

*Eudendrium laxum* Allman, 1877

*Eudendrium* sp.

#### Monobrachiidae

*Monobrachium parasitum* Mereschkowsky, 1877

## Suborder Leptomedusae (=Calyptoblastea; Thecata)

### Campanulariidae

Campanulariidae sp.

*Campanularia flexuosa* (Hincks, 1861)

*Campanularia marginata* (Allman, 1877)

*Clytia coronata* (Clarke, 1879)

*Clytia cylindrica* Agassiz, 1862

*Clytia noliformis* (McCrary, 1858)

*Clytia* sp. A

*Clytia* sp. B

*Obelia geniculata* (Linnaeus, 1758)

*Obelia oxydentata* Stechow, 1914

### Campanulinidae

*Cuspidella humilis* (Alder, 1862)

*Lovenella grandis* Nutting, 1901

*Lovenella* sp.

*Thyroscyphus ramosus* Allman, 1877

### Haleciidae

*Halecium dyssymetrum* Billard, 1929

*Halecium sessile* Norman, 1866

*Halecium* sp. A

### Hebellidae

*Hebella calcarata* (A. Agassiz, 1865)

### Sertulariidae

*Pasya quadridentata* (Ellis & Solander, 1786)

*Sertularia erasmoi* Vannucci

*Sertularia stookeyi* Nutting, 1904

### Idiidae

*Idiella pristis* (Lamouroux, 1816)

### Plumulariidae

*Antennella secundaria* (Gmelin, 1788-1793)

*Plumularia diaphana* (Heller, 1868)

*Plumularia margaretta* (Nutting, 1900)

*Plumularia* sp.

Plumulariidae sp.

## Order Milleporina

### Milleporidae

*Millepora alcicornis* Linnaeus, 1758

*Millepora complanata* Lamarck, 1816

*Millepora dichotoma* Forskal, 1775  
*Millepora exaesa* Forskal, 1775  
*Millepora platyphyllia* Hemprich & Ehrenberg, 1834

## **Order Stylasterina**

### **Stylasteridae**

*Allopora* sp. (*pacifica* or *californica*)  
*Distichopora foliacea* Pourtales, 1868  
*Distichopora violacea* (Pallas, 1766)

## **Order Siphonophora**

### **Physaliidae**

*Physalia physalia* (Linnaeus, 1758)

## **Order Chondrophora**

### **Porpitiidae**

*Porpita linneana* Lesson, 1843  
*Porpita porpita* (Linnaeus, 1758)

## **Class Anthozoa**

### **Subclass Octocorallia (=Alcyonaria)**

### **Order Helioporacea (=Coenothecalia)**

### **Helioporidae**

*Heliopora coeurela* (Pallas, 1766)

## **Order Stolonifera**

### **Clavulariidae**

*Clavularia bathybius* (Saville Kent, 1870)  
*Clavularia modesta* (Verrill, 1874)

### **Tubiporidae**

*Tubipora musica* Linnaeus, 1758

## Order Telestacea

### Telestidae

*Telesto flavula* Deichmann, 1936

*Telesto fruticososa* Dana, 1846

*Telesto riisei* (Duchassaing & Michelotti, 1860)

*Telesto sanguinea* Deichmann, 1936

## Order Alcyonacea

### Alcyoniidae

*Bellonella rubistella* (Deichmann, 1936)

### Nephtheidae

*Neospongodes* sp.

### Nidaliidae

*Nidalia occidentalis* Gray, 1835

*Siphonogorgia agassizii* (Deichmann, 1936)

## Order Gorgonacea Suborder Scleraxonia

### Briareidae

*Briareum asbestinum* (Pallas, 1766)

### Anthothelidae

*Diodogorgia nodulifera* (Hargitt, 1901)

*Erythropodium caribaeorum* (Duchassaing & Michelotti, 1860)

*Erythropodium polyanthes* (Duchassaing & Michelotti, 1860)

*Iciligorgia schrammi* Duchassaing, 1870

*Titanideum frauenfeldii* (Kolliker, 1865)

## Suborder Holaxonia

### Keroeididae

*Lignella richardii* (Lamouroux, 1816)

### Acanthogorgiidae

*Acanthogorgia aspera* Pourtales, 1867

## **Paramuriceidae**

*Bebryce cinerea* Deichmann, 1936  
*Bebryce parastellata* Deichmann, 1936  
*Caliacis nutans* (Duchassaing & Michelotti, 1864)  
*Echinomuricea atlantica* (Johnson, 1862)  
*Swiftia casta* (Verrill, 1883)  
*Swiftia exserta* (Ellis & Solander, 1786)  
*Thesea guadalupensis* Duchassaing & Michelotti, 1864  
*Thesea* sp.  
*Villogorgia nigrescens* Duchassaing & Michelotti, 1860

## **Plexauridae**

*Eunicea asperula* Milne Edwards & Haime, 1857  
*Eunicea calyculata* (Ellis & Solander, 1786)  
*Eunicea calyculata* forma *coronata* Bayer, 1961  
*Eunicea clavigera* Bayer, 1961  
*Eunicea fusca* Duchassaing & Michelotti, 1860  
*Eunicea knighti* Bayer, 1961  
*Eunicea laciniata* Duchassaing & Michelotti, 1860  
*Eunicea mammosa* Lamouroux, 1816  
*Eunicea palmeri* Bayer, 1961  
*Eunicea pinta* Bayer & Deichmann, 1958  
*Eunicea succinea* (Pallas, 1766)  
*Eunicea succinea* forma *plantaginea* (Lamarck, 1815)  
*Eunicea tourneforti* Milne Edwards & Haime, 1857  
*Eunicea tourneforti* forma *atra* Verrill, 1901  
*Eunicea* sp.? (near *laciniata* Duchassaing & Michelotti, 1860)  
*Eunicea* (*Eunicea*) sp.  
*Eunicea* (*Euniceopsis*) sp.  
*Muricea atlantica* (Kukenthal, 1919)  
*Muricea elongata* Lamouroux, 1821  
*Muricea laxa* Verrill, 1864  
*Muricea muricata* (Pallas, 1766)  
*Muricea pendula* Verrill, 1864  
*Muricea pinnata* Bayer, 1961  
*Muriceopsis flavida* (Lamarck, 1815)  
*Muriceopsis petila* Bayer, 1961  
*Plexaura flexuosa* Lamouroux, 1821  
*Plexaura homomala* (Esper, 1792)  
*Plexaura homomala* forma *kukenthalii* Moser, 1921  
*Plexaurella dichotoma* (Esper, 1791)  
*Plexaurella fusifera* Kunze, 1916  
*Plexaurella grisea* Kunze, 1916  
*Plexaurella nutans* (Duchassaing & Michelotti, 1860)  
*Plexaurella pumila* Verrill, 1912  
*Pseudoplexaura crucis* Bayer, 1961  
*Pseudoplexaura flagellosa* (Houttuyn, 1772)  
*Pseudoplexaura porosa* (Houttuyn, 1772)  
*Pseudoplexaura wagnaari* (Stiasny, 1941)  
Plexauridae sp.

### **Gorgoniidae**

- Gorgonia flabellum* Linnaeus, 1758  
*Gorgonia ventalina* Linnaeus, 1758  
*Leptogorgia medusa* (Bayer, 1952)  
*Leptogorgia setacea* (Pallas, 1766)  
*Leptogorgia stheno* (Bayer, 1952)  
*Leptogorgia virgulata* (Lamarck, 1815)  
*Leptogorgia* sp.  
*Lophogorgia cardinalis* Bayer, 1961  
*Lophogorgia hebes* (Verrill, 1869)  
*Lophogorgia miniata* (Milne Edwards & Haime, 1857)  
*Lophogorgia* sp.  
*Pseudopterogorgia acerosa* (Pallas, 1766)  
*Pseudopterogorgia americana* (Gmelin, 1791)  
*Pseudopterogorgia bipinnata* (Verrill, 1864)  
*Pseudopterogorgia elisabethae* Bayer, 1961  
*Pseudopterogorgia hummelincki?* Bayer, 1961  
*Pseudopterogorgia kallos* (Bielschowsky, 1918)  
*Pseudopterogorgia navia* Bayer, 1961  
*Pseudopterogorgia rigida* (Bielschowsky, 1929)  
*Pterogorgia anceps* (Pallas, 1766)  
*Pterogorgia citrina* (Esper, 1792)  
*Pterogorgia guadalupensis* Duchassaing & Michelin, 1846

### **Ellisellidae**

- Ellisella atlantica* (Toeplitz, 1929)  
*Ellisella barbadensis* (Duchassaing & Michelotti, 1864)  
*Ellisella elongata* (Pallas, 1766)  
*Ellisella funiculina* (Duchassaing & Michelotti, 1864)  
*Ellisella grandis* (Verrill, 1901)  
*Nicella goreau* Bayer, 1973  
*Nicella guadalupensis* (Duchassaing & Michelotti, 1860)  
*Nicella schmitti* Bayer, 1961

### **Isididae**

- Keratoisis ornata* Verrill, 1878

## **Order Pennatulacea**

Pennatulacea (barren stalks only)

### **Renillidae**

- Renilla mulleri* Kolliker, 1872  
*Renilla reniformis* (Pallas, 1766)

### **Virgulariidae**

- Acanthoptilum agassizii* Kolliker, 1872  
*Acanthoptilum oligacis?* Bayer, 1957  
*Stylatula antillarum* Kolliker, 1870  
*Virgularia mirabilis* (Linnaeus, 1754)

*Virgularia presbytes* Bayer, 1955  
Subclass Zoantharia (=Hexacorallia)

## Order Actiniaria

### Actiniidae

*Tealia* sp.

### Antheidae

*Anemonia sargassiensis* Hargitt, 1908

### Minyadidae

*Minyas* sp.

### Actinostolidae

*Paranthus rapiformis* (LeSueur, 1817)

## Order Scleractinia

### Astrocoenidae

*Stephanocoenia michelini* Milne Edwards & Haime, 1848

### Pocilloporidae

*Madracis asperula* Milne Edwards & Haime, 1850

*Madracis brueggemanni* (Ridley, 1881)

*Madracis decactis* (Lyman, 1859)

*Madracis formosa* Wells, 1973

*Madracis mirabilis* (Duchassaing & Michelotti, 1861)

*Madracis myriaster* (Milne Edwards & Haime, 1849)

*Madracis pharensis* (Heller, 1868)

*Madracis pharensis* forma *pharensis* Wells, 1973

*Madracis* sp.

*Pocillopora damicornis* Lamarck, 1816

*Pocillopora meandrina* Dana, 1848

*Pocillopora verrucosa* (Ellis & Solander, 1786)

*Seriatopora caliendrum* (Ehrenberg, 1834)

*Stylophora pistillata* (Esper, 1795) (was *S. palmata*)

*Stylophora subseriata* (Ehrenberg, 1834)

### Acroporidae

*Acropora cervicornis* (Lamarck, 1816)

*Acropora corymbosa* (Lamarck, 1816)

*Acropora eurystoma* (Klunzinger, 1879)

*Acropora* cf. *exigua* Brook, 1893

*Acropora granulosa* (Milne Edwards & Haime, 1860) (was *A. rayneri*)

*Acropora hemprichii* (Ehrenberg, 1834)

*Acropora humilis* (Dana, 1846) (was *A. digitifera*)

*Acropora palmata* (Lamarck, 1816)  
*Acropora pharaonis* (Milne Edwards & Haime, 1860)  
*Acropora prolifera* (Lamarck, 1816)  
*Acropora rayneri* (Brook, 1891)  
*Acropora squarrosa* Ehrenberg, 1834 (was *A. rousseaui*)  
*Montipora meandrina* (Ehrenberg, 1834)  
*Montipora spumosa* (Lamarck, 1816) (was *M. lobulata*)  
*Montipora stilosa* Ehrenberg, 1834

### **Agariciidae**

*Agaricia agaricites* (Linnaeus, 1758)  
*Agaricia agaricites* forma *agaricites* (Linnaeus, 1758)  
*Agaricia agaricites* forma *carinata* Wells, 1973  
*Agaricia agaricites* forma *crassa* Verrill,  
*Agaricia agaricites* forma *danai*? Milne Edwards & Haime, 1860  
*Agaricia agaricites* forma *humilis* Verrill, 1901  
*Agaricia agaricites* forma *purpurea* (LeSueur, 1821)  
*Agaricia fragilis* Dana, 1846  
*Agaricia grahamae* Wells, 1973  
*Agaricia lamarcki* Milne Edwards & Haime, 1850  
*Agaricia planulata* Dana, 1846  
*Agaricia tenuifolia* (Dana, 1846)  
*Agaricia undata* (Ellis & Solander, 1786)  
*Agaricia* sp.  
*Helioseris cucullata* (Ellis & Solander, 1786)  
*Leptoseris mycetoseroides* (Wells, 1954) (was *L. incrustans*)  
*Pachyseris speciosa* (Dana, 1846)  
*Pavona clavus* (Dana, 1846)  
*Pavona minor* Bruggemann, 1878  
*Pavona varians* Verrill, 1864

### **Siderastreidae**

*Pseudosiderastrea tayamai* Yabe & Sugiyama, 1935  
*Siderastrea radians* (Pallas, 1766)  
*Siderastrea radians* forma *stellata* Verrill, 1867  
*Siderastrea siderea* (Ellis & Solander, 1786)  
*Siderastrea* sp.

### **Fungiidae**

*Cenactis echinata* (Pallas, 1766)  
*Fungia klunzingeri* (Doederlein, 1901)  
*Fungia* (*Fungia*) *fungites* (Linnaeus, 1758)  
*Herpolitha limax* (Esper, 1795)

### **Poritidae**

*Alveopora* sp.  
*Goniopora planulata* (Ehrenberg, 1834)  
*Porites asteroides* Lamarck, 1816  
*Porites branneri* Rathbun, 1887  
*Porites divaricata* LeSueur, 1821  
*Porites furcata* Lamarck, 1816  
*Porites porites* (Pallas, 1766)

*Porites porites* forma *clavaria* Lamarck, 1816  
*Porites porites* forma *divaricata* LeSueur, 1821  
*Porites porites* forma *furcata* Lamarck, 1816  
*Porites solida* (Forsk., 1775)  
*Porites* aff. *porites* (Pallas, 1766)

### **Faviidae**

*Cladocora arbuscula* (LeSueur, 1821)  
*Cladocora debilis* Milne Edwards & Haime, 1849  
*Colpophyllia amaranthus* (Houttuyn, 1772)  
*Colpophyllia breviserialis* Milne Edwards & Haime, 1849  
*Colpophyllia natans* (Houttuyn, 1772)  
*Cyphastrea serailia* (Forsk., 1775)  
*Diploria clivosa* (Ellis & Solander, 1786)  
*Diploria labyrinthiformis* (Linnaeus, 1758)  
*Diploria strigosa* (Dana, 1846)  
*Diploria* sp.  
*Echinopora gammacea* (Lamarck, 1816)  
*Favia favius* (Forsk., 1775)  
*Favia fragum* (Esper, 1795)  
*Favia gravida* Verrill, 1868  
*Favia pallida* (Dana, 1846)  
*Favia speciosa* (Dana, 1846)  
*Favia stelligera* (Dana, 1846)  
*Favites abdita* (Ellis & Solander, 1786)  
*Favites complanata* (Ehrenberg, 1834)  
*Favites peresi* Faure and Pichon, 1978  
*Goniastrea pectinata* (Ehrenberg, 1834)  
*Goniastrea retiformis* (Lamarck, 1816)  
*Hydnophora exesa* (Pallas, 1766)  
*Hydnophora micrononos* (Lamarck, 1816)  
*Leptastrea purpurea* (Dana, 1846)  
*Leptoria phrygia* (Ellis & Solander, 1786)  
*Manicina areolata* (Linnaeus, 1758)  
*Manicina areolata* forma *areolata* (Linnaeus, 1758)  
*Manicina areolata* forma *mayori* Wells, 1936  
*Montastraea annularis* (Ellis & Solander, 1786)  
*Montastraea cavernosa* (Linnaeus, 1767)  
*Platygyra daedalea* (Ellis & Solander, 1786) (was *P. lamellina*)  
*Platygyra sinensis* (Milne Edwards and Haime, 1848)  
*Plesiastrea versipora* (Lamarck, 1816)  
*Solenastrea bournoni* Milne Edwards & Haime, 1850  
*Solenastrea hyades* (Dana, 1846)  
*Faviinae* sp.

### **Pectiniidae**

*Cynarina lacrymalis* (Milne Edwards & Haime, 1848)  
*Echinophyllia aspera* (Ellis & Solander, 1786)

### **Rhizangiidae**

*Astrangia lajollaensis* Durham, 1947  
*Astrangia poculata* (Ellis & Solander, 1786) (was *A. astreiformis*)

*Astrangia rathbuni* Vaughan, 1906  
*Astrangia solitaria* (LeSueur, 1817)  
*Phyllangia americana* Milne Edwards & Haime, 1849  
*Septastrea crassa* (Holmes, 1858)  
*Septastrea marylandica* (Conrad, 1841)

### **Oculinidae**

*Galaxea fascicularis* (Linnaeus, 1758)  
*Madrepora carolina* (Pourtales, 1871)  
*Madrepora oculata* Linnaeus, 1758  
*Oculina arbuscula* Verrill, 1864  
*Oculina diffusa* Lamarck, 1816  
*Oculina robusta* Pourtales, 1871  
*Oculina sarasotana* Weisbord, 1971  
*Oculina tenella* Pourtales, 1871  
*Oculina valenciennesi* Milne Edwards & Haime, 1850  
*Oculina varicosa* LeSueur, 1820  
*Oculina* sp.

### **Meandrinidae**

*Dendrogyra cylindrus* Ehrenberg, 1834  
*Dichocoenia caloosahatcheensis* Weisbord, 1974  
*Dichocoenia stellaris* Milne Edwards & Haime, 1849  
*Dichocoenia stokesii* Milne Edwards & Haime, 1849  
*Dichocoenia* sp.  
*Goreaugyra memorialis* Wells, 1973  
*Meandrina meandrites* (Linnaeus, 1758)  
*Meandrina meandrites* forma *braziliensis* Milne Edwards & Haime, 1848

### **Mussidae**

*Acanthastrea echinata* (Dana, 1846)  
*Isophyllastrea rigida* (Dana, 1846)  
*Isophyllia multiflora* Verrill, 1902  
*Isophyllia sinuosa* (Ellis & Solander, 1786)  
*Isophyllia sinuosa* var. *fragilis* (Ellis & Solander, 1786)  
*Lobophyllia hemprichi* (Ehrenberg, 1834)  
*Mussa angulosa* (Pallas, 1766)  
*Mycetophyllia aliciae* Wells, 1973  
*Mycetophyllia danaana* Milne Edwards & Haime, 1849  
*Mycetophyllia ferox* Wells, 1973  
*Mycetophyllia lamarckiana* (Milne Edwards & Haime, 1849)  
*Mycetophyllia* sp.  
*Scolymia cubensis* (Milne Edwards & Haime, 1849)  
*Scolymia lacera* (Pallas, 1766)  
*Scolymia* sp.  
*Scolymia* n. sp.

### **Caryophylliidae**

*Anomocora fecunda* (Pourtales, 1871)  
*Caryophyllia ambrosia* caribbeana Cairns, 1977  
*Caryophyllia berteriana* Duchassaing, 1850  
*Caryophyllia horologium* Cairns, 1977

*Caryophyllia* sp.  
*Coenocyathus bowersi* Vaughan, 1906  
*Dasmosmilia lymani* (Pourtales, 1871)  
*Deltocyathus calcar* Pourtales, 1874  
*Deltocyathus eccentricus* Cairns, 1979  
*Desmophyllum cristagalli* Milne Edwards & Haime, 1848  
*Eusmilia fastigiata* (Pallas, 1766)  
*Lophelia prolifera* (Pallas, 1766)  
*Paracyathus pulchellus* (Philippi, 1842)  
*Paracyathus stearnsii* Verrill, 1869  
*Peponocyathus stimpsonii* (Pourtales, 1871)  
*Phacelocyathus flos* (Pourtales, 1878)  
*Plerogyra sinuosa* (Dana, 1846)  
*Rhizosmilia maculata* (Pourtales, 1874)  
*Stephanocyathus diadema* (Moseley, 1876)  
*Trochocyathus rawsonii* Pourtales, 1874

### **Flabellidae**

*Flabellum mosleyi* Pourtales, 1880  
*Flabellum fragile* Cairns, 1977  
*Gardineria minor* Wells, 1973  
*Jayania cailleti?* (Duchassaing & Michelotti, 1864)  
*Polymyces fragilis* (Pourtales, 1868)  
*Schizocyathus fissilis* Pourtales, 1868

### **Dendrophylliidae**

*Balanophyllia floridana* Pourtales, 1868  
*Bathypsammia tintinnabulum* (Pourtales, 1868)  
*Dendrophyllia cornucopia* Pourtales, 1871  
*Rhizopsammia manuelensis* Chevalier, 1966  
*Tubastraea coccinea* (Ehrenberg, 1834)  
*Tubastraea micranthus* (Ehrenberg, 1834)  
*Turbinaria messenterina* (Lamarck, 1816)

## **Order Zoanthinaria (=Zoanthidea)**

### **Zoanthidae**

*Palythoa* sp.

## **Subclass Ceriantipatharia Order Antipatharia**

### **Antipathidae**

*Antipatharia* sp.  
*Cirripathes lutkeni* (Brook, 1889)

## Order Ceriantharia

**Cerianthidae**  
*Cerianthus* sp.

# **Phylum Platyhelminthes**

**Class Turbellaria**

**Order Tricladida**

**Suborder Maricola**

**Bdellouridae**

*Bdelloura* sp.

**Order Polycladida**

**Suborder Acotylea**

**Stylochidae**

*Stylochus* sp.

**Phylum Nemata**  
**Class Secernentea**  
**Subclass Rhabditia**  
**Order Ascaridina**  
**Suborder Ascaridina**

**Anisakidae**

*Sulcascaris sulcata* (Rudolphi, 1819)

**Phylum Mollusca**  
**Class Caudofoveata**

Species A  
Species B  
Species C  
Species D  
Species E  
Species F

**Class Solenogastres**

Species A  
Species A1  
Species A2  
Species C  
Species D  
Species E  
Species F  
Species G  
Species H  
Species I  
Species parts

**Class Polyplacophora**  
**Order Neoloricata**

*Polyplacophora* sp.

**Suborder Lepidopleurina**

**Hanleyidae**

*Hanleya floridana* Lyons, n. sp.

**Order Ischnochitonida**

**Leptochitonidae**

*Leptochiton pergrantus* Dall, 1889

**Lepidochitonidae**

*Lepidochitona liozonis* (Dall & Simpson, 1901)

### **Ischnochitonidae**

- Callistochiton shuttleworthianus* Pilsbry, 1893  
*Ischnochiton dilatoscultus* Kaas, 1982  
*Ischnochiton erythronotus* (C. B. Adams, 1845)  
*Ischnochiton hartmeyer* Thiele, 1910  
*Ischnochiton niveus* Ferreira, 1987  
*Ischnochiton papillosus* (C. B. Adams, 1845)  
*Ischnochiton cf. papillosus* (C. B. Adams, 1845)  
*Ischnochiton rugulatus* (Sowerby, 1832)  
*Ischnochiton striolatus* (Gray, 1828)  
*Stenoplax boogi* (Haddov, 1886)  
*Stenoplax floridana* (Pilsbry, 1892)  
*Stenoplax limaciformis* (Sowerby, 1832)  
*Stenoplax producta* (Reeve, 1847)  
*Stenoplax purpurascens* (C. B. Adams, 1845)

### **Callistoplacidae**

- Ceratozona squalida* (C. B. Adams, 1845)

### **Chaetopleuridae**

- Calloplax janeirensis* (Gray, 1828)  
*Chaetopleura apiculata* (Say, 1830)  
*Chaetopleura staphylophera* Lyons, 1986

### **Chitonidae**

- Acanthopleura granulata* (Gmelin, 1791)  
*Chiton marmoratus* Gmelin, 1791  
*Chiton squamosus* Linnaeus, 1764  
*Chiton tuberculatus* Linnaeus, 1758  
*Chiton viridis* Spengler, 1797  
*Toncia schrammi* (Shuttleworth, 1856)

## **Order Acanthochitonida**

### **Acanthochitonidae**

- Acanthochitona andersoni* Watters, 1981  
*Acanthochitona astriger* (Reeve, 1847)  
*Acanthochitona avicula* (Carpenter, 1864)  
*Acanthochitona balesae* Abbott, 1954  
*Acanthochitona fasciularis* Linnaeus, 1767  
*Acanthochitona ferreirai* Lyons, 1988 (PARATYPES)  
*Acanthochitona hemphilli* (Pilsbry, 1893)  
*Acanthochitona hirudiniformis* (Sowerby, 1832)  
*Acanthochitona lineata* Lyons, 1988 (PARATYPES)  
*Acanthochitona pygmaea* (Pilsbry, 1893)  
*Acanthochitona rhodea* Pilsbry, 1893  
*Acanthochitona roseojungum* Lyons, 1988 (PARATYPES)  
*Acanthochitona spiculosa* (Reeve, 1847)  
*Acanthochitona venezuelana* Lyons, 1988 (PARATYPES)  
*Acanthochitona worsfoldi* Lyons, 1988 (PARATYPES)

*Acanthochitona zebra* Lyons, 1988 (PARATYPES)

*Choneplax lata* (Guilding, 1830)

*Cryptoconchus floridanus* (Dall, 1889)

**Class Gastropoda**  
**Subclass Prosobranchia Milne Edwards, 1848**  
**Order Archaeogastropoda Thiele, 1925**  
**Superfamily Pleurotomariacea Swainson, 1840**

**Pleurotomariidae**

*Perotrochus amabilis* (F.M. Bayer, 1963)

**Scissurellidae**

*Scissurella cingulata* O.G. Costa, 1861

*Scissurella proxima* Dall, 1927

**Superfamily Fissurellacea**

**Fissurellidae**

*Diodora arcuata* Sowerby, 1862

*Diodora cayenensis* (Lamarck, 1822)

*Diodora dysoni* (Reeve, 1850)

*Diodora fluviana* (Dall, 1889)

*Diodora jaumei* Aguayo & Rehder, 1936

*Diodora habanensis* Christiaens, 1975 (= *D. listeri*)

*Diodora meta* (von Ihering, 1927)

*Diodora minuta* (Lamarck, 1822)

*Diodora sayi* (Dall, 1899)

*Diodora variegata* (Sowerby, 1862)

*Diodora viridula* (Lamarck, 1822)

*Diodora* sp.

*Emarginula dentigera* Heilprin, 1889

*Emarginula phrixodes* Dall, 1927

*Emarginula pumila* (A. Adams, 1851)

*Fissurella angusta* (Gmelin, 1791)

*Fissurella barbadensis* (Gmelin, 1791)

*Fissurella barbouri* Perez Farfante, 1943

*Fissurella crusoee?* Perez Farfante, 1943

*Fissurella fascicularis* Lamarck, 1822

*Fissurella nimbosa* (Linnaeus, 1758)

*Fissurella nodosa* (Born, 1780)

*Fissurella rosea* (Gmelin, 1791)

*Fissurella rosea?* (Gmelin, 1791)

*Fissurella* sp.

*Fissurella?* sp.

*Hemitoma emarginata* (Blainville, 1825)

*Hemitoma octoradiata* (Gmelin, 1791)

*Lucapina aegis* (Reeve, 1850)  
*Lucapina philippiana* (Finlay, 1930)  
*Lucapina sowerbii* (Sowerby, 1835)  
*Lucapina suffusa* (Reeve, 1850)  
*Lucapina* sp.  
*Lucapinella limatula* (Reeve, 1850)  
*Lucapinella* sp.  
*Lucapinella?* sp.  
*Puncturella* sp.  
*Rimula pycnonema* Pilsbry, 1943  
*Rimula* sp.

## Superfamily Patellacea

### Acmaeidae

*Acmaea cubensis* Reeve, 1855  
*Acmaea jamaicensis* (Gmelin, 1791)  
*Acmaea leucopleura* (Gmelin, 1791)  
*Acmaea pustulata* (Helbling, 1779)  
*Acmaea pustulata pulcherrima* Petit, 1856  
*Acmaea* sp.  
*Collisella antillarum* (Sowerby, 1831)

## Superfamily Trochacea

### Trochidae

*Calliostoma adela* Schwengel, 1951  
*Calliostoma barbouri* Clench & Aguayo, 1946  
*Calliostoma cinctellum* Dall, 1889  
*Calliostoma cubense* Quinn, n. sp. (PARATYPE)  
*Calliostoma euglyptum* (A. Adams, 1854)  
*Calliostoma fascinans* Schwengel & McGinty, 1942  
*Calliostoma javanicum* (Lamarck, 1822)  
*Calliostoma jujubinum* (Gmelin, 1791)  
*Calliostoma jujubinum tampaense* (Conrad, 1846)  
*Calliostoma ligatum* (Gould, 1849)  
*Calliostoma marionae* Dall, 1906  
*Calliostoma oregon* Clench & Turner, 1960  
*Calliostoma orion* Dall, 1889  
*Calliostoma psyche* Dall, 1889  
*Calliostoma pulchrum* (C. B. Adams, 1850)  
*Calliostoma roseolum* Dall, 1881  
*Calliostoma sarcodum* Dall, 1927  
*Calliostoma sayana* Dall, 1889  
*Calliostoma springeri* Clench & Turner, 1960  
*Calliostoma tampaense* (Conrad, 1846)  
*Calliostoma yucatecanum* Dall, 1881

*Calliostoma* sp.  
*Cataegis toreuta* McLean & Quinn, 1987 (PARATYPE)  
*Cittarium pica* (Linnaeus, 1758)  
*Dentistyla dentiferum* Dall, 1889  
*Lamellitrochus lamellosa* Verrill & Smith, 1880  
*Lamellitrochus pourtalesi* (Clench & Aguayo, 1939)  
*Microgaza rotella rotella* (Dall, 1881)  
*Mirachelus clinocnemus* Quinn, 1979  
*Solariella lacunella* (Dall, 1881)  
*Solariella* sp.  
*Tegula excavata* (Lamarck, 1822)  
*Tegula (Agathistoma) fasciata* (Born, 1778)  
*Tegula funebris* (A. Adams, 1855)  
*Tegula (Agathistoma) hotessieriana* (Orbigny, 1842)  
*Tegula lividomaculata* (C. B. Adams, 1845)  
*Tegula (Agathistoma) cf. trilirata* Weisbord, 1962  
*Tegula (Agathistoma) viridula* (Gmelin, 1791)

### **Stomatellidae**

*Pseudostomatella erythrocoma* (Dall, 1889)

### **Skeneidae**

*Skenea* sp.

### **Liotiidae**

*Arene bairdii* (Dall, 1889)  
*Arene briareus* (Dall, 1881)  
*Arene cruentata* (Muhlfeld, 1829)  
*Arene tricarinata* (Stearns, 1872)  
*Arene variabilis* (Dall, 1889)  
*Liotia* sp.

### **Cyclostrematidae**

*Parviturbo francesae* Pilsbry & McGinty, 1945

### **Turbinidae**

*Astraliium phoebia* (Roding, 1798)  
*Homalopoma albidum* (Dall, 1881)  
*Lithopoma caelata* (Gmelin, 1791)  
*Lithopoma tecta* (Lightfoot, 1786)  
*Lithopoma tecta americana* (Gmelin, 1791)  
*Lithopoma tecta cubana* (Philippi, 1849)  
*Lithopoma tuber* (Linnaeus, 1767)  
*Turbo cailletii* P. Fischer & Bernardi, 1856  
*Turbo canaliculatus* Hermann, 1781  
*Turbo castanea* Gmelin, 1791  
*Turbo filus* (W. Wood, 1828)

### **Phasianellidae**

*Tricolia adamsi* (Philippi, 1853)  
*Tricolia affinis* (C.B. Adams, 1850)  
*Tricolia pterocladica* Robertson, 1958

*Tricolia bella* (M. Smith, 1937)  
*Tricolia tessellata* (Potiez & Michaud, 1838)  
*Tricolia thalassicola* Robertson, 1958

## Superfamily Neritacea

### Neritidae

*Nerita fulgurans* Gmelin, 1791  
*Nerita peloronta* Linnaeus, 1758  
*Nerita tessellata* Gmelin, 1791  
*Nerita versicolor* Gmelin, 1791  
*Neritina reclivata* (Say, 1822)  
*Neritina virginea* (Linnaeus, 1758)  
*Puperita pupa* (Linnaeus, 1767)  
*Puperita tristis* (d'Orbigny, 1842)  
*Smaragdia viridis* (Linnaeus, 1758)  
*Smaragdia viridis viridemaris* (Maury, 1917)

## Order Mesogastropoda (=Taenioglossa) Superfamily Littorinacea

### Littorinidae

*Littorina angulifera* (Lamarck, 1822)  
*Littorina angustior* (Morch, 1876)  
*Littorina irrorata* (Say, 1822)  
*Littorina lineata* Gmelin, 1791  
*Littorina lineolata* d'Orbigny, 1840  
*Littorina meleagris* (Potiez & Michaud, 1838)  
*Littorina mespillum* (Muhlfeld, 1824)  
*Littorina nebulosa* (Lamarck, 1822)  
*Littorina nebulosa flava* King & Broderip, 1832  
*Littorina scabra angulifera* (Lamarck, 1822)  
*Littorina tessellata* (Philippi, 1847)  
*Littorina ziczac* (Gmelin, 1791)  
*Nodilittorina tuberculata* (Menke, 1828)  
*Tectarius muricatus* (Linnaeus, 1758)  
*Tectininus nodulosus* (Pfeiffer, 1839)

## Superfamily Rissoacea

### Truncatellidae

*Truncatella bilabiata* Pfeiffer, 1840  
*Truncatella caribaeensis* Reeve, 1842  
*Truncatella pulchella* Pfeiffer, 1839  
*Truncatella scalaris piratica* Clench & Turner, 1948

### **Rissoidae**

*Alvania auberiana* (d'Orbigny, 1842)  
*Barleeia tincta* (Guppy, 1894)  
*Rissoina bryerea* (Montagu, 1803)  
*Rissoina cancellata* Philippi, 1847  
*Rissoina catesbyana* d'Orbigny, 1842  
*Rissoina chesnelii* (Michaud, 1830)  
*Rissoina decussata* (Montagu, 1803)  
*Rissoina fischeri* Desjardin, 1949  
*Rissoina multicostata* (C. B. Adams, 1850)  
*Zebina browniana* (d'Orbigny, 1842)

### **Caecidae**

*Caecum antillarum* Carpenter, 1858  
*Caecum carolinianum* Dall, 1892  
*Caecum cooperi* S.I. Smith, 1860  
*Caecum coronellum* Dall, 1892  
*Caecum floridanum* Stimpson, 1851  
*Caecum heladum* Olsson & Harbison, 1953  
*Caecum lermondi* Dall, 1924  
*Caecum nitidum* Stimpson, 1851  
*Caecum pulchellum* Stimpson, 1851  
*Caecum strigosum* de Folin, 1868  
*Caecum vestitum* de Folin, 1870  
*Caecum* sp.

### **Tornidae**

*Cochliolepis holmesi* (Dall, 1889)  
*Cochliolepis parasitica* Stimpson, 1858  
*Cochliolepis striata* Dall, 1889

### **Vitrinellidae**

*Circulus liratus* (Verrill, 1882)  
*Cyclostremiscus beauui* (P. Fischer, 1857)  
*Cyclostremiscus jeannae* (Pilsbry & McGinty, 1945)  
*Cyclostremiscus pentagonus* (Gabb, 1873)  
*Cyclostremiscus trilix* (Bush, 1885)  
*Didianema pauli* Pilsbry & McGinty, 1945  
*Episcynia inornata* (d'Orbigny, 1842)  
*Solariorbis infracarinata* Gabb, 1881  
*Teinostoma biscaynensis* Pilsbry & McGinty, 1945  
*Teinostoma goniogyrus* Pilsbry & McGinty, 1945  
*Teinostoma incertum* Pilsbry & McGinty, 1945  
*Teinostoma parvicallum* Pilsbry & McGinty, 1945  
*Teinostoma* sp.  
*Vitrinella helicoidea* C. B. Adams, 1850  
*Vitrinorbis* sp.

## Superfamily Cerithiacea

### Planaxidae

- Planaxis lineatus* (da Costa, 1778)  
*Planaxis nucleus* (Bruguere, 1789)

### Modulidae

- Modulus carchedonius* (Lamarck, 1822)  
*Modulus modulus* (Linnaeus, 1758)

### Cerithiidae

- Alaba incerta* (d'Orbigny, 1842)  
*Bittium varium* (Pfeiffer, 1840) (= *Diastoma varium* (Pfeiffer, 1840))  
*Cerithium atratum* (Born, 1778) (= *Cerithium floridanum* Morch, 1876)  
*Cerithium biminiense* Pilsbry & McGinty, 1949  
*Cerithium eburneum* Bruguere, 1792 (= *Cerithium algicola* C. B. Adams, 1845)  
*Cerithium guinaicum* Philippi, 1849 (= *Cerithium stantoni* Dall, 1907)  
*Cerithium litteratum* (Born, 1778)  
*Cerithium lutosum* Menke, 1828 (= *Cerithium variabile* C. B. Adams, 1845)  
*Cerithium muscarum* Say, 1822  
*Cerithium* sp.  
*Fastigiella carinata* Reeve, 1848  
*Finella adamsi* (Dall, 1889)  
*Finella cerithidioides* (Dall, 1889) (= *Alabina cerithidioides* (Dall, 1889))  
*Litiopa melanostoma* Rang, 1829

### Potamididae

- Batillaria minima* (Gmelin, 1791)  
*Cerithidea costata* (da Costa, 1778)  
*Cerithidea pliculosa* (Menke, 1829)  
*Cerithidea scalariformis* (Say, 1825)

### Cerithiopsidae

- Cerithiopsis albovittatum* (C. B. Adams, 1850)  
*Cerithiopsis bicolor* (C. B. Adams, 1845)  
*Cerithiopsis crystallinum* Dall, 1881  
*Cerithiopsis emersonii* (C. B. Adams, 1838)  
*Cerithiopsis flavum* (C. B. Adams, 1850)  
*Cerithiopsis fusiforme* (C. B. Adams, 1850)  
*Cerithiopsis greenii* (C. B. Adams, 1839)  
*Cerithiopsis iota* (C. B. Adams, 1845)  
*Cerithiopsis latum* (C. B. Adams, 1850)  
*Cerithiopsis rugulosum* (C. B. Adams, 1850)  
*Cerithiopsis subulatum* (Montagu, 1808)  
*Cerithiopsis* sp.  
*Cerithiopsis* sp. (undescribed)  
*Seila adamsi* (H. C. Lea, 1845)

### Turritellidae

- Turritella acropora* Dall, 1889  
*Turritella exoleta* (Linnaeus, 1758)

*Turritella subannulata* Heilprin, 1887  
*Turritella variegata* (Linnaeus, 1758)  
*Vermicularia fargoii* Olsson, 1951  
*Vermicularia knorrii* (Deshayes, 1843)  
*Vermicularia spirata* (Philippi, 1836)

### **Vermetidae**

*Petalococonchus mcgintyi* (Olsson & Harbison, 1953)  
*Petalococonchus* sp.  
*Serpulorbis decussatus* (Gmelin, 1791)  
*Serpulorbis* sp.  
*Spirogyphus irregularis* (d'Orbigny, 1842)

### **Siliquariidae**

*Siliquaria squamata* Blainville, 1827  
Superfamily Heterogastropoda

### **Architectonicidae**

*Architectonica nobilis* Roding, 1798  
*Architectonica peracuta* (Dall, 1889)  
*Heliacus bisulcatus* (d'Orbigny, 1842)  
*Heliacus cylindricus* (Gmelin, 1791)  
*Heliacus worsfoldi* Quinn, 1981 (PARATYPE)  
*Philippia krebsii* (Morch, 1875)  
*Pseudomalaxis nobilis* Verrill, 1885  
*Spirolaxis exquisita* (Dall & Simpson, 1901)

### **Mathildidae**

*Mathilda barbadensis* Dall, 1889  
*Mathilda scitula* Dall, 1889  
*Mathilda yucatecana* (Dall, 1881)

### **Triphoridae**

*Metaxia rugulosa* (C. B. Adams, 1850)  
*Metaxia taeniolata* (Dall, 1889)  
*Triphora decorata* (C. B. Adams, 1850)  
*Triphora intermedia* (C. B. Adams, 1850)  
*Triphora longissima* Dall, 1881  
*Triphora melanura* (C. B. Adams, 1850)  
*Triphora modesta* (C. B. Adams, 1850)  
*Triphora nigrocincta* (C. B. Adams, 1839)  
*Triphora ornata* (Deshayes, 1832)  
*Triphora pulchella* (C. B. Adams, 1850)  
*Triphora turrithomae* (Holten, 1802)  
*Triphora* sp. (undescribed)

### **Pyramidellidae**

*Boonea seminuda* (C. B. Adams, 1839) (= *Odostomia seminuda* (C. B. Adams, 1839))  
*Careliopsis styliformis* Morch, 1875  
*Eulimastoma engonia* (Bush, 1885)  
*Eulimastoma teres* (Bush, 1885)  
*Eulimastoma* sp.

*Fargoa dianthophila* (H. Wells & M. J. Wells, 1961)  
*Fargoa dux* (Dall & Bartsch, 1906)  
*Miralda abbotti* (Olsson & McGinty, 1958)  
*Miralda babylonica* (C. B. Adams, 1845)  
*Miralda havanensis* (Pilsbry & Aguayo, 1933)  
*Odostomia acutidens* Dall, 1884  
*Odostomia didyma* Verrill & Bush, 1900  
*Odostomia judithae* Nowell-Usticke, 1959  
*Odostomia impressa* (Say, 1821)  
*Odostomia somersi* Verrill & Bush, 1900  
*Odostomia (Evalea)* sp.  
*Odostomia* sp.  
*Peristichia agria* Dall, 1889  
*Peristichia toreta* Dall, 1889  
*Pyramidella candida* Morch, 1875  
*Pyramidella crenulata* (Holmes, 1859)  
*Pyramidella dolabrata* (Linnaeus, 1758)  
*Pyramidella* sp. A  
*Pyrgiscus* sp.  
*Pyrgulina* sp.  
*Satassiella* sp.  
*Sayella fusca* (C. B. Adams, 1839)  
*Sayella hemphilli* (Dall, 1889)  
*Triptychus niveus* Morch, 1875  
*Turbonilla aequalis* (say 1827)  
*Turbonilla conradi* Bush, 1899  
*Turbonilla dalli* Bush, 1899  
*Turbonilla interrupta* (Totten, 1835)  
*Turbonilla pilsbryi* Bush, 1899  
*Turbonilla punicea* Dall, 1884  
*Turbonilla pupoides* d'Orbigny, 1842  
*Turbonilla textilis* (Kurtz, 1860)  
*Turbonilla toyatani* Henderson & Bartsch, 1911  
*Turbonilla virga* Dall, 1884  
*Turbonilla viridaria* Dall, 1834  
*Turbonilla* sp.  
*Turbonilla* sp. A  
*Turbonilla* sp. F  
*Turbonilla* sp. K  
*Turbonilla (Chemnitzia) curta* Dall, 1889  
*Turbonilla (Chemnitzia) valida* Verrill & Bush, 1900  
*Turbonilla (Chemnitzia)* sp. A  
*Turbonilla (Chemnitzia)* sp. B  
*Turbonilla (Chemnitzia)* sp. C  
*Turbonilla (Chemnitzia)* sp. D  
*Turbonilla (Chemnitzia)* sp. E  
*Turbonilla (Chemnitzia)* sp. F  
*Turbonilla (Pyrgiscus)* sp. A  
*Turbonilla (Pyrgiscus)* sp. B  
*Turbonilla (Pyrgiscus)* sp. C  
*Turbonilla (Pyrgiscus)* sp. D  
*Turbonilla (Strioturbonilla)* sp. A

*Turbonilla (Strioturbonilla)* sp. B  
*Turbonilla (Strioturbonilla)* sp. C

## Superfamily Epitoniacea

### Epitoniidae

*Amaea retifera* (Dall, 1889)  
*Cirsotrema dalli* Rehder, 1945  
*Depressiscula nautlae* (Morch, 1874)  
*Epitonium albidum* (d'Orbigny, 1842)  
*Epitonium angulatum* (Say, 1830)  
*Epitonium apiculatum* (Dall, 1889)  
*Epitonium candeanum* (d'Orbigny, 1842)  
*Epitonium humphreysii* (Kiener, 1838)  
*Epitonium krebsii* (Morch, 1874)  
*Epitonium lamellosum* (Lamarck, 1822)  
*Epitonium matthewsae* Clench & Turner, 1952  
*Epitonium multistriatum* (Say, 1826)  
*Epitonium novangliae* (Couthouy, 1838)  
*Epitonium occidentale* (Nyst, 1871)  
*Epitonium rupicola* (Kurtz, 1860)  
*Epitonium rushii* (Dall, 1889)  
*Epitonium tollini* Bartsch, 1938  
*Epitonium* sp.  
*Opalia morchiana* (Dall, 1889)  
*Opalia pumilio* (Morch, 1874)

### Janthinidae

*Janthina exigua* Lamarck, 1816  
*Janthina globosa* Swainson, 1822  
*Janthina janthina* (Linnaeus, 1758)  
*Janthina pallida* (Thompson, 1840)

## Superfamily Eulimacea

### Eulimidae

*Balcis conoidea* (Kurtz & Stimpson, 1851)  
*Balcis intermedia* (Cantraine, 1835)  
*Balcis* sp.  
*Eulima bifasciata* (d'Orbigny, 1842)  
*Eulima fulvocincta* (C. B. Adams, 1850)  
(=*Strombiformis fulvocinctus* (C. B. Adams, 1850))  
*Eulimostraca hemphillii* (Dall, 1884)  
*Eulimostraca subcarinata* (d'Orbigny, 1842)  
*Eulimostraca* sp.  
*Liostraca bilineata* (Alder, 1848)  
*Melanella conica* (C. B. Adams, 1850)

*Melanella eulimoides* (C. B. Adams, 1850)  
*Melanella jamaicensis* (C. B. Adams, 1845)  
*Melanella* sp. B  
*Melanella* sp. C  
*Niso aeglees* Bush, 1885  
*Niso hendersoni* Bartsch, 1953  
*Oceanida graduata* de Folin, 1871 (= *Spiroclimax scalaris* Morch, 1875; = *Athleenia burryi* Bartsch, 1946)  
*Oceanida inglei* Lyons, 1978  
*Polygyreulima* sp. A  
*Polygyreulima* sp. B  
*Strombiformis fulvocinctus* (C. B. Adams, 1850)  
*Vitreolina* sp.

## Superfamily Strombacea

### Strombidae

*Strombus alatus* Gmelin, 1791  
*Strombus costatus* Gmelin, 1791  
*Strombus gallus* Linnaeus, 1758  
*Strombus gigas* Linnaeus, 1758  
*Strombus leidyi* Heilprin, 1887  
*Strombus pugilus* Linnaeus, 1758  
*Strombus raninus* Gmelin, 1791  
*Strombus* sp. (eggs)

## Superfamily Hipponicacea

### Hipponicidae

*Hipponix antiquatus* (Linnaeus, 1767)  
*Hipponix* sp.

### Fossaridae

*Macromphalina palmalitoris* Pilsbry & McGinty, 1950

## Superfamily Calyptraeacea

### Crepidulidae

*Calyptraea centralis* (Conrad, 1841)  
*Cheilea equestris* (Linnaeus, 1758)  
*Crepidula aculeata* (Gmelin, 1791)  
*Crepidula convexa* Say, 1822  
*Crepidula fornicata* (Linnaeus, 1758)  
*Crepidula maculosa* Conrad, 1846

*Crepidula plana* Say, 1822  
*Crucibulum auricula* (Gmelin, 1791)  
*Crucibulum* cf. *spinosum* (Sowerby, 1824)

#### **Xenophoridae**

*Xenophora caribaeum* (Petit, 1856)  
*Xenophora conchyliophora* (Born, 1780)  
*Xenophora longleyi* (Bartsch, 1931)  
*Xenophora* sp.

#### **Capulidae**

*Capulus galeus* Dall, 1889

#### **Trichotropidae**

*Trichotropis migrans* Dall, 1881

### **Superfamily Cypraeacea**

#### **Cypraeidae**

*Cypraea cervus* Linnaeus, 1771  
*Cypraea cinerea* Gmelin, 1791  
*Cypraea spurca acicularis* Gmelin, 1791  
*Cypraea zebra* Linnaeus, 1758  
*Cypraea* sp.

#### **Ovulidae**

*Cymbula acicularis* (Lamarck, 1810)  
*Cyphoma gibbosum* (Linnaeus, 1758)  
*Cyphoma signatum* Pilsbry & McGinty, 1939  
*Phenacovolva piragua* (Dall, 1889)  
*Primovula carnea* (Poiret, 1789)  
*Pseudocyphoma intermedium* (Sowerby, 1828)  
*Pseudocyphoma mcgintyi* Pilsbry, 1939

#### **Triviidae (= Eratoidae)**

*Erato maugeriae* Gray, 1832  
*Erato* sp.  
*Trivia candidula* Gaskoin, 1835  
*Trivia maltbiana* Schwengel & McGinty, 1942  
*Trivia pediculus* (Linnaeus, 1758)  
*Trivia quadripunctata* (Gray, 1827)  
*Trivia suffusa* (Gray, 1832)

#### **Lamellariidae (= Velutinidae)**

*Lamellaria leucosphaera* Schwengel, 1942  
*Lamellaria perspicua* (Linnaeus, 1758)  
*Marsenina globosa* L. Perry, 1939

## Superfamily Heteropoda

### Atlantidae

*Atlanta peronii* Lesueur, 1817

### Pterotracheidae

*Pterotrachea* sp.

## Superfamily Naticacea

### Naticidae

*Lunatia heros* (Say, 1822)

*Natica canrena* (Linnaeus, 1758)

*Natica livida* Pfeiffer, 1840

*Natica pusilla* Say, 1822 (= *Tectonatica pusilla* (Say, 1822))

*Polinices duplicatus* (Say, 1822)

*Polinices hepaticus* (Roding, 1798)

*Polinices lacteus* (Guilding, 1834)

*Polinices* sp.

*Sigatica carolinensis* (Dall, 1889)

*Sinum maculatum* (Say, 1831)

*Sinum perspectivum* (Say, 1831)

## Superfamily Tonnacea

### Cassidae

*Cassis flammea* (Linnaeus, 1758)

*Cassis madagascariensis spinella* Clench, 1944

*Cassis tuberosa* (Linnaeus, 1758)

*Cypraecassis testiculus* (Linnaeus, 1758)

*Phalium cicatricosum* (Meuschen, 1787)

*Phalium granulatum* (Born, 1778)

### Tonnidae

*Oocorys umbilicata* Quinn, 1980 (PARATYPE)

*Tonna galea* (Linnaeus, 1758)

*Tonna maculosa* (Dillwyn, 1817)

*Tonna* sp.

### Ficidae

*Ficus communis* Roding, 1798

### Ranellidae (=Cymatiidae)

*Charonia variegata* (Lamarck, 1816)

*Cymatium femorale* (Linnaeus, 1758)

*Cymatium gemmatum* (Reeve, 1844)

*Cymatium krebsii* (Morch, 1877)  
*Cymatium labiosum* (W. Wood, 1828)  
*Cymatium moritinctum caribbaeum* Clench & Turner, 1957  
*Cymatium muricinum* (Roding, 1798)  
*Cymatium nicobaricum* (Roding, 1798)  
*Cymatium parthenopeum* (von Salis, 1793)  
*Cymatium pileare* (Linnaeus, 1758)  
*Cymatium sarcostomum* (Reeve, 1844)  
*Cymatium vespaceum* (Lamarck, 1822)  
*Distorsio clathrata* (Lamarck, 1816)  
*Distorsio macgintyi* Emerson & Puffer, 1953

### **Bursidae**

*Bursa granularis cubaniana* (d'Orbigny, 1842)  
*Bursa thomae* (d'Orbigny, 1842)

## **Order Neogastropoda Superfamily Muricacea**

### **Muricidae**

*Aspella senex* Dall, 1903  
*Attiliosa aldridgei* (Nowell-Usticke, 1969)  
*Attiliosa philippiana* (Dall, 1889)  
*Attiliosa striata* (Gabb, )  
*Calotrophon ostrearum* (Conrad, 1846)  
*Chicoreus brevifrons* (Lamarck, 1822)  
*Chicoreus dilectus* (A. Adams, 1855)  
*Chicoreus florifer* (Reeve, 1846)  
*Dermomurex pauperculus* (C. B. Adams, 1850)  
*Eupleura caudata* (Say, 1822)  
*Eupleura sulcidentata* Dall, 1890  
*Favartia alveata* (Kiener, 1842)  
*Hexaplex fulvescens* (Sowerby, 1834)  
*Murex anniae* M. Smith, 1940  
*Murex beaui* Fischer & Bernardi, 1857  
*Murex bellegladeensis* Vokes, 1963  
*Murex cabritii* Bernardi, 1859  
*Murex cellulosus* Conrad, 1846  
*Murex cellulosus nuceus* Morch, 1850  
*Murex oculatus* Reeve, 1845  
*Murex rubidus* F. C. Baker, 1897  
*Murex sallasi* Rehder & Abbott, 1951  
*Murexiella glypta* (M. Smith, 1938)  
*Murexiella levicula* (Dall, 1889)  
*Murexiella macgintyi* (M. Smith, 1938)  
*Muricopsis (Risomurex) gilbertharrisi* (Weisbord, 1962)  
*Muricopsis ostrearum* (Conrad, 1846)  
*Muricopsis oxytata* (M. Smith, 1938)  
*Ocenebra emipowlusi* Abbott, 1954

*Ocenebra intermedia* (C. B. Adams, 1850)  
*Ocenebra minirosea* Abbott, 1954  
*Panamurex velero* (Vokes, 1970)  
*Phyllonotus globosus* (Emmons, 1858)  
*Phyllonotus pomum* (Gmelin, 1791) (was *Chicoreus*)  
*Pteropurpura bequaerti* (Clench & Farfante, 1945)  
*Pterotyphis pinnatus* (Broderip, 1833)  
*Pterotyphis triangularis* (A. Adams, 1856)  
*Risomurex muricoides* (C. B. Adams, 1845)  
*Risomurex roseus* (Reeve, 1846)  
*Risomurex schrammi* (Crosse, 1863)  
*Trachypollia didyma* (Schwengel, 1943)  
*Trachypollia granulifera* (Lamarck, 1811)  
*Trachypollia nodulosa* (C. B. Adams, 1845)  
*Typhis sowerbii* Broderip, 1833  
*Urosalpinx cinerea* (Say, 1822)  
*Urosalpinx perrugata* (Conrad, 1846)  
*Urosalpinx tampaensis* (Conrad, 1846)

### **Thaididae**

*Purpura patula* (Linnaeus, 1758)  
*Thais deltoidea* (Lamarck, 1822)  
*Thais haemastoma floridana* (Conrad, 1837)  
*Thais haemastoma haysae* Clench, 1927  
*Thais rustica* (Lamarck, 1822)

### **Coralliophilidae (=Magilidae)**

*Coralliophila abbreviata* (Lamarck, 1816)  
*Coralliophila aberrans* (C. B. Adams, 1850)  
*Coralliophila caribaea* Abbott, 1958  
*Coralliophila mansfieldi* McGinty, 1940  
*Latiaxis dalli* Emerson & D'Attilio, 1963

### **Buccinidae**

*Antillophos candei* (d'Orbigny, 1842)  
*Antillophos oxyglyptus* (Dall & Simpson, 1901)  
*Bailya intricata* (Dall, 1884)  
*Bailya parva* (C. B. Adams, 1850)  
*Cantharus cancellarius* (Conrad, 1846)  
*Cantharus multangulus* (Philippi, 1848)  
*Engina turbinella* (Kiener, 1835)  
*Engina* sp. 1  
*Engina* sp. 2  
*Liomesus stimpsoni* Dall, 1889  
*Pisania auritula* (Link, 1807)  
*Pisania pusio* (Linnaeus, 1758)  
*Pisania tincta* (Conrad, 1846)  
*Pisania* cf. *tincta* (Conrad, 1846)

### **Colubrariidae**

*Colubraria lanceolata* (Menke, 1828)  
*Colubraria obscura* (Reeve, 1844)

*Colubraria swifti* (Tryon, 1881)

### **Columbellidae**

*Aesopus stearnsii* (Tryon, 1883)  
*Anachis avara* (Say, 1822)  
*Anachis floridana* Rehder, 1939  
*Anachis iontha* (Ravenel, 1861)  
*Anachis lafresnayi* (Fischer & Bernardi, 1856)  
*Anachis nycteis* (Duclos, 1846)  
*Anachis obesa* (C. B. Adams, 1845)  
*Anachis ostreicola* Melvill, 1881  
*Anachis pretrii* Duclos, 1846  
*Anachis semiplicata* (Stearns, 1873)  
*Anachis similis* (Ravenel, 1861)  
*Anachis sparsa* (Reeve, 1859)  
*Anachis* sp.  
*Anachis* sp. 2  
*Astyris lunata* (Say, 1826) (= *Mitrella lunata* (Say, 1826))  
*Columbella mercatoria* (Linnaeus, 1758)  
*Mitrella argus* d'Orbigny, 1842  
*Mitrella dichroa* (Sowerby, 1844)  
*Mitrella ocellata* (Gmelin, 1791)  
*Nassarina glypta* (Bush, 1885)  
*Nitidella laevigata* (Linnaeus, 1758)  
*Nitidella nitida* (Lamarck, 1822)  
*Psarostola minor* (C. B. Adams, 1845)  
*Pyrene ovulata* (Lamarck, 1822)  
*Steironepion monilifera* (Sowerby, 1844)  
*Zafrona pulchella* (Sowerby, 1844)

### **Nassariidae**

*Ilyanassa obsoleta* (Say, 1822)  
*Nassarius acutus* (Say, 1822)  
*Nassarius albus* (Say, 1826)  
*Nassarius ambiguus* (Pulteney, 1799)  
*Nassarius consensus* (Ravenel, 1861)  
*Nassarius hotessieri* (d'Orbigny, 1845)  
*Nassarius monilifera* (Sowerby, 1844)  
*Nassarius nanus* Nowell-Usticke, 1959  
*Nassarius vibex* (Say, 1822)  
*Nassarius* sp.

### **Melongenidae**

*Busycon canaliculatum* (Linnaeus, 1758)  
*Busycon carica* (Gmelin, 1791)  
*Busycon coarctatum* (Sowerby, 1825)  
*Busycon contrarium* (Conrad, 1840)  
*Busycon spiratum* (Lamarck, 1816)  
*Busycon* sp. (probably *carica*)  
*Melongena bicolor* (Say, 1827)  
*Melongena corona* (Gmelin, 1791)  
*Melongena corona bispinosa* (Philippi, 1844)

### **Fascioliidae**

- Dolicholattirus cayohuesonicus* (Sowerby, 1878)  
*Fasciolaria bullisi* Lyons, 1972  
*Fasciolaria hunteria* (Perry, 1811)  
*Fasciolaria lilium* F. von Waldheim, 1807  
*Fasciolaria lilium hunteria* (Perry, 1811)  
*Fasciolaria lilium tortuganum* Hollister, 1957  
*Fasciolaria tulipa* (Linnaeus, 1758)  
*Fusinus eucosmius* (Dall, 1889)  
*Fusinus helenae* Bartsch, 1939  
*Fusinus stegeri* Lyons, 1978 (PARATYPE)  
*Heilprinia timessus* (Dall, 1889)  
*Latirus brevicaudata* (Reeve, 1847)  
*Latirus cariniferus* Lamarck, 1822  
*Latirus distinctus* A. Adams, 1855  
*Latirus infundibulum* (Gmelin, 1791)  
*Latirus macgintyi* Pilsbry, 1939  
*Latirus* sp.  
*Leucozonia nassa* (Gmelin, 1791)  
*Leucozonia nassa leucozonalis* (Lamarck, 1822)  
*Leucozonia ocellata* (Gmelin, 1791)  
*Pleuroploca gigantea* (Kiener, 1840)

### **Volutidae**

- Enaeta cylleniformis* (Sowerby, 1844)  
*Scaphella dubia* (Broderip, 1827)  
*Scaphella gouldiana* (Dall, 1887)  
*Scaphella junonia* (Lamarck, 1804)  
*Scaphella kieneri* Clench, 1946  
*Scaphella* sp.  
*Voluta musica* Linnaeus, 1758 (=?*V. sulcata*)  
Volutidae sp.

### **Harpidae**

- Morum oniscus* (Linnaeus, 1767)

### **Olividae**

- Jaspidella blanesi* (Ford, 1898)  
*Jaspidella jaspidea* (Gmelin, 1791)  
*Oliva reticularis* Lamarck, 1810  
*Oliva sayana* Ravenel, 1834  
*Oliva* sp.  
*Olivella adela* Olsson, 1956  
*Olivella bullula* (Reeve, 1850)  
*Olivella dealbata* (Reeve, 1850)  
*Olivella floralia* (Duclos, 1853)  
*Olivella mutica* (Say, 1822)  
*Olivella nivea* (Gmelin, 1791)  
*Olivella pusilla* (Marrat, 1871)  
*Olivella watermani* McGinty, 1940  
*Olivella* sp.

### **Turbinellidae**

*Turbinella angulata* (Lightfoot, 1786)

*Vasum capitellum* (Linnaeus, 1758)

*Vasum muricatum* (Born, 1778)

### **Marginellidae**

*Dentimargo eburneola* (Conrad, 1834)

*Granulina ovuliformis* (d'Orbigny, 1841)

*Hyalina avena* (Kiener, 1834)

*Hyalina avenacea* (Deshayes, 1844)

*Hyalina lactea* (Kiener, 1841)

*Hyalina veliei* (Pilsbry, 1896)

*Marginella aureocincta* Stearns, 1872

*Marginella denticulata* Conrad, 1830

*Marginella hematita* Kiener, 1834

*Marginellopsis serrei* Bavay, 1911

*Persicula catenata* (Montagu, 1803)

*Persicula lavalleana* (d'Orbigny, 1842)

*Prunum amabile* (Redfield, 1852)

*Prunum apicinum* (Menke, 1828)

*Prunum carneum* (Storer, 1837)

*Prunum guttatum* Dillwyn, 1817

*Prunum hartleyana* Schwengel, 1941

*Prunum labiatum* Kiener, 1841

*Prunum limatulum* Conrad, 1834

*Prunum roosevelti* Bartsch & Rehder, 1939

*Prunum roscidum* (Redfield, 1860)

*Prunum virginianum* (Conrad, 1868)

*Volvarina avena* (Kiener, 1834)

*Volvarina bella* (Conrad, 1868) (= *Prunum bellum* (Conrad, 1868))

*Volvarina tenuilabra* (Tomlin, 1917)

### **Mitridae**

*Mitra barbadensis* (Gmelin, 1791)

*Mitra nodulosa* (Gmelin, 1791)

### **Costellariidae**

*Thala floridana* (Dall, 1883)

*Uromitra wandoense* (Holmes, 1860)

*Vexillum (Costellaria) hendersoni* (Dall, 1927)

*Vexillum (Costellaria) styria* (Dall, 1889)

*Vexillum (Costellaria) sykesi* (Melvill, 1925)

*Vexillum (Pusia) albocinctum* (C. B. Adams, 1845)

*Vexillum (Pusia) chickcharneorum* Lyons & Kaicher, 1978

*Vexillum (Pusia) cubana* (Aguayo & Rehder, 1936)

*Vexillum (Pusia) dermestinum* (Lamarck, 1811)

*Vexillum (Pusia) gemmata* (Sowerby, 1874)

*Vexillum (Pusia) histrio* (Reeve, 1844)

*Vexillum (Pusia) moisei* McGinty, 1955

*Vexillum (Pusia) puella* (Reeve, 1845)

## **Pleioptygmatidae**

*Pleioptygma helenae* (Radwin & Bibbey, 1972)

## **Superfamily Cancellariacea**

### **Cancellariidae**

*Agatrix agassizii* (Dall, 1889) (= *Trigonostoma agassizii* Dall, 1889)

*Cancellaria reticulata* (Linnaeus, 1767)

*Olssonella smithii* (Dall, 1888) (= *Trigonostoma smithii* (Dall, 1888))

*Olssonella tenerum* (Philippi, 1848)

## **Superfamily Conacea**

### **Conidae**

*Conus amphiurgus* Dall, 1889

*Conus aurantius* Hwass, 1792

*Conus daucus* Hwass, 1792

*Conus delessertii* Recluz, 1843

*Conus ermineus* Born, 1778

*Conus flavescens* Sowerby, 1834

*Conus floridanus* Gabb, 1868

*Conus floridensis* Sowerby, 1870

*Conus havanensis* Aguayo & Perez Farfante, 1947

*Conus jaspideus* Gmelin, 1791

*Conus mus* Hwass, 1792

*Conus rainesae* McGinty, 1953

*Conus regius* Gmelin, 1791

*Conus spurius* Gmelin, 1791

*Conus spurius atlanticus* Clench, 1942

*Conus stearnsi* Conrad, 1869

*Conus stimpsoni* Dall, 1902

*Conus verrucosus* Hwass, 1792

### **Turridae**

*Bactrocythara asarca* (Dall & Simpson, 1901)

*Bellaspira pentagonalis* (Dall, 1889)

*Brachycythara barbarae* Lyons, 1972 (PARATYPE)

*Brachycythara biconica* (C. B. Adams, 1850)

*Brachycythara* sp.

*Carinodrillia barbarae* Steger (unpublished)

*Cerodrillia arcas* Steger (unpublished)

*Cerodrillia bealiana* Schwengel & McGinty, 1942

*Cerodrillia cookei* (E. A. Smith, 1888)

*Cerodrillia girardi* Lyons, 1972 (PARATYPE)

*Cerodrillia lissotropis* (Dall, 1881)

*Cerodrillia perryae* Bartsch & Rehder, 1939

*Cerodrillia schroederi* Bartsch & Rehder, 1939

*Cerodrillia simpsoni* (Dall in Stimpson, 1887)  
*Cochlespira radiata* (Dall, 1889)  
*Compsodrillia eucosmia* (Dall, 1889)  
*Compsodrillia haliostrephis* (Dall, 1889)  
*Compsodrillia* (*Buchema*) sp.  
*Crassispira cubana* Melvill, 1923  
*Crassispira drangai* Schwengel, 1951  
*Crassispira ebenina* (Dall, 1890)  
*Crassispira fuscescens* (Reeve, 1843)  
*Crassispira mesoleuca* Rehder, 1943  
*Crassispira primula* Melvill, 1923  
*Crassispira rhythmica* Melvill, 1927  
*Crassispira sanibelensis* Bartsch & Rehder, 1939  
*Crassispira tampaensis* Bartsch & Rehder, 1939  
*Crassispira* sp.  
*Cryoturris fargoii* McGinty, 1955  
*Cryoturris quadrilineata* (C. B. Adams, 1850)  
*Daphnella corbicula* Dall, 1889  
*Daphnella decorata* (C. B. Adams, 1850)  
*Daphnella hayesi* Usticke, 1959  
*Daphnella lymneiformis* (Kiener, 1840)  
*Daphnella margaretae* Lyons, 1972  
*Daphnella reticulosa* Dall, 1889  
*Daphnella retifera* Dall, 1889  
*Daphnella stegeri* McGinty, 1955  
*Daphnella* sp.  
*Drilliola comatotropis* (Dall, 1881) (= *Microdrillia comatotropis* (Dall, 1881))  
*Douglassia enae* Bartsch, 1934  
*Fenimorea fucata* (Reeve, 1845)  
*Fenimorea janetae* Bartsch, 1934  
*Fenimorea moseri* (Dall, 1889)  
*Fenimorea pagodula* (Dall, 1889)  
*Glyphostoma dentifera* Gabb, 1872  
*Glyphostoma gabbii* Dall, 1889  
*Glyphostoma hendersoni* Bartsch, 1934  
*Glyphoturris rugirima* (Dall, 1889)  
*Granoturris presleyi* Lyons, 1972 (PARATYPE)  
*Hindsiclava alesidota* (Dall, 1889)  
*Inodrillia aepynota* (Dall, 1889)  
*Inodrillia* sp.  
*Ithycythara auberiana* (d'Orbigny, )  
*Ithycythara cymella* (Dall, 1889)  
*Ithycythara lanceolata* (C. B. Adams, 1850)  
*Ithycythara parkeri* Abbott, 1958  
*Ithycythara pentagonalis* (Reeve, 1845)  
*Ithycythara psila* (Bush, 1885)  
*Ithycythara* sp. 1  
*Kurtziella atrostyla* (Tryon, 1884)  
*Kurtziella cerina* (Kurtz & Simpson, 1851)  
*Kurtziella cerinella* (Dall, 1889)  
*Kurtziella limonitella* (Dall, 1883)  
*Kurtziella* sp.

*Leptadrillia loria* Bartsch, 1934  
*Leptadrillia splendida* Bartsch, 1934  
*Lioglyphostoma canna* (Dall, 1889)  
*Mangelia citronella* (Dall, 1889)  
*Miraclathurella herminea* (Bartsch, 1934)  
*Mitrolumna biplicata* (Dall, 1889) (= *Mitromorpha biplicata* Dall, 1889)  
*Monilispira albinodata* (Reeve, 1843)  
*Monilispira albomaculata* (d'Orbigny, 1842)  
*Monilispira monilis* Bartsch & Rehder, 1939  
*Nannodiella lyonsi* Steger (unpublished)  
*Nannodiella melanitica* (Bush, 1885)  
*Neodrillia cydia* Bartsch, 1943  
*Pilsbryspira albocincta* (C. B. Adams, 1845)  
*Pilsbryspira leucocyma* (Dall, 1883)  
*Platycythara elata* (Dall, 1889) (= *Daphnella elata* Dall, 1889)  
*Polystira albida* (Perry, 1811)  
*Polystira florenceae* Bartsch, 1934  
*Pyrgocythara coxi* Fargo, 1953  
*Pyrgocythara hemphilli* Bartsch & Rehder, 1939  
*Pyrgocythara plicosa* (C. B. Adams, 1850)  
*Pyrogospira ostrearum* (Stearns, 1872)  
*Rimoso daphnella* (Dall, 1881) (= *Daphnella morra* (Dall, 1881))  
*Rubellatoma rubella* (Kurtz & Simpson, 1851)  
*Stellatoma stellata* (Stearns, 1872)  
*Tenaturris bartletti* (Dall, 1889)  
*Thelecythara floridana* Fargo, 1953  
*Viridrillia williami* Bartsch, 1943  
*Vitricythara metria* (Dall, 1903)

### **Terebridae**

*Hastula cinerea* (Born, 1778)  
*Hastula hastata* (Gmelin, 1791)  
*Hastula salleana* (Deshayes, 1859)  
*Terebra acrior* Dall, 1889  
*Terebra concava* Say, 1827  
*Terebra dislocata* (Say, 1822)  
*Terebra floridana* Dall, 1889  
*Terebra glossema* Schwengel, 1940  
*Terebra onslowensis* Petuch, 1972  
*Terebra protexta* Conrad, 1845  
*Terebra protexta lutescens* (Dall, 1889)  
*Terebra taurinus* Lightfoot, 1876  
*Terebra vinosa* Dall, 1889  
*Terebra* sp.

### **Subclass Opisthobranchia**

Opisthobranch sp. A  
Opisthobranch sp. B  
Opisthobranch sp. C

Opisthobranch sp. D  
Opisthobranch sp. E  
Opisthobranch sp. F  
Opisthobranch sp. G  
Opisthobranch sp. H  
Opisthobranch sp. I  
Opisthobranch sp. J

## Order Cephalaspidea

### Acteonidae

*Acteon candens* Rehder, 1939  
*Rictaxis punctostriatus* (C. B. Adams, 1840)

### Acteocinidae

*Cylichna bidentata* (d'Orbigny, 1841)  
*Cylichna verrillii* Dall, 1889

### Scaphandridae

*Cylichnella bidentata* (d'Orbigny, 1841)  
*Cylichnella canaliculata* (Say, 1822) (= *Retusa canaliculata* Say, 1822)  
*Cylichnella candei* (d'Orbigny, 1842) (= *Retusa candei* d'Orbigny, 1842)  
*Cylichnella recta* (d'Orbigny, 1842)  
*Scaphander watsoni* Dall, 1881

### Aglajidae

*Chelidonura evelinae* Marcus, 1955  
Gastropteridae  
Gastropteron sp.

### Bullidae

*Bulla occidentalis* A. Adams, 1850  
*Bulla solida* Gmelin, 1791  
*Bulla striata* Bruguiere, 1792  
*Bulla umbilicata* Roding, 1798

### Atyidae

*Atys caribaea* (d'Orbigny, 1841)  
*Atys riiseana* Morch, 1875  
*Haminoea antillarum* (d'Orbigny, 1841)  
*Haminoea elegans* (Gray, 1825)  
*Haminoea succinea* (Conrad, 1846)  
*Haminoea* sp.

### Retusidae

*Pyrunculus caelatus* (Bush, 1885)  
*Retusa sulcata* (d'Orbigny, 1842)  
*Rhizorus oxytatus* (Bush, 1885)

## Order Sacoglossa

### Oxynoidae

*Lobiger souverbii* Fischer, 1856

*Oxynoe antillarum* Morch, 1863

*Oxynoe* sp.

### Stiligeridae

*Stiliger* sp.

### Elysiidae

*Tridachia crispata* (Morch, 1863)

## Order Anaspidea

### Aplysiidae

*Aplysia brasiliiana* Rang, 1828

*Aplysia cervina* (Dall & Simpson, 1901)

*Aplysia dactylomela* Rang, 1828

*Aplysia floridensis* (Pilsbry, 1895)

*Aplysia juliana* Quoy & Gaimard, 1832

*Aplysia morio* Verrill, 1901

*Aplysia willcoxi* Heilprin, 1886

*Aplysia* sp.

*Aplysia?* sp.

*Bursatella leachii pleii* Rang, 1828

## Order Notaspidea

### Umbraculidae

*Umbraculum plicatulum* (von Martens, 1881)

### Tylodinidae

*Tylodina americana* Dall, 1890

### Pleurobranchidae

*Pleurobranchaea hedgpethi* Abbott, 1952

*Pleurobranchus areolatus* Morch, 1863

*Pleurobranchus reesi* White, 1952

*Pleurobranchus* sp.

**Order Thecosomata**  
**Suborder Euthecosomata**

**Cavoliniidae**

*Cavolina longirostris* Blainville, 1821  
*Cavolina quadridentata* Blainville, 1813  
*Cavolina tridentata* (Niebuhr, 1775)  
*Cavolina trispinosa* Blainville, 1821  
*Cavolina uncinata* (Rang, 1829)

**Cuvieriidae**

*Clio pyramidata* Linnaeus, 1767  
*Creseis acicula* (Rang, 1828)

**Order Nudibranchia**  
**Suborder Doridoidea**  
**Superfamily Anadoridacea**

**Polyceratidae**

*Polycera hummi* Abbott, 1952  
*Polycera* sp.

**Superfamily Eudoridacea**

**Doridiidae**

*Aphelodoris antillensis* Bergh, 1879  
*Chelidonura evelinae* Marcus, 1955  
Dorididae sp.  
*Glossodoris* sp.

**Superfamily Porodoridacea**

**Dendrodorididae**

*Chromodoris neona* Marcus, 1955  
*Chromodoris nyalya* Marcus & Marcus, 1967  
*Dendrodoris krebsii* (Morch, 1863)  
*Dendrodoris warta* Marcus & Gallagher, 1975 (PARATYPE)  
*Dendrodoris* sp.  
Dorid sp.  
Dorid sp. 1  
Dorid sp. 2  
Dorid sp. 3  
Dorid sp. 4  
*Hypselodoris edenticulata* (White, 1953)

## **Order Nudibranchia**

Nudibranchia sp. A  
Nudibranchia sp. B  
Nudibranchia sp. C  
Nudibranchia sp. D  
Nudibranchia sp. E  
Nudibranchia sp. F  
Nudibranchia sp. G

### **Suborder Dendronotoidea**

#### **Scyllaeidae**

*Scyllaea pelagica* Linnaeus, 1758

#### **Dotoidae**

*Doto* sp.

### **Suborder Arminoidea Superfamily Euarminiacea**

#### **Arminidae**

*Arminia tigrina* Rafinesque, 1814

### **Suborder Aeolidoidea Superfamily Cleiprocta**

#### **Glaucidae**

*Glaucus atlanticus* Forster, 1777

#### **Facelinidae**

*Phidiana lynceus* Bergh, 1867

#### **Aeolidiidae**

*Spurilla neopolitana* (delle Chiaje, 1823)

### **Subclass Pulmonata Order Basommatophora Superfamily Melampidaea**

**Melampidae**

*Detracia bullaoides* (Montagu, 1808)

*Melampus coffeus* (Linnaeus, 1758)

*Melampus monilis* (Bruguiere, 1789)

**Superfamily Siphonariacea****Siphonariidae**

*Siphonaria alternata* (Say, 1826)

*Siphonaria pectinata* (Linnaeus, 1758)

*Williamia krebsii* (Morch, 1877)

**Order Stylommatophora****Suborder Mesurethra****Superfamily Clausiliacea****Cerionidae**

*Cerion* sp.

**Order Systellommatophora****Superfamily Oncidiacea****Onchidiidae**

*Onchidella floridana* (Dall, 1885)

**Class Cephalopoda****Subclass Coleoidea (=Dibranchiata)****Order Sepioidea****Spirulidae**

*Spirula spirula* (Linnaeus, 1758)

**Sepiolidae**

*Rossia tenera* (Verrill, 1880)

**Order Teuthoidea (=Decapoda)****Suborder Myopsida****Pickfordiateuthidae**

*Pickfordiateuthis pulchella* Voss, 1953

### **Loliginidae**

*Doryteuthis pleii* (Blainville, 1823)

*Loligo pealeii* Lesueur, 1821

*Lolliguncula brevis* (Blainville, 1823)

*Sepiotheuthis sepioidea* (Blainville, 1823)

## **Suborder Oegopsida**

### **Onychoteuthidae**

*Onychoteuthis banksii* (Leach, 1817)

### **Ommastrephidae**

*Illex illecebrosus* (Lesueur, 1821)

*Ommastrephes pteropus* (Steenstrup, 1855)

*Ornithoteuthis antillarum* Adam, 1957

## **Order Octopoda** **Suborder Incirrata**

### **Octopodidae**

*Octopus briareus* Robson, 1929

*Octopus joubini* Robson, 1929

*Octopus maya* Voss & Solis, 1966

*Octopus vulgaris* Lamarck, 1798

*Octopus* sp.

### **Tremoctopodidae**

*Tremoctopus violaceus* delle Chiaje, 1830

Argonautidae

*Argonauta argo* Linnaeus, 1758

*Argonauta* sp.

## **Class Bivalvia** **Subclass Protobranchia** **Order Nuculoida** **Superfamily Nuculacea**

### **Nuculidae**

*Nucula crenulata* Adams, 1856

*Nucula proxima* Say, 1822

Nuculidae sp.

## Superfamily Nuculanacea

### **Nuculanidae**

*Nuculana acuta* (Conrad, 1831)

*Nuculana concentrica* (Say, 1824)

Nuculanidae sp.

## Order Solemyoida Superfamily Solemyacea

### **Solemyacidae**

*Solemya occidentalis* Deshayes, 1858

*Solemya velum* Say, 1822

Solemyacidae sp.

### **Manzanellidae**

*Nucinella adamsi* (Dall, 1898)

Manzanellidae sp.

## Subclass Pteriomorphia Suborder Isofilibranchia Order Mytiloida Superfamily Mytilacea

### **Mytilidae**

*Amygdalum papyrium* (Conrad, 1846)

*Amygdalum sagittatum* Rehder, 1934

*Botula fusca* (Gmelin, 1791)

*Brachidontes citrinus* (Roding, 1798)

*Brachidontes domingensis* (Lamarck, 1819)

*Brachidontes exustus* (Linnaeus, 1758)

*Brachidontes modiolus* (Linnaeus, 1758)

*Brachidontes recurvus* (Rafinesque, 1820)

*Crenella divaricata* (d'Orbigny, 1845)

*Dacrydium vitreum* (Moller, 1842)

*Gregariella opifex* (Say, 1825)

*Lioberus castaneus* (Say, 1822)

*Lithophaga antillarum* (d'Orbigny, 1842)

*Lithophaga aristata* (Dillwyn, 1817)

*Lithophaga bisulcata* (d'Orbigny, 1842)

*Lithophaga nigra* (d'Orbigny, 1842)

*Modiolaria coralliophaga* (Gmelin, 1790)

*Modiolus americanus* (Leach, 1815)

*Modiolus demissus granosissimus* (Sowerby, 1914)

*Modiolus modiolus squamosus* Beupérthuy, 1967

*Musculus lateralis* (Say, 1822)

Mytilidae sp.

**Superorder Prionodonta**  
**Order Arcoida**  
**Superfamily Arcacea**

**Arcidae**

*Anadara baughmani* Hertlein, 1951  
*Anadara brasiliana* (Lamarck, 1822)  
*Anadara floridana* (Conrad, 1869)  
*Anadara notabilis* (Roding, 1798)  
*Anadara ovalis* (Bruguere, 1789)  
*Anadara transversa* (Say, 1822)  
*Arca imbricata* Bruguere, 1789  
*Arca zebra* (Swainson, 1833)  
*Arcopsis adamsi* (Dall, 1886)  
*Arcopsis conradiana* (Dall, 1886)  
*Barbatia cancellaria* (Lamarck, 1819)  
*Barbatia candida* (Helbling, 1779)  
*Barbatia domingensis* (Lamarck, 1819)  
*Barbatia tenera* (C. B. Adams, 1845)  
*Noetia ponderosa* (Say, 1822)  
Arcidae sp.

**Superfamily Limopsacea**

**Limopsidae**

*Limopsis antillarum* Dall, 1881  
*Limopsis minuta* Philippi, 1836  
*Limopsis sulcata* Verrill & Bush, 1898

**Glycymerididae**

*Glycymeris americana* (DeFrance, 1829)  
*Glycymeris decussata* (Linnaeus, 1758)  
*Glycymeris pectinata* (Gmelin, 1791)  
*Glycymeris spectralis* Nicol, 1952  
*Glycymeris undata* (Linnaeus, 1758)

**Superorder Eupteriomorphia**  
**Order Pterioda**  
**Suborder Pteriina**  
**Superfamily Pteriacea**

**Pteriidae**

*Pinctada imbricata* Roding, 1798

*Pinctada radiata* (Leach, 1814)

*Pteria colymbus* (Roding, 1798)

*Pteria* sp.

Pteriidae sp.

**Malleidae**

*Malleus candeanus* (d'Orbigny, 1842)

**Isognomonidae**

*Isognomon alatus* (Gmelin, 1791)

*Isognomon bicolor* (C. B. Adams, 1845)

*Isognomon radiatus* (Anton, 1839)

**Suborder Pinnina**  
**Superfamily Pinnacea****Pinnidae**

*Atrina rigida* (Lightfoot, 1786)

*Atrina seminuda* (Lamarck, 1819)

*Atrina* cf. *seminuda* (Lamarck, 1819)

*Atrina serrata* (Sowerby, 1825)

*Atrina* sp.

*Pinna carnea* Gmelin, 1791

Pinnidae sp.

**Order Limoida**  
**Superfamily Limacea****Limidae**

*Lima caribaea* d'Orbigny, 1842

*Lima gracialis* (Gmelin, 1791)

*Lima lima* (Linnaeus, 1758)

*Lima pulleyi* Stuardo,

*Lima scabra* (Born, 1778)

*Lima tenera* Sowerby, 1846

*Limaria burryi* Stuardo,

*Limaria pellucida* (C. B. Adams, 1846)

*Limea bronniana* Dall, 1886

*Limatula setifera* Dall, 1886

**Order Ostreoida**  
**Suborder Ostreina**  
**Superfamily Ostreacea**

### **Ostreidae**

*Crassostrea rhizophorae* (Guilding, 1828)

*Crassostrea virginica* (Gmelin, 1791)

*Lopha frons* (Linnaeus, 1758)

*Ostrea equestris* Say, 1834

*Ostrea permollis* Sowerby, 1841

Ostreidae sp.

### **Gryphaeidae**

*Pycnodonte hyotis* (Linnaeus, 1758)

Gryphaeidae sp.

## **Superfamily Plicatulacea**

### **Plicatulidae**

*Plicatula gibbosa* Lamarck, 1801

Plicatulidae sp.

## **Suborder Pectinina Superfamily Pectinacea**

### **Pectinidae**

*Aequipecten acanthodes* (Dall, 1925)

*Aequipecten glyptus* (Verrill, 1882)

*Aequipecten muscosus* (Wood, 1828)

*Aequipecten phrygium* (Dall, 1886)

*Amusium papyraceus* (Gabb, 1873)

*Argopecten gibbus* (Linnaeus, 1758)

*Argopecten irradians* (Lamarck, 1819)

*Argopecten irradians concentricus* (Say, 1822)

*Argopecten nucleus* (Born, 1778)

*Chlamys benedicti* (Verrill & Bush, 1897)

*Chlamys imbricata* (Gmelin, 1791)

*Chlamys mildredae* (F. M. Bayer, 1943)

*Chlamys ornata* (Lamarck, 1819)

*Chlamys sentis* (Reeve, 1853)

*Cyclopecten nanus* Verrill & Bush, 1897

*Cyclopecten pourtalesianus*

*Cyclopecten* sp. B (of Waller)

*Lyropecten antillarum* (Recluz, 1853)

*Lyropecten nodosus* (Linnaeus, 1758)

*Pecten chazaliei* Dautzenberg, 1900

*Pecten raveneli* Dall, 1898

*Pecten ziczac* (Linnaeus, 1758)

*Placopecten magellanicus* (Gmelin, 1791)

*Propeamussium dalli* (E. A. Smith, 1886)

*Propeamussium* sp.

Pectinidae sp.

### **Spondylidae**

*Spondylus americanus* Hermann, 1781

*Spondylus ictericus* Reeve, 1856

*Spondylus* sp.

Spondylidae sp.

## **Superfamily Anomiacea**

### **Anomiidae**

*Anomia simplex* d'Orbigny, 1842

*Pododesmus rudis* (Broderip, 1834)

Anomiidae sp.

## **Subclass Heterodonta Order Hippuritoida Superfamily Chamacea**

### **Chamidae**

*Arcinella arcinella* (Linnaeus, 1767)

*Arcinella cornuta* Conrad, 1866

*Chama congregata* Conrad, 1833

*Chama macerophylla* (Gmelin, 1791)

*Chama sarda* Reeve, 1847

*Chama sinuosa* Broderip, 1835

*Pseudochama radians* (Lamarck, 1819)

Chamidae sp.

## **Order Veneroida Superfamily Lucinacea**

### **Lucinidae**

*Anodontia alba* Link, 1807

*Anodontia philippiana* (Reeve, 1850)

*Cavilinga blanda* Dall & Stimpson, 1901

*Codakia orbicularis* (Linnaeus, 1758)

*Codakia orbiculata* (Montagu, 1808)

*Divaricella dentata* (Wood, 1815)

*Divaricella quadrisulcata* (d'Orbigny, 1842)

*Lucina leucocyma* Dall, 1886

*Lucina sombrerensis* (Dall, 1886)

*Lucina pensylvanica* Linnaeus, 1758

*Megaxinus floridana* (Conrad, 1833)

*Parvilucina amiantus* (Dall, 1901)  
*Parvilucina costata* (d'Orbigny, 1850)  
*Parvilucina multilineata* Tuomey & Holmes, 1857  
*Parvilucina nassula* (Conrad, 1846)  
*Parvilucina* sp.  
*Phacoides pectinatus* (Gmelin, 1791)  
Lucinidae sp.

#### **Ungulinidae**

*Diplodonta nucleiformis* Wagner, 1838  
*Diplodonta punctata* (Say, 1822)  
*Diplodonta semiaspera* (Philippi, 1836)  
*Diplodonta* sp.

#### **Cyrenoididae**

*Cyronoida floridana*

### **Superfamily Leptonacea**

#### **Leptonidae**

*Montacuta triquetata*  
*Montacuta* sp. A  
*Montacuta* sp. B  
*Orobitella limpida* (Dall, 1899)

#### **Lasaeidae**

*Aligena* cf. *texasiana* Harry, 1969  
*Aligena* sp.  
*Bornia longipes* (Stimpson, 1855)  
*Kellia* sp.  
*Lasaea adansoni* (Gmelin, 1791)  
*Parabornia* sp.  
Kellidae sp.  
Lasaeidae sp.

### **Superfamily Cyamiacea**

#### **Sportellidae**

*Basterotia elliptica* (Recluz, 1850)  
*Hindsiella nephritica* Dall, 1900  
Sportellidae sp.

### **Superfamily Cardiacea**

### **Carditidae**

- Carditamera floridana* Conrad, 1838  
*Carditamera gracilis* (Shuttleworth, 1856)  
*Glans dominguensis* (d'Orbigny, 1845)  
*Pleuromeris armilla* (Dall, 1902)  
*Pleuromeris tridentata* (Say, 1826)  
*Pteromeris perplana* (Conrad, 1841)  
Carditidae sp.

## **Superfamily Crassatellacea**

### **Crassatellidae**

- Crassinella dupliniana* (Dall, 1903)  
*Crassinella lunulata* (Conrad, 1834)  
*Crassinella martinicensis* (d'Orbigny, 1842)  
*Crassinella* sp.  
*Eucrassatella speciosa* (A. Adams, 1852)  
Crassatellidae sp.

### **Astartidae**

- Astarte nana* Dall, 1886

## **Superfamily Cardiacea**

### **Cardiidae**

- Americardia guppyi* Thiele, 1910  
*Americardia media* (Linnaeus, 1758)  
*Dinocardium robustum* (Lightfoot, 1786)  
*Dinocardium robustum vanhyningi* Clench & Smith, 1944  
*Laevicardium laevigatum* (Linnaeus, 1758)  
*Laevicardium mortoni* (Conrad, 1830)  
*Laevicardium pictum* (Ravenel, 1861)  
*Laevicardium* sp.  
*Nemocardium peramabile* (Dall, 1881)  
*Nemocardium tinctum* (Dall, 1881)  
*Papyridea semisulcata* (Gray, 1825)  
*Papyridea soleniformis* (Bruguere, 1789)  
*Trachycardium egmontianum* (Shuttleworth, 1856)  
*Trachycardium magnum* (Linnaeus, 1758)  
*Trachycardium muricatum* (Linnaeus, 1758)  
Cardiidae sp.

## **Superfamily Mactracea**

### **Mactridae**

*Anatina anatina* (Spengler, 1802)  
*Macra fragilis* Gmelin, 1791  
*Mulinia lateralis* (Say, 1822)  
*Raeta plicatella* (Lamarck, 1818)  
*Rangia cuneata* (Sowerby, 1831)  
*Spisula solidissima similis* (Say, 1822)  
*Spisula solidissima solidissima* (Dillwyn, 1817)  
Mactridae sp.

### **Mesodesmatidae**

*Ervilia concentrica* (Holmes, 1860)  
*Ervilia* sp.  
Mesodesmatidae sp.

## **Superfamily Solenacea**

### **Solenidae**

*Ensis directus* Conrad, 1843  
*Ensis minor* Dall, 1900  
*Ensis* sp.  
Solenidae sp.

## **Superfamily Tellinacea**

### **Tellinidae**

*Arcopagia fausta* (Pulteney, 1799) (= *Tellina fausta*)  
*Macoma brevifrons* (Say, 1834)  
*Macoma cerina* C. B. Adams, 1845  
*Macoma constricta* (Bruguiere, 1792)  
*Macoma extenuata* Dall, 1900  
*Macoma limula* Dall, 1895  
*Macoma pseudomera* Dall & Simpson, 1901  
*Macoma tageliformis* Dall, 1900  
*Macoma cf. tageliformis* Dall, 1900  
*Macoma tenta* (Say, 1834)  
*Macoma* sp.  
*Psammotreta intastriata* (Say, 1827)  
*Tellidora cristata* (Recluz, 1842)  
*Tellina aequistriata* Say, 1824  
*Tellina alternata* Say, 1822  
*Tellina iris* Say, 1822  
*Tellina laevigata* Linnaeus, 1758  
*Tellina lineata* Turton, 1819  
*Tellina listeri* Roding, 1798  
*Tellina magna* Spengler, 1798  
*Tellina mera* Say, 1834

*Tellina nitens* C. B. Adams, 1845  
*Tellina probina* Boss, 1964  
*Tellina radiata* Linnaeus, 1758  
*Tellina similis* Sowerby, 1806  
*Tellina squamifera* Deshayes, 1855  
*Tellina sybaritica* Dall, 1881  
*Tellina tampaensis* Conrad, 1866  
*Tellina texana* Dall, 1900  
*Tellina versicolor* DeKay, 1843  
Tellinidae sp.

### **Psammobiidae**

*Asaphis deflorata* (Linnaeus, 1758)  
*Heterodonax bimaculatus* (Linnaeus, 1758)

### **Solecurtidae**

*Solecurtus cumingianus* Dunker, 1861  
*Solecurtus sanctaemarthae* d'Orbigny, 1842  
*Tagelus divisus* (Spengler, 1794)  
*Tagelus plebeius* (Lightfoot, 1786)  
Solecurtidae sp.

### **Semelidae**

*Abra aequalis* (Say, 1822)  
*Abra lioica* (Dall, 1881)  
*Cumingia coarctata* Sowerby, 1833  
*Cumingia tellinoides* (Conrad, 1831)  
*Semele bellastriata* (Conrad, 1837)  
*Semele nuculoides* (Conrad, 1841)  
*Semele proficua* (Pulteney, 1799)  
*Semele purpurascens* (Gmelin, 1791)  
Semelidae sp.

### **Donacidae**

*Donax dorotheae* Morrison, 1971  
*Donax roemeri protracta* Conrad, 1849  
*Donax variabilis* Say, 1822  
*Iphigenia brasiliiana* (Lamarck, 1818)

## **Superfamily Arcticea**

### **Trapeziidae**

*Coralliophaga coralliophaga* (Gmelin, 1791)  
Trapeziidae sp.

## Superfamily Dreissenacea

### Dreissenidae

*Mytilopsis leucophaeata* (Conrad, 1831)

## Superfamily Corbiculacea

### Corbiculidae

*Corbicula fluminea* (Muller, 1774)

(=*Corbicula manilensis* (Philippi, 1841); *Corbicula leana* Prime, 1864)

*Polymesoda caroliniana* (Bosc, 1801)

*Polymesoda maritima* (d'Orbigny, 1842)

## Superfamily Veneracea

### Veneridae

*Anomalocardia auberiana* (d'Orbigny, 1842)

*Anomalocardia cuneimeris* Conrad, 1846

*Callista eucymata* (Dall, 1890)

*Callocaida texasiana* (Dall, 1892)

*Chione cancellata* (Linnaeus, 1767)

*Chione cancellata* forma *mazycki* Dall, 1902

*Chione grus* (Holmes, 1858)

*Chione intapurpurea* (Conrad, 1849)

*Chione latilirata* (Conrad, 1841)

*Chione pygmaea* (Lamarck, 1818)

*Circomphalus strigillinus* (Dall, 1902)

*Cyclinella tenuis* (Recluz, 1852)

*Dosinia discus* (Reeve, 1850)

*Dosinia elegans* Conrad, 1846

*Gemma gemma* (Totten, 1834)

*Gouldia cerina* (C. B. Adams, 1845)

*Macrocallista maculata* (Linnaeus, 1758)

*Macrocallista nimbosea* (Lightfoot, 1786)

*Mercenaria campechiensis* (Gmelin, 1791)

*Mercenaria mercenaria* (Linnaeus, 1758)

*Parastarte triquetra* (Conrad, 1846)

*Periglypta listeri* (Gray, 1838)

*Pitar cordatus* (Schwengel, 1951)

*Pitar fulminatus* (Menke, 1828)

*Tivela floridana* Rehder, 1939

*Transennella cubaniana* (d'Orbigny, 1842)

*Transennella stimpsoni* Dall, 1902

*Ventricolaria rugatina* (Heilprin, 1887)

Veneridae sp.

**Petricolidae**

*Petricola pholadiformis* (Lamarck, 1818)

*Rupellaria typica* (Jones, 1844)

Petricolidae sp.

**Cooperellidae**

*Cooperella atlantica* Rehder, 1943

**Order Myoida**  
**Superfamily Myacea****Myidae**

*Mya arenaria* Linnaeus, 1758

*Sphenia antillensis* Dall & Simpson, 1901

**Corbulidae**

*Corbula aequivalvis*

*Corbula barrattiana* C. B. Adams, 1852

*Corbula chittyana* C. B. Adams, 1852

*Corbula contracta* Say, 1822

*Corbula cubaniana* d'Orbigny, 1842

*Corbula dietziana* C. B. Adams, 1852

*Corbula swiftiana* C. B. Adams, 1852 (= *Corbula caribaea* d'Orbigny, 1842)

*Corbula* sp.

*Varicorbula operculata* (Philippi, 1848)

Corbulidae sp.

**Superfamily Gastrochaenacea****Gastrochaenidae**

*Gastrochaena hians* (Gmelin, 1791)

*Gastrochaena stimpsoni* Tryon, 1861

*Spengleria rostrata* (Spengler, 1783)

Gastrochaenidae sp.

**Superfamily Hiatellidae****Hiatellidae**

*Hiatella arctica* (Linnaeus, 1767)

*Panopea bitruncata* Conrad, 1872

*Panopea generosa* (Gould, 1850)

Hiatellidae sp.

## Superfamily Pholadacea

### Pholadidae

*Cryptopleura costata* (Linnaeus, 1758)

*Diplothyra smithii* Tryon, 1862

*Jouannetia quillingi* Turner, 1955

*Martesia striata* (Linnaeus, 1758)

### Teredinidae

*Lyrodus pedicellatus* (Quatrefages, 1849)

*Teredo* sp.

Teredinidae sp.

## Subclass Anomalodesmata Superfamily Pandoracea

### Thraciidae

*Bushia elegans* (Dall, 1886)

*Cyathodonta semirugosa* (Reeve, 1859)

Thraciidae sp.

### Lyonsiidae

*Lyonsia beana* (d'Orbigny, 1842)

*Lyonsia hyalina* Conrad, 1831

*Lyonsia hyalina floridana* Conrad, 1849

Lyonsiidae sp.

### Pandoridae

*Pandora bushiana* Dall, 1886

*Pandora trilineata* Say, 1822

Pandoridae sp.

## Superfamily Poromyacea

### Poromyidae

*Poromya rostrata* Rehder, 1943

Poromyidae sp.

### Cuspidariidae

*Cardiomya costellata* (Deshayes, 1837)

*Cardiomya glypta* (Bush, 1885)

*Cuspidaria jeffreysi* (Dall, 1881)

*Plectodon granulatus* (Dall, 1881)

### Verticordiidae

*Verticordia fischeriana* Dall, 1881

*Verticordia ornata* (d'Orbigny, 1842)

*Verticordia* sp.

## **Class Scaphopoda**

### **Order Dentaliida**

#### **Dentaliidae**

*Dentalium americanum* Chenu, 1843

*Dentalium antillarum* d'Orbigny, 1842

*Dentalium calamus* Dall, 1889

*Dentalium eboreum* Conrad, 1846

*Dentalium laqueatum* Verrill, 1885

*Dentalium semistriolatum* Guilding, 1834

*Dentalium taphrium* Dall, 1889

*Dentalium texasianum* Philippi, 1848

*Dentalium* sp.

*Dentalium* sp. A

*Dentalium* sp. B

*Episiphon sowerbyi* (Guilding, 1834)

### **Order Gadilida**

#### **Siphonodentaliidae**

*Cadulus agassizii* Dall, 1881

*Cadulus carolinensis* Bush, 1885

*Cadulus iota* Henderson, 1920

*Cadulus mayori* Henderson, 1920

*Cadulus quadridentatus* (Dall, 1881)

**Phylum Annelida**  
**Class Polychaeta**  
**Order Phyllodocida**  
**Superfamily Phyllodocidacea**

**Phyllodocidae**

*Anaitides erythrophyllus* (Schmarda, 1861)  
*Eteone heteropoda* Hartman, 1951  
*Eteone lactea* Claparede, 1868  
*Eulalia viridis* (Linnaeus, 1767)  
*Eumida (Pirakia) hutchinsonensis* Perkins, 1984  
*Eumida sanguinea* (Oersted, 1843)  
*Nereiphylla fragilis* Webster, 1879  
*Paranaitis gardineri* Perkins, 1984  
*Paranaitis speciosa* (Webster, 1880)  
*Phyllodoce arenae* (Webster, 1879)  
*Phyllodoce tortugae* Treadwell, 1917

**Lacydoniidae**

*Lacydonia miranda* Marion & Bobretzky, 1875

**Superfamily Glyceracea**

**Glyceridae**

*Glycera americana* Leidy, 1855  
*Glycera dibranchiata* Ehlers, 1868  
*Glycera papillosa* Grube, 1857

**Goniadidae**

*Glycinde solitaria* (Webster, 1879)  
*Glycinde* sp.  
*Goniadides carolinae* Day, 1973

**Sphaerodoridae**

*Comensodorum* sp.  
*Ephesiella* sp.  
*Sphaerodoropsis* sp.

**Superfamily Nereididacea**

**Hesionidae**

*Gyptis vittata* Webster & Benedict, 1887  
*Hesione picta* Muller, 1858  
*Heteropodarke formalis* Perkins, 1984  
*Heteropodarke lyonsi* Perkins, 1984  
*Kefersteinia* sp.

*Microphthalmus hartmanae* Westhede, 1977  
*Ophiodromus* sp.?  
*Paraehesione luteola* (Webster, 1880)  
*Podarke obscura* Verrill, 1873  
*Podarkeopsis levifuscina* Perkins, 1984 (= *Gyptis brevipalpa* (Hartman & Schroder, 1959))

### **Pilargidae**

*Ancistrotyllis jonesi* Pettibone, 1966  
*Ancistrotyllis* sp.  
*Cabira incerta* Webster, 1879  
*Pilargis* sp.  
*Sigambra bassi* (Hartman, 1945)  
*Sigambra tentaculata* (Treadwell, 1941)  
*Synelmis albini* (Langerhans, 1881)

### **Syllidae**

*Autolytus* sp.  
*Brania clavata* (Claparede, 1863)  
*Brania* cf. *clavata* (Claparede, 1863)  
*Brania gallagheri* Perkins, 1981  
*Brania swedmarki* Gidholm, 1962  
*Brania wellfleetensis* Pettibone, 1956  
*Brania* sp.  
*Brania* sp. A  
*Brania* sp. B  
*Dentatysyllis carolinae* (Day, 1973)  
*Dioplosyllis octodentata* Perkins, 1981  
*Ehlersia cornuta* (Rathke, 1843)  
*Eusyllis* sp. A  
*Eusyllis* sp. B  
*Exogone arenosa* Perkins, 1981  
*Exogone* cf. *arenosa* Perkins, 1981  
*Exogone atlantica* Perkins, 1981  
*Exogone dispar* (Webster, 1879)  
*Exogone verugera* (Claparede, 1868)  
*Exogone* sp.  
*Haplosyllis spongicola* (Grube, 1855)  
*Langerhansia cornuta* (Agassiz, 1863)  
*Langerhansia ferrugina* (Langerhans, 1881)  
*Langerhansia* sp.  
*Odontosyllis enopla* Verrill, 1900  
*Odontosyllis longigulata* Perkins, 1981  
*Odontosyllis* sp.  
*Opisthosyllis brunnea* Langerhans, 1879 (= *Parapionosyllis longicirrata* (Webster & Benedict, 1884); *Parapionosyllis* sp.; misidentified)  
*Pionosyllis gesae* Perkins, 1981  
*Pionosyllis uraga* Imijima, 1966  
*Pionosyllis* cf. *uraga* Imijima, 1966  
*Pionosyllis* sp.  
*Pionosyllis* sp. A  
*Plakosyllis quadrioculata* Perkins, 1981  
*Sphaerosyllis aciculata* Perkins, 1981

*Sphaerosyllis* cf. *acicularis* Perkins, 1981  
*Sphaerosyllis bilobata* Perkins, 1981  
*Sphaerosyllis brevidentata* Perkins, 1981  
*Sphaerosyllis brevifrons* Webster & Benedict, 1884  
*Sphaerosyllis glandulata* Perkins, 1981  
*Sphaerosyllis hystrix* Claparede, 1863  
*Sphaerosyllis labyrinthophila* Gardiner & Wilson, 1979  
*Sphaerosyllis longicauda* Webster & Benedict, 1887  
*Sphaerosyllis magnidentata* Perkins, 1981  
*Sphaerosyllis piriferopsis* Perkins, 1981  
*Sphaerosyllis riseri* Perkins, 1981  
*Sphaerosyllis taylori* Perkins, 1981  
*Sphaerosyllis* sp.  
*Sphaerosyllis* sp. 1  
*Sphaerosyllis* sp. 2  
*Streptosyllis pettiboneae* Perkins, 1981 ( PARATYPE)  
*Syllides bansei* Perkins, 1981  
*Syllides floridanus* Perkins, 1981  
*Syllides verrilli* Moore, 1908  
*Syllis amica* Quatrefages, 1865  
*Syllis gracilis* Grube, 1840  
*Syllis spongicola* Grube, 1855  
*Syllis* sp.  
*Syllis* sp. A  
*Trypanosyllis coeliaca* Claparede, 1868  
*Trypanosyllis inglei* Perkins, 1981  
*Trypanosyllis parvidentata* Perkins, 1981  
*Trypanosyllis savagei* Perkins, 1981  
*Trypanosyllis vittigera* Ehlers, 1887  
*Trypanosyllis* sp.  
*Typosyllis aciculata* Treadwell, 1945  
*Typosyllis annularis* Verrill, 1900 (?=*Branchiosyllis exilis* (Gravier, 1900))  
*Typosyllis hyalina* (Grube, 1863)  
*Typosyllis variegata* (Grube, 1860)  
*Typosyllis vittata* (Grube, 1840)  
*Typosyllis (Langerhansia)* sp.  
*Typosyllis* sp.  
*Typosyllis* sp. A  
*Typosyllis* sp. B  
*Typosyllis* sp. C  
*Typosyllis* sp. E

#### **Nereididae (=Nereidae)**

*Ceratocephale oculata* Banse, 1977  
*Ceratonereis irritabilis* (Webster, 1879)  
*Ceratonereis longicirrata* Perkins, 1980  
*Ceratonereis mirabilis* Kinberg, 1866  
*Ceratonereis singularis* Treadwell, 1929  
*Ceratonereis* sp.  
*Composetia versipedata* (Ehlers, 1887)  
Heteronereidid sp.  
*Laeonereis culveri* (Webster, 1879)

*Neanthes acuminata* (Ehlers, 1868)  
*Neanthes micromma* Harper, 1979  
*Neanthes succinea* (Frey & Leuckart, 1847)  
*Neanthes* sp.  
*Nereis falsa* Quatrefages, 1865  
*Nereis lamellosa* Ehlers, 1868  
*Nereis riisei* Grube, 1857  
*Nereis* sp.  
*Perinereis floridana* (Ehlers, 1868)  
*Platynereis dumerilii* (Audouin & Milne Edwards, 1833)  
*Stenonereis martini* Wesenberg-Lund, 1958  
*Websterinereis tridentata* (Webster, 1880)

## Superfamily Nephtyidacea

### Nephtyidae

*Aglaophamus verrilli* (McIntosh, 1885)  
*Aglaophamus* sp. A  
*Inermonephtys inermis* Ehlers, 1887  
*Nephtys picta* Ehlers, 1868  
*Nephtys simoni* Perkins, 1980  
*Nephtys* sp.

## Superfamily Aphroditacea

### Aphroditidae (=Hermionidae)

*Pontogenia sericoma* Ehlers, 1887

### Polynoidae

*Antinoe* sp.  
*Harmothoe aculeata* Andrews, 1891  
*Harmothoe extenuata* (Grube, 1840)  
*Harmothoe lunulata* (delle Chiaje, 1841)  
*Harmothoe* sp.  
*Hermenia verruculosa* Grube, 1856  
*Lepidametria commensalis* Webster, 1879  
*Lepidonotus squamatus* (Linnaeus, 1758)  
*Lepidonotus sublevis* Verrill, 1873  
*Lepidonotus variabilis* Webster, 1879  
*Lepidonotus* sp.  
*Malmgrenia lunulata* (delle Chiaje, 1841)  
*Pholoe* sp.  
*Phyllohartmania taylori* Pettibone, 1961  
Polynoid sp. A  
Polynoid sp. C  
*Thormora johnstoni* (Kinberg, 1855)  
Polynoidae sp. A

### **Polyodontidae**

*Eupanthalis kinbergi* McIntosh, 1876  
*Polyodontes lupina* (Stimpson, 1856)

### **Sigalionidae**

*Sigalion arenicola* Verrill, 1880  
*Sthenelais boa* Johnston, 1839

### **Chrysopetalidae**

*Arichlidon* sp.  
*Bhawania goodei* Webster, 1884  
*Bhawania heteroseta* (Hartman, 1945)  
*Chrysopetalum debile* (Grube, 1855)  
*Chrysopetalum elegans* Bush, 1900  
*Chrysopetalum floridanum* Perkins, 1985  
*Chrysopetalum hernancortezi* Perkins, 1985  
*Chrysopetalum remanei* Perkins, 1985  
*Chrysopetalum* sp.  
*Hyalopale bispinosa* Perkins, 1985  
*Paleanotus intermedius* Oreusanz, 1972

### **Pisionidae**

*Pisione remota* (Southern, 1914)

## **Order Amphinomida**

### **Amphinomidae**

*Chloeia viridis* Schmarda, 1861  
*Eurythoe complanata* (Pallas, 1766)  
*Hermodice carunculata* (Pallas, 1766)  
*Linopherus* sp. (= *Pseudeurythoe* sp.; misidentified)  
*Notopygos crinita* Grube, 1855

### **Euphrosinidae**

*Euphrosine* sp.

## **Order Eunicida** **Superfamily Eunicacea**

### **Onuphidae**

*Americanuphis magna* (Andrews, 1891) (= *Onuphis magna*)  
*Diopatra cuprea* (Bosc, 1802)  
*Hyalinoecia* sp.  
*Kinbergonuphis simoni* (Santos, Day & Rice, 1981) (= *Onuphis simoni*)  
? *Kinbergonuphis simoni* (Santos, Day & Rice, 1981)  
*Mooreonuphis nr. pallidula* (Hartman, 1965)

*Nothria conchylega* (Sars, 1835) (Probably not *Nothria*; misidentified)  
*Nothria* sp. (Probably not *Nothria*; misidentified)  
*Onuphis eremita oculata* Hartman, 1951  
*Onuphis nebulosa* Moore, 1911

### **Eunicidae**

*Errantia* sp.  
*Eunice antennata* (Savigny, 1820)  
*Eunice longisetis* Webster, 1884  
*Eunicea mutilata* Webster, 1884  
*Eunicea* cf. *reducta* Fauchald, 1970  
*Eunicea rubra* Grube, 1856  
*Eunicea schemacephala* Schmarda, 1861  
*Eunicea vittata* (delle Chiaje, 1828)  
*Lysidice ninetta* Audouin & Milne Edwards, 1833  
*Marphysa belli oculata* Treadwell, 1921  
*Marphysa sanguinea* (Montagu, 1815)  
*Nematonereis hebes* Verrill, 1900  
*Nematonereis unicornis* (Grube, 1840)  
*Palola siciliensis* (Grube, 1840)  
*Eunicidae* sp. (juvenile)

### **Lumbrineridae**

*Lumbrinerides cruzensis* Hartman, 1944  
*Lumbrinerides dayi* Perkins, 1979  
*Lumbrinerides jonesi* Perkins, 1979  
*Lumbrineris coccinea* (Renier, 1804)  
*Lumbrineris erecta* Moore, 1904 (?=*L. ernesti*; probably misidentified)  
*Lumbrineris ernesti* Perkins, 1979  
*Lumbrineris impatiens* (Claparede, 1868)  
*Lumbrineris inflata* Moore, 1911  
*Lumbrineris latreilli* Audouin & Milne Edwards, 1834  
*Lumbrineris tenuis* (Verrill, 1873)  
*Lumbrineris verrilli* Perkins, 1979  
*Lumbrineris* sp.  
*Lumbrineris* n. sp.

### **Arabellidae**

*Arabella iricolor* (Montagu, 1804)  
*Arabella multidentata* (Ehlers, 1887)  
*Arabella mutans* (Chamberlin, 1919)  
*Drilonereis cylindrica* Hartman, 1951  
*Drilonereis longa* Webster, 1879  
*Drilonereis magna* Webster & Benedict, 1887

### **Lysaretidae**

*Lysarete brasiliensis* Kinberg, 1865

### **Dorvilleidae**

*Dorvillea sociabilis* (Webster, 1879)  
*Dorvillea* sp.  
*Eteonopsis* sp.

*Gymnodorvillea floridana* Wainright & Perkins, 1982  
*Protodorvillea bifida* Perkins, 1979  
*Protodorvillea kefersteini* (McIntosh, 1869)  
*Schistomeringos pectinata* Perkins, 1979  
*Schistomeringos rudolphi* (delle Chiaje, 1828)  
Dorvilleidae sp.

## Order Orbiniida

### Orbiniidae (=Ariciidae)

*Leitoscoloplos foliosus* (Hartman, 1951)  
*Leitoscoloplos fragilis* (Verrill, 1873)  
*Leitoscoloplos robustus* (Verrill, 1873)  
*Naineris laevigata* (Grube, 1855)  
*Naineris* cf. *laevigata* (Grube, 1855)  
*Naineris ramosa* (Schmarda, 1861)  
*Naineris setosa* (Verrill, 1900)  
*Naineris* sp.  
*Phylo ornatus* (Verrill, 1873) {=*Orbina ornata* (Verrill)}  
*Proscoloplos* sp.  
Protoariciinae sp.  
*Scoloplos* (*Leodamas*) *rubra* (Webster, 1879)

## Order Spionida

### Spionidae

*Carazziella hobsonae* Blake, 1979  
*Carazziella* sp.  
*Dispio uncinata* Hartman, 1951  
*Malacoceros vanderhorsti* (Augener, 1927)  
*Microspio* sp.  
*Nerine agilis* Verrill, 1873  
*Paraprionospio pinnata* (Ehlers, 1901) (= *Prionospio treadwelli* Hartman, 1951)  
*Polydora armata* Langerhans, 1880  
*Polydora citrona* Hartman, 1941  
*Polydora cornuta* Bosc, 1802  
*Polydora* cf. *hartmanae* Blake, 1971  
*Polydora ligni* Webster, 1879  
*Polydora socialis* (Schmarda, 1861)  
*Polydora websteri* Hartman, 1943  
*Polydora* sp.  
*Prionospio* (*Minuspio*) *cirrifera* (Wiren, 1883)  
*Prionospio* (*Minuspio*) *cirrobranchiata* (Day, 1961)  
*Prionospio* (*Prionospio*) *cristata*? Foster, 1971  
*Prionospio* (*Prionospio*) *heterobranchia* Moore, 1907  
*Prionospio* (*Prionospio*) *pygmaea* (Hartman, 1961)  
*Prionospio* (*Prionospio*) sp. *A*

*Pseudopolydora antennata* (Claparede, 1870)  
*Pseudopolydora* sp.  
*Scolecopsis heteropoda* (Webster, 1879)  
*Scolecopsis squamata* Muller, 1806  
*Scolecopsis texana* Foster, 1971  
*Spio setosa* Verrill, 1873  
*Spio* sp.  
*Spiophanes bombyx* (Claparede, 1870)  
*Streblospio benedicti* Webster, 1879

#### **Poecilochaetidae**

*Poecilochaetus johnsoni* Hartman, 1939

#### **Heterospionidae**

*Heterospio* sp.

### **Order Chaetopterida**

#### **Chaetopteridae**

*Chaetopterus variopedatus* (Renier, 1804)  
*Mesochaetopterus* sp. A  
*Phyllochaetopterus socialis* Claparede, 1870  
*Spiochaetopterus costarum*  
*Spiochaetopterus oculatus* Webster, 1879

### **Order Magelonida**

#### **Magelonidae**

*Magelona pettiboneae* Jones, 1963

### **Order Cirratulida**

#### **Paraonidae**

*Aricidea cerrutti* Laubier, 1966  
*Aricidea fragilis* Webster, 1879  
*Aricidea philbinae* Brown, 1976  
*Aricidea taylori* Pettibone, 1965  
*Aricidea* sp.  
*Aricidea* sp. A  
*Aricidea* sp. B  
*Aricidea* sp. C  
*Cirrophorus lyra* (Southern, 1914)  
*Cirrophorus* sp.  
*Levinsenia acutibranchiata* (Strelzov, 1973)  
*Paradoneis* sp.

*Paraonis fulgens* (Levinsen, 1883)

*Paraonis* sp.

*Paraonides* sp.

*Paraonidae* sp.

### **Questidae**

*Questa* sp.

### **Cirratulidae**

*Caulleriella killariensis* (Southern, 1914)

*Chaetozone* sp.

*Cirratulus* sp. A

*Cirratulus* sp. B

*Cirratulus* sp. D

*Cirriformia filigera* (delle Chiaje, 1828)

*Cirriformia grandis* (Verrill, 1873)

*Cirriformia punctata* (Grube, 1859)

*Cirriformia* sp.

*Cirriformia* sp. A

*Dodecaceria concharum* Oersted, 1843

*Tharyx dorsobranchialis* (Kirkegaard, 1959)

*Tharyx marioni* (Saint-Joseph, 1894)

*Tharyx* sp. C

## **Order Ctenodrilida**

### **Ctenodrilidae**

*Raphidrilus* sp.

## **Order Flabelligerida**

### **Flabelligeridae (=Chloraemidae)**

*Flabelligera affinis* Sars, 1829

*Flabelligera* sp.

*Piromis eruca websteri* Day, 1973

*Piromis* sp.

### **Acrocirridae**

*Macrochaeta* sp. of Perkins

*Macrochaeta* sp. A of Perkins

*Macrochaeta* sp. B of Perkins

## **Order Opheliida**

### **Opheliidae**

*Armandia agilis* (Andrews, 1891)  
*Armandia maculata* (Webster, 1884)  
*Ophelina acuminata* Oersted, 1843  
*Ophelina* sp.  
*Travisia hobsonae* Santos, 1977

### Scalibregmatidae

*Asclerocheilus mexicanus* Kudenov, 1985  
*Hyboscolex longiseta* Schmarda, 1861  
*Hyboscolex quadricincta* Kudenov, 1985  
*Hyboscolex* sp.  
Scalibregmatidae sp.

## **Order Capitellida**

### **Capitellidae**

*Branchiocapitella* sp.  
*Capitella capitata* (Fabricius, 1780)  
*Capitella jonesi* (Hartman, 1959)  
*Capitella* sp.  
*Capitella* sp. A  
*Capitomastus aciculata* Hartman, 1959  
*Dasybranchus lumbricoides* Grube, 1878  
*Dasybranchus lunulatus* Ehlers, 1887  
*Heteromastus filiformis* (Claparede, 1864)  
*Mastobranchnus variabilis* Ewing, 1984  
*Mastobranchnus* sp.  
*Mediomastus ambiseta* (Hartman, 1947)  
*Mediomastus californiensis* Hartman, 1944  
*Notomastus hemipodus* Hartman, 1945  
*Notomastus latericeus* Sars, 1851  
*Notomastus* sp.  
*Scyphoproctus platyproctus* Jones, 1961  
*Scyphoproctus* sp. A

### **Maldanidae**

*Asychis elongata* (Verrill, 1873) (= *B. americana*)  
*Axiothella mucosa* (Andrews, 1891)  
*Bogaea enigmatica* Hartman, 1945  
*Bogaea* sp.  
*Clymenella torquata* (Leidy, 1855)  
*Macroclymene zonalis* (Verrill, 1874)  
*Maldane sarsi* Malmgren, 1865  
Maldanidae sp. A

### **Arenicolidae**

*Arenicola cristata* Stimpson, 1856  
*Arenicola* sp.  
*Branchiomaldane* sp.

## Order Oweniida

### Oweniidae

*Galathowenia* sp.

*Galathowenia* sp. A

*Owenia fusiformis* delle Chiaje, 1844

## Order Terebellida

### Pectinariidae

*Pectinaria gouldii* (Verrill, 1873)

### Sabellariidae

*Phalacrostemma cidariophilum* Marenzeller, 1885

*Phragmatopoma lapidosa* Kinberg, 1867

*Sabellaria floridensis* Hartman, 1944

*Sabellaria spinulosa alcocki* Gravier, 1906 (= *Sabellaria* sp.; misidentified)

*Sabellaria vulgaris* Verrill, 1873

*Sabellaria* sp.

*Sabellaria* sp. A

### Ampharetidae

*Asabellides oculata* (Webster, 1879)

*Hypaniola florida* (Hartman, 1951)

*Isolda pulchella* F. Muller, 1858

*Isolda* sp.

*Melinna maculata* Webster, 1879

### Trichobranchidae

*Terebellides stroemi* Sars, 1835

### Terebellidae

*Amaeana triloba* (Sars, 1863)

*Enoplobranchus sanguineus* (Verrill, 1873)

*Loimia medusa* (Savigny, 1818)

*Loimia viridis* Moore, 1903

*Lysilla alba* Webster, 1879

*Pista cristata* (Muller, 1776)

*Pista palmata* (Verrill, 1873)

*Polycirrus eximius* (Leidy, 1855)

*Polycirrus* sp.

*Streblosoma hartmanae* Kritzler, 1971

*Terebella rubra* (Verrill, 1873)

*Thelepus setosus* (Quatrefages, 1865)

## Order Sabellida

### Sabellidae

- Amphiglena mediterranea* (Leydig, 1851)  
*Bispira bahamensis* (Augener, 1924)  
*Bispira variegata* (Kroyer, 1856)  
*Bispira volutacornis* (Montagu, 1804)  
*Branchiomma nigromaculata* (Baird, 1865)  
*Chone* sp.  
*Chone* sp. A (=? n. sp.)  
*Demonax lacunosus* Perkins, 1984  
*Demonax microphthalmus* (Verrill, 1873)  
*Demonax* sp.  
*Fabricia sabella* (Ehrenburg, 1837)  
*Fabricia* sp.  
*Fabriciola?* sp.  
*Megalomma bioculatum* (Ehlers, 1887)  
*Megalomma heterops* Perkins, 1984  
*Megalomma lobiferum* (Ehlers, 1887)  
*Megalomma pigmentum* Reish, 1963  
*Megalomma* sp.  
*Megalomma* sp. A  
*Megalomma* sp. B  
*Megalomma* sp. C  
*Megalomma* sp. D  
*Notaulax nudicollis* (Kroyer, 1856)  
*Notaulax occidentalis* (Baird, 1865)  
*Notaulax* sp.  
*Potamilla reniformis* (Leukart, 1771) (= *Pseudopotamilla* sp.; misidentified)  
*Potamilla* sp.  
*Pseudobranchiomma emersoni* Jones, 1962  
*Pseudosabella bahamensis* (Augener, 1924) (= *Bispira* (THP))  
*Pseudosabella variabilis* (Langerhans, 1884)  
*Sabella?* *crassicornis* Sars, 1851 (= *Bispira* n. sp. (THP))  
*Sabella pavonina* Savigny, 1822

### Serpulidae

- Crucigera websteri* Benedict, 1887  
*Ficopomatus miamiensis* (Treadwell, 1934)  
*Filograna implexa* Berkeley, 1828  
*Hydroides alatalateralis* Jones, 1962  
*Hydroides bispinosa* Bush, 1910  
*Hydroides dianthes* (Verrill, 1873)  
*Hydroides dianthes?* (Verrill, 1873)  
*Hydroides dirampha* Morch, 1863  
*Hydroides elegans* (Haswell, 1883)  
*Hydroides floridana* (Bush, 1910) (= *Hydroides decora*)  
*Hydroides decora* (Treadwell, 1931)  
*Hydroides giaracensis* Augener, 1934  
*Hydroides microtis* Morch, 1863  
*Hydroides* cf. *microtis* Morch, 1863

*Hydroides mongeslopezi* Rioja, 1958  
*Hydroides* cf. *mucronata* Rioja, 1958  
*Hydroides parvus* Treadwell, 1901  
*Hydroides protulicola* Benedict, 1887  
*Hydroides spongicola* Benedict, 1887  
*Hydroides?* sp.  
*Mercierella enigmatica* Fauvel, 1923  
*Placostegus incomptus* Ehlers, 1887  
*Pomatoceros americanus* Day, 1973  
*Pomatoceros minutus* Rioja, 1941  
*Pomatoleios caeruleus* Augener, 1924  
*Pomatostegus stellatus* (Abildgaard, 1789)  
*Protula antennata* Ehlers, 1887  
*Pseudovermilia multispinosa* (Monro, 1933)  
*Pseudovermilia occidentalis* (McIntosh, 1885)  
*Salmacina* sp.  
*Sclerostyla ctenactis* Morch, 1863  
*Serpula* sp.  
*Spirobranchus giganteus* (Pallas, 1766)  
*Vermiliopsis annulata* (Schmarda, 1861)

### **Spirorbidae**

*Spirorbis corrugatus* Caullery & Mesnil, 1897  
*Spirorbis spirillum* (Linnaeus, 1758)  
*Spirorbis steueri* Sterzinger, 1909  
Spirorbidae sp.

## **Order Polygordiida**

### **Polygordiidae**

*Polygordius* sp.

## **Order Myzostomida**

### **Myzostomidae**

*Myzostoma* sp.

## **Class Hirudinoidea** **Subclass Hirudinea** **Order Rhynchobdellae**

### **Piscicolidae**

*Branchellion ravenellii* (Giard, 1850)  
*Calliobdella vivida* (Verrill, 1872)  
*Stibarobdella macrothela* (Schmarda, 1861)

*Trachelobdella lubrica* (Grube, 1840)  
*Trachelobdella rugosa* Moore, 1898

## **Class Oligochaeta**

*Oligochaeta* sp.

## **Order Haplotaxida** **Suborder Tubificina** **Superfamily Enchytraeioidea**

### **Enchytraeidae**

*Grania macrochaeta*  
*Grania* sp.

## **Superfamily Tubificoidea**

### **Tubificidae**

*Adelodrilus magnithecatus* Erseus, 1979  
*Bathydriulus formosus* Erseus, 1986  
*Bathydriulus ingens* Erseus, 1986  
*Bathydriulus macroprostatatus* Erseus, 1986  
*Coralliodrilus corpulentus* Erseus, 1986  
*Heterodrilus bulbiporus* Erseus, 1981  
*Heterodrilus hispidus* Erseus, 1986  
*Heterodrilus minisetosus* Erseus, 1981  
*Heterodrilus occidentalis* Erseus, 1981  
*Heterodrilus pentcheffi* Erseus, 1981  
*Heterodrilus perkinsi* Erseus, 1986  
*Inanidrilus ernesti* Erseus, 1984  
*Inanidrilus vacivus* Erseus, 1984  
*Limnodriloides barnardi* Cook, 1974  
*Limnodriloides monotheucus* Cook, 1974  
*Limnodriloides vespertinus* Erseus, 1982  
*Marcusaedrilus luteolus* Erseus, 1983  
*Phallodrilus acochlearis* Erseus & Loden, 1981  
*Phallodrilus biprostatatus* Baker & Erseus, 1979  
*Phallodrilus hirsutus* Erseus, 1986  
*Phallodrilus sabulosus* Erseus, 1979  
*Tubificoides annulus* Erseus, 1986  
*Tubificoides brownae* Brinkhurst & Baker, 1979  
*Tubificoides motei* Brinkhurst, 1986  
*Tubificoides wasselli* Brinkhurst, 1986

**Phylum Pogonophora**  
**Order Thecanephria**

**Lamellisabellidae**

*Siphonobrachia ilyophora* Nielsen, 1965

# Phylum Sipuncula

## Phascolosomatidae

*Phascolosoma varians* Keferstein, 1865

## Sipunculidae

*Siphonomecus multinctus* Fisher, 1947

*Siphonosoma cumanense* (Keferstein, 1867)

*Sipunculus nudus* Linnaeus, 1776

*Sipunculus polymyotus* Fisher, 1947

*Xenosiphon branchiatus* (Fisher, 1895)

**Phylum Arthropoda**  
**Subphylum Chelicerata**  
**Class Merostomata**  
**Order Xiphosura**  
**Suborder Xiphosurida**

**Limulidae**

*Limulus polyphemus* Linnaeus, 1758

**Class Pycnogonida**  
**Order Pantopoda**

**Nymphonidae**

*Nymphon floridanum* Hedgpeth, 1948

*Parapallene bermudensis?* Lebour,

**Pallenidae**

*Pallenopsis schmitti* Hedgpeth, 1943

*Pallenopsis* nr. *schmitti* Hedgpeth, 1943

**Ammotheidae**

*Achelia sawayai* Marcus, 1940

*Ammothella marcusii* Hedgpeth, 1948

*Ammothella rugulosa* (Verrill, 1900)

*Ascorhynchus crenulatum* Child,

*Ascorhynchus serratum* Hedgpeth, 1948

*Eurycyde clitellaria* Stock, 1955

*Nymphopsis anarthra* Loman, 1928

*Nymphopsis duodorsospinosa* Hilton, 1942

**Tanystylidae**

*Tanystylum orbiculare* Wilson, 1878

**Phoxilidiidae**

*Anoplodactylus eveline* Marcus, 1940

*Anoplodactylus insignis* (Hoek, 1881)

*Anoplodactylus lentus* Wilson, 1878

*Anoplodactylus maritimus* Hodges, 1914

*Anoplodactylus parvus* Giltay, 1934

*Anoplodactylus petiolatus* (Kroyer, 1844)

*Anoplodactylus* sp. A

*Anoplodactylus* sp. B

**Endeidae**

*Endeis spinosa* (Montagu, 1808)

**Pycnogonidae**

*Pycnogonum reticulatum* Hedgpeth, 1948

**Subphylum Crustacea Pennant, 1777**

**Class Millipoda Dahl, 1956**

**Subclass Cirripedia Burmeister, 1834**

**Order Thoracica Darwin, 1854**

**Suborder Lepadomorpha Pilsbry, 1916**

**Poecilasmatidae Nilsson-Cantell, 1921**

*Octolasmis mulleri* (Coker, 1902)

*Octolasmis* sp.

**Suborder Balanomorpha Pilsbry, 1916**

**Superfamily Balanoidea Leach, 1817**

**Balanidae Leach, 1817**

*Acasta cyathus* Darwin, 1854

*Balanus amphitrite nivens* Darwin, 1854

*Balanus eburneus* Gould, 1841

*Balanus galeatus* (Linnaeus, 1771)

*Balanus improvisus* Darwin, 1854

*Balanus tintinnabulum antillensis* Pilsbry, 1916

*Balanus trigonus* Darwin, 1854

*Balanus venustus niveus* Darwin, 1854

**Subclass Copepoda Milne Edwards, 1840**

**Order Calanoida Sars, 1903**

**Suborder Amphascandria**

**Superfamily Megacalanoidea Sewell, 1947**

**Calanidae Dana, 1849**

*Undinula vulgaris* (Dana, 1852)

**Superfamily Clausocalanoidea**

**Scolecithricidae**

*Temora stylifera* (Dana, 1852)

**Suborder Heterarthrandia**

**Candaciidae Giesbrecht, 1892**

*Candacia pachydactyla* Dana, 1852

**Order Harpacticoida Sars, 1903**

**Suborder Polyarthra Lang, 1948**

**Longipediidae Sars, 1903**

*Longipedia weberi* A. Scott, 1909

**Suborder Oligarthra Lang, 1948**

**Infraorder Podogennonta Lang, 1948**

**Superfamily Ameiroidea (pro Ameiridimorpha Lang, 1948)**

**Canthocamptidae Sars, 1906**

*Orthopsyllus illgi* (Chappuis, 1958)

**Tetragonicipitidae Lang, 1944**

*Phyllopodopsyllus fuciger* Sars, 1904

**Superfamily Thalestroidea (pro Thalestridimorpha Lang, 1948)**

**Diosaccidae Sars, 1906**

*Amphiacus varians* (Norman & T. Scott, 1906)

**Order Cyclopoida Burmeister, 1834**

**Oithonidae Dana, 1853**

*Oithona* sp.

*Oncaea* sp.

**Order Poecilostomatoida Thorell, 1859**

**Corycaeidae Dana, 1852**

*Farranula gracilis* (Dana, 1853)

**Serpulidicolidae Stock, 1979**

*Rynchopus catinatus* Stock, 1979

## **Order Siphonostomatoida (=Caligoida)**

### **Pandaridae Milne Edwards, 1840**

*Dinemoura latifolia* (Steenstrup & Lutken, 1861)

*Pandarus satyrus* Dana, 1852

*Pandarus smithii* Rathbun, 1886

### **Cecropidae Dana, 1852**

*Luethkenia astrodermi* Claus, 1864

## **Subclass Branchiura Thorell, 1864**

## **Order Arguloida Rafinesque, 1815**

### **Argulidae Leach, 1819**

*Argulus megalops* Smith, 1873

*Argulus* sp.

## **Class Ostracoda Latreille, 1806**

### **Subclass Myodocopa Sars, 1866**

### **Superorder Myodocopida Sars, 1866**

### **Order Myodocopina Sars, 1866**

### **Superfamily Cypridinoidea Baird, 1850**

### **Cylindroleberididae Muller, 1906**

*Ambroleberis americana* Muller, 1890

*Asteropina setisparsa*

*Asteropterygion oculitristis* (Darby, 1965)

### **Cypridinidae**

*Philomedus paucichelata*

### **Philomedidae Muller, 1906**

*Harbansus paucichelatus* (Kornicker, 1958)

*Pseudophilomedes ferulanus* Kornicker, 1958

### **Rutidermatidae Brady and Norman, 1896**

*Rutiderma mollitum* Darby, 1965

### **Sarsiellidae**

*Sarsiella zostericola* Cushman, 1906

## **Class Malacostraca Latreille, 1906**

### **Subclass Hoplocarida Calman, 1904**

### **Order Stomatopoda Latreille, 1817**

**Suborder Unipeltata Latreille, 1825**  
**Superfamily Gonodactyloidea Giesbrecht, 1910**

**Eurysquillidae Manning, 1977**

*Eurysquilla plumata* (Bigelow, 1901)

**Gonodactylidae Giesbrecht, 1910**

*Gonodactylus bredini* Manning, 1969

*Gonodactylus lacunatus* Manning, 1966

*Gonodactylus oerstedii* Hansen, 1895

*Gonodactylus torus* Manning, 1969

*Gonodactylus* sp.

**Odontodactylidae Manning, 1980**

*Odontodactylus brevirostris* (Miers, 1884)

**Pseudosquillidae Manning, 1967**

*Parasquilla coccinea* Manning, 1962

*Pseudosquilla ciliata* (Fabricius, 1787)

**Superfamily Lysiosquilloidea Giesbrecht, 1910**

**Lysiosquillidae Giesbrecht, 1910**

*Lysiosquilla scabricauda* (Lamarck, 1818)

**Nannosquillidae Manning, 1980**

*Acanthosquilla biminiensis* (Bigelow, 1893)

*Coronis excavatrix* Brooks, 1886

*Nannosquilla baliops* Camp & Manning, 1982

*Nannosquilla whitingi* Camp & Manning, 1982

*Platysquilla horologii* Camp, 1971 (*Mexisquilla horologii* (Camp, 1971))

**Superfamily Squilloidea Latreille, 1803**

**Squillidae Latreille, 1803**

*Meiosquilla quadridens* (Bigelow, 1893)

*Meiosquilla randalli* (Manning, 1962)

*Meiosquilla schmitti* (Lemos de Castro, 1955)

*Squilla chydrea* Manning, 1962

*Squilla deceptrix* Manning, 1969

*Squilla edentata* (Lunz, 1937)

*Squilla empusa* Say, 1818

*Squilla grenadensis* Manning, 1969

*Squilla heptacantha* (Chace, 1939) (= *Fennerosquilla heptacantha* (Chace, 1939))

*Squilla intermedia* Bigelow, 1893

*Squilla neglecta* Gibbes, 1850

*Squilla rugosa* Bigelow, 1893  
*Squilla* sp.

**Subclass Eumalacostraca Grobben, 1892**  
**Superorder Peracarida Calman, 1904**  
**Order Mysidacea Boas, 1883**  
**Suborder Lophogastrida Boas, 1883**

**Eucopiidae Sars, 1885**

*Eucopia sculpticauda* Faxon, 1893  
*Eucopia unguiculata* (Willemoes - Suhm, 1875)

**Suborder Mysida Boas, 1883**

**Mysidae Dana, 1850**

*Bowmaniella dissimilis* (Coifmann, 1937)  
*Bowmaniella portoricensis* Bacescu, 1968  
*Heteromysis formosa* S. I. Smith, 1873  
*Mysidium* sp.

**Order Cumacea Kroyer, 1846**

Cumacea sp.

**Bodotriidae T. Scott, 1901**

*Cyclaspis varians* Calman, 1912  
*Cyclaspis* sp.  
*Spilocuma salomani* Watling, 1977

**Diastylidae Bate, 1856**

*Oxyurostylis smithi* Calman, 1912

**Order Tanaidacea Hansen, 1895**  
**Suborder Tanaidomorpha Sieg, 1980**  
**Superfamily Paratanaoidea Lang, 1949**

**Nototanaididae Sieg, 1973**

*Nototanoides trifurcatus* Sieg & Heard, 1985

**Paratanaididae Lang, 1949 (=Leptocheliidae)**

*Heterotanais* sp.  
*Leptochelia dubia* (Kroyer, 1842)

*Leptochelia forresti* (Stebbing, 1896)

*Leptochelia rapax* Harger, 1879

*Leptochelia* sp.

**Suborder Apseudomorpha Sieg, 1980**  
**Superfamily Apseudidoidea Leach, 1814**

**Apseudidae Leach, 1814 (=Apseudinae)**

*Apseudes propinquus* Richardson, 1902

*Apseudes* sp.

**Kalliapseudidae Lang, 1956**

?*Kalliapseudes* sp.

**Order Isopoda Latreille, 1817**  
**Suborder Gnathiidea Leach, 1814**

**Gnathiidae Harger, 1880**

*Gnathia floridensis* Menzies & Kruczynski, 1978 ( PARATYPE)

**Suborder Anthuridea Leach, 1814**

**Anthuridae Leach, 1814**

*Apanthura magnifica* Menzies & Frankenberg, 1966

*Apanthura* sp.

*Cyathura* sp.

*Mesanthura decorata* Menzies & Glynn, 1968

*Mesanthura floridensis* Menzies & Kruczynski, 1983 (PARATYPE)

*Panathura formosa* Menzies & Frankenberg, 1966

*Ptilanthura* sp.

*Skuphonura lindae* Menzies & Kruczynski, 1983 (PARATYPE)

*Skuphonura* sp.

*Xenanthura brevitelson* Barnard, 1925

*Xenanthura* sp.

**Paranthuridae Menzies & Glynn, 1968**

*Accalathura crenulata* (Richardson, 1901)

*Accalathura* sp.

*Paranthura floridensis* Menzies & Kruczynski, 1983

*Paranthura infundibulata* Richardson, 1902

**Suborder Flabellifera Sars, 1882**

**Aegidae Leach, 1815**

*Aega antillensis* Schiodte & Meinert, 1879-1880

*Rocinela signata* Schiodte & Meinert, 1879

**Cirolanidae Dana, 1853**

*Bathynomus giganteus* A. Milne Edwards, 1879

*Booralana tricarinata* Camp & Heard, 1988 (PARATYPE)

*Cirolana borealis* Lilljeborg, 1851

*Cirolana parva* Hansen, 1890

*Cirolana polita* (Stimpson, 1853)

*Cirolana* sp.

*Eurydice convexa* Richardson, 1900

*Eurydice littoralis* (Moore, 1902)

*Eurydice piperata* Menzies & Frankenberg, 1966

*Eurydice* sp.

**Corallanidae Hansen, 1890**

*Alcirona krebsii* Hansen, 1890

*Alcirona* sp.

**Excorallanidae Stebbing, 1904**

*Excorallana antillensis* (Hansen, 1890)

*Excorallana mexicana* Richardson, 1905

*Excorallana tricornis* (Hansen, 1890)

*Excorallana* sp.

*Nalicora rapax* Moore, 1902

**Cymothoidae Dana, 1852**

*Aegathoa oculata* (Say, 1818)

*Aegathoa* sp.

*Anilocra acuta* Richardson, 1910

*Anilocra laticauda* Milne Edwards, 1840

*Cymothoa caraibica* Bovallius, 1885

*Cymothoa excisa* Perty, 1930-1934

*Cymothoa* sp.

*Lironeca redmanni* Leach, 1818

*Lironeca tropicalis* Menzies & Kruczynski, 1983

*Nerocila acuminata* Schiodte & Meinert, 1881-1883

*Nerocila lanceolata* Schiodte & Meinert, 1883

*Olencira praegustator* (Latrobe, 1802)

**Serolidae Dana, 1853**

*Serolis mgrayi* Menzies & Frankenberg, 1966

**Sphaeromatidae Milne Edwards, 1840**

*Cymodoce faxoni* (Richardson, 1905)

*Dynamenella diana* (Menzies, 1962)

*Dynamenella* sp.

*Paracerceis caudata* (Say, 1818)

*Paracerceis* sp.

*Sphaeroma destructor* Richardson, 1897

*Sphaeroma quadridentata* Say, 1818

*Sphaeroma walkeri* Stebbing, 1905

**Suborder Asellota Latreille, 1803**  
**Superfamily Stenetrioidea Hansen, 1905**

**Stenetriidae Hansen, 1905**

*Stenetrium stebbingi* Richardson, 1902

**Superfamily Janiroidea Sars, 1899**

**Antiasidae**

*Antias milleri* Menzies & Glynn, 1968

**Jaeropsididae Nordenstam, 1933**

*Jaeropsis rathbunae* Richardson, 1902

**Janiridae Sars, 1899**

*Carpas bermudensis* Richardson, 1902

*Carpas floridensis* Menzies & Kruczynski, 1983

*Carpas stylodactylus* (Nobili, 1907)

**Suborder Valvifera Sars, 1882**

**Arcturidae Sars, 1899**

*Arcturella bispinata* Menzies & Kruczynski, 1983

*Arcturella spinata* Menzies & Kruczynski, 1983

*Astacilla* sp.

*Edwinjoycea horologium* Menzies & Kruczynski, 1983

**Idoteidae Milne Edwards, 1840**

*Chiridotea stenops* Menzies & Frankenberg, 1966

*Erichsonella attenuata* (Harger, 1873)

*Erichsonella filiformis* (Say, 1818)

*Erichsonella filiformis isabelensis* Menzies, 1951

*Erichsonella* sp.

*Tropedotea lyonsi* Menzies & Kruczynski, 1983 (= *Edotea lyonsi* (Menzies & Kruczynski, 1983))

**Suborder Epicaridea Latreille, 1831**  
**Infraorder Bopyrina**

**Bopyridae Rafinesque, 1815**

*Aporobopyrina anomala* Markham, 1973

*Aporobopyrus collardi* Adkison, 1984 (PARATYPE)

*Aporobopyrus curtatus* (Richardson, 1904)  
*Azygopleon schmitti* (Pearse, 1932)  
*Bopyrina abbreviata* Richardson, 1904  
*Bopyrione synalphei* Bourdon & Markham, 1980  
*Eophrixus subcaudalis* (Hay, 1917)  
*Gigantione mortenseni* Adkison, 1984  
*Hemiarthrinae* sp. sensu Markham, 1985  
*Hemiarthrus synalphei* (Pearse, 1950)  
*Hyperphrixus castrensis* Markham, 1985  
*Ovobopyrus alphezemiotes* Markham, 1985  
*Parabopyrella mortensoni* (Nierstrasz & Brender a Brandis, 1929)  
*Parabopyrella richardsonae* (Nierstrasz & Brender a Brandis, 1929)  
*Parabopyrella* sp.  
*Parabopyriscus stellatus* Markham, 1985  
*Probopyrinella heardi* Adkison, 1984  
*Probopyrus pandalicola* (Packard, 1879)  
*Schizobopyrina urocaridis* (Richardson, 1904)  
*Synsynella choprae* (Pearse, 1932)  
*Synsynella deformans* Hay, 1917  
*Synsynella integra* Bourdon, 1981  
*Synsynella* n. sp. A  
*Urobopyrus processae* Richardson, 1904

#### **Entophilidae**

*Entophilus omnitectus* Richardson,

### **Suborder Oniscidea Latreille, 1803** **Infraorder Ligiamorpha Vandel, 1943** **Section Diplocheta Vandel, 1957**

#### **Ligiidae Brandt, 1883**

*Ligia exotica* (Roux, 1828)  
*Ligia olfersii* (Brandt, 1833)

### **Order Amphipoda Latreille, 1816** **Suborder Gammaridea Latreille, 1803**

*Gammaridea* n. gen. (near *Eriopisa*)

### **Superfamily Phoxocephaloidea Sars, 1891**

**Phoxocephalidae Sars, 1891**

*Heterophoxus* sp.

*Metharpinia floridana* Barnard, 1980

*Paraphoxus (Trichophoxus) floridanus* Shoemaker, 1933

?*Trichophoxus* sp. A

?*Trichophoxus* sp. B

**Platyischnopidae Barnard & Drummond, 1979**

*Eudevenopus honduranus* Thomas & Barnard, 1983

*Pseudoplatyischnopus* sp.

**Superfamily Lysianassoidea**

**Lysianassidae**

*Eurythenes gryllus* (Lichtenstein, 1822)

*Lysianopsis alba* Holmes, 1905

*Lysianopsis* sp.

**Superfamily Pontoporeioidea Sars, 1882**

**Pontoporeiidae Sars, 1882 (= Haustoriidae Stebbing, 1906)**

*Acanthohaustorius millsii*

*Acanthohaustorius* sp.

*Bathyporeia* sp.

*Protohaustorius* sp.

**Superfamily Eusiroidea Stebbing, 1888**

**Eusiridae**

*Rhachotropis* sp.

**Pontogeneiidae Stebbing, 1906**

*Pontogeneia longleyi* Shoemaker, 1933

**Bateidae**

*Batea catharinensis* Muller, 1865

*Carinobatea carinata* Shoemaker, 1926

*Carinobatea cuspidata* Shoemaker, 1926

**Paramphithoidae**

*Epimeria* sp.

**Superfamily Oedicerotoidea Lilljeborg, 1865**

**Oedicerotidae Lilljeborg, 1865**

*Monoculodes nyei* Shoemaker, 1933

*Monoculodes* sp.

*Synchelidium americanum* Bousfield, 1973

*Synchelidium* sp.

*Westwoodilla* sp.

**Superfamily Leucothoidea**

**Pleustidae**

*Stenopleustes* sp.

**Amphilochidae**

*Gitanopsis* sp.

**Leucothoidae**

*Leucothoe spinicarpa* (Abildgaard, 1879)

*Leucothoe* sp.

**Stenothoidae**

*Stenothoe* sp.

**Superfamily Talitroidea**

**Hyalidae**

*Hyale* sp.

**Hyaellidae**

*Hyaella azteca* Saussure, 1857

**Philiantidae**

*Heterophilias seclusus* Shoemaker, 1933

**Superfamily Stegocephaloidea**

**Acanthonotozomatidae**

*Panoploea* sp.

*Pariphimedia* sp.

**Superfamily Synopioidea Dana, 1853**

**Synopiidae Dana, 1853**

*Synopia ultramarina* Dana, 1853

*Synopia* sp.  
*Syrrhoe* sp.  
*Tiron tropakis* Barnard, 1972  
*Tiron* sp.

## **Superfamily Liljeborgioidea Stebbing, 1899**

### **Liljeborgiidae Stebbing, 1899**

*Liljeborgia* sp.  
*Listriella barnardi* Wigley, 1963

### **Sebidae**

*Dimorphoceba* sp.  
*Seba* sp.

## **Superfamily Dexaminoidea**

### **Dexaminidae**

*Polycheria* sp.

## **Superfamily Ampeliscoidea Costa, 1857**

### **Ampeliscidae Costa, 1857**

*Ampelisca abdita* Mills, 1964  
*Ampelisca schellenbergi* Shoemaker, 1933  
*Ampelisca* sp.  
*Byblis* sp.

## **Superfamily Melphidippidae**

### **Melphidippidae**

*Melphidippa* sp.

## **Superfamily Melitoidea Bousfield, 1973**

### **Melitidae Bousfield, 1973**

*Anelasmopus* sp.  
*Ceradocus* sp.  
? *Ceradocus* sp.  
*Dulichella appendiculata* (Audouin, 1826)  
*Elasmopus laevis* Smith, 1873

*Elasmopus* sp.  
*Jerbarnia americana* Watling, 1981  
*Maera grossimana* (Montagu, 1808)  
*Maera* sp.  
*Megaluropus myersi* Bousfield, 1977  
*Megaluropus* sp.  
*Melita appendiculata* (Say, 1818)  
*Melita* sp.  
Melitidae sp. (near *Elasmopus*)  
*Parelasmopus* sp.

**Hadziidae Karaman, 1943**

*Protohadzia schoenerae* (Fox, 1973)

**Superfamily Corophioidea Dana, 1849**

**Photidae Boeck, 1872**

*Eurystheus* sp.  
*Gammaropsis* sp.  
*Photis pugnator* Shoemaker, 1945  
*Photis* sp.  
*Photis* sp. A  
*Photis* sp. B

**Isaeidae**

*Isaea* sp.

**Podoceridae**

*Podocerus brasiliensis* (Dana, 1936)  
*Podocerus* sp.

**Aoridae Stebbing, 1899**

*Acuminodeutopus naglei* (Bousfield, 1973)  
*Lembos brunneomaculatus mackinneyi* Myers, 1978  
*Lembos ovalipes* Myers, 1979  
*Lembos rectangulatus* Myers, 1977  
*Lembos spinicarpus inermis* Myers, 1979  
*Lembos smithi* (Holmes, 1905)  
*Lembos tempus* Myers, 1979  
*Lembos tigrinus* Myers, 1979  
*Lembos unicornis* Bynum & Fox, 1976  
*Lembos unifasciatus reductus* Myers, 1979  
*Microdeutopus myersi* Bynum & Fox, 1977  
*Microdeutopus* sp.  
*Neomegamphopus roosevelti* Shoemaker, 1942  
*Pseudunciola* sp.  
*Rildardanus caeca* sp. nov. (= *Liocuna caeca* Myers)  
*Rildardanus laminosa* (Pearse, 1912)  
*Rudilemboides* sp.  
*Unciola serrata* Shoemaker, 1945

Aoridae n. gen. (near *Microdeutopus*)

**Corophiidae Dana, 1849**

*Cerapoides* sp.

*Cerapus tubularis* Say, 1818

*Cerapus* sp.

*Corophium acherusicum* Costa, 1857

*Corophium simile* Shoemaker, 1934

*Corophium* sp.

*Erichthonius brasiliensis* (Dana, 1853)

*Erichthonius rubricornis* Smith, 1873

*Erichthonius* sp.

**Ampithoidae**

*Ampithoe gibbosa* (Bate, 1862)

*Ampithoe longimana* Smith, 1873

*Ampithoe ramondi* (Audouin, 1826)

*Ampithoe valida* (S.I. Smith, 1873)

*Ampithoe* sp.

*Cymadusa compta* (Smith, 1873)

*Cymadusa* sp.

**Superorder Hyperiidea H. Milne Edwards, 1830**  
**Infraorder Physocephalata Bowman & Gruner, 1973**  
**Superfamily Phronimoidea Rafinesque, 1815**

**Phronimidae Rafinesque, 1815**

*Lestrigonus bengalensis* Giles, 1887

*Lestrigonus schizogeneios* (Stebbing, 1888)

*Phronima* sp.

**Phrosinidae Dana, 1853**

*Anchylomera blossevillii* Milne Edwards, 1830

*Primno* sp. (near *macropa* (Guerin, 1836))

**Superfamily Platysceloidea Bate, 1862**

**Platyscelidae Bate, 1862**

*Platyscelus* sp.

**Suborder Caprellidea**

**Caprellidae**

*Caprella equilibra* Say, 1818

*Paracaprella tenuis* Mayer, 1903

**Superorder Eucarida Calman, 1904**  
**Order Euphausiacea Dana, 1852**

**Euphausiidae Dana, 1852**  
Euphausiacea sp.

**Order Amphionidacea Williamson, 1973**

**Amphionididae Holthuis, 1955**  
*Amphionides* sp.

**Order Decapoda Latreille, 1803**  
**Suborder Dendrobranchiata Bate, 1888**  
**Superfamily Penaeoidea Rafinesque, 1815**

**Aristeidae Wood-Mason, 1891**  
*Aristeomorpha foliacea* (Risso, 1827)  
*Aristeus antillensis* A. Milne Edwards & Bouvier, 1909  
*Ceratopsis* sp.

**Penaeidae Rafinesque, 1815**  
*Metapenaeopsis gerardoi* Perez Farfante, 1971  
*Metapenaeopsis goodei* (Smith, 1885)  
*Metapenaeopsis smithi* (Schmitt, 1924)  
*Metapenaeopsis* sp.  
*Metapenaeopsis?* sp.  
*Parapenaeus americanus* Rathbun, 1901  
*Parapenaeus politus* Smith, 1881  
*Parapenaeus* sp.  
*Penaeopsis serrata* Bate, 1881  
*Penaeus aztecus aztecus* Ives, 1891  
*Penaeus brasiliensis* Latreille, 1817  
*Penaeus duorarum duorarum* Burkenroad, 1939  
*Penaeus setiferus* (Linnaeus, 1767)  
*Penaeus* sp.  
*Trachypenaeopsis mobilispinis* (Rathbun, 1919)  
*Trachypenaeus constrictus* (Stimpson, 1871)  
*Trachypenaeus similis* (Smith, 1885)  
*Trachypenaeus* sp.  
*Xiphopenaeus kroyeri* (Heller, 1862)  
Penaeidae sp.

**Benthesicymidae Bate**  
*Bentheogennema intermedia* (Bate, 1888)  
*Benthesicymus bartletti* Smith, 1882  
*Gennadas bouvieri* Kemp, 1909

*Gennadas capensis* Calman, 1925

*Gennadas valens* (Smith, 1884)

*Gennadas* sp.

### **Solenoceridae Wood-Mason and Alcock, 1891**

*Hadropenaeus affinis* (Bouvier, 1906)

*Hadropenaeus modestus* (Smith, 1885)

*Mesopenaeus tropicalis* (Bouvier, 1905)

*Pleoticus robustus* (Smith, 1885)

*Solenocera acuminata* Perez Farfante, 1973

*Solenocera atlantidis* Burkenroad, 1939

*Solenocera necopina* Burkenroad, 1939

*Solenocera viosai* Burkenroad, 1939

*Solenocera* sp.

Sicyoniidae Ortmann, 1898

*Sicyonia brevirostris* Stimpson, 1871

*Sicyonia burkenroadi* Cobb, 1971

*Sicyonia dorsalis* Kingsley, 1878

*Sicyonia laevigata* Stimpson, 1871

*Sicyonia olgae* Perez Farfante, 1980

*Sicyonia parri* (Burkenroad, 1934)

*Sicyonia stimpsoni* Bouvier, 1905

*Sicyonia typica* (Boeck, 1864)

*Sicyonia* sp.

*Sicyonia* n. sp.

## **Superfamily Sergestoidea Dana, 1852**

### **Sergestidae Dana, 1852**

*Actes americanus* Ortmann, 1893

*Actes americanus carolinae* Hansen, 1933

*Sergestes armatus* Kroyer, 1885

*Sergestes corniculum* Kroyer, 1855

*Sergestes pectinatus* Sund, 1920

*Sergestes richardi* Hansen,

*Sergia robusta* Smith, 1882

*Sergia splendens* Sund, 1920

*Sergia talismani* Barnard, 1947

### **Luciferidae**

*Lucifer faxoni* Borradaile, 1915

## **Suborder Pleocyemata Burkenroad, 1963**

### **Infraorder Stenopodidea Claus, 1872**

### **Stenopodidae Claus, 1872**

*Microprosthema semilaeve* (von Martens, 1872)

*Stenopus hispidus* (Olivier, 1811)  
*Stenopus scutellatus* Rankin, 1898  
*Stenopus* sp.

**Infraorder Caridea Dana, 1852**  
**Superfamily Atyoidea De Haan, 1849**

**Nematocarcinidae Smith, 1884**

*Nematocarcinus cursor* A. Milne Edwards, 1881  
*Nematocarcinus rotundus* Crosnier & Forest, 1973  
*Nematocarcinus* sp.

**Oplophoridae Dana, 1852**

*Acanthephyra armata* A. Milne Edwards, 1881  
*Acanthephyra pelagica* (Risso, 1816)  
*Acanthephyra purpurea* A. Milne Edwards, 1881  
*Acanthephyra stylostrata* (Bate, 1888)  
*Hymenodora gracilis* Smith, 1886  
*Janicella spinicauda* (A. Milne Edwards, 1883) (= *Oplophorus spinicauda*)  
*Notostomus elegans* A. Milne Edwards, 1881  
*Oplophorus gracilirostris* A. Milne Edwards, 1881  
*Oplophorus grimaldii?* Coutiere, 1905  
*Systellaspis affinis* (Faxon, 1896)  
*Systellaspis debilis* (A. Milne Edwards, 1881)

**Superfamily Pasiphaeoidea Dana, 1852**

**Pasiphaeidae Dana, 1852**

*Leptochela bermudensis* Gurney, 1939  
*Leptochela carinata* Ortmann, 1893  
*Leptochela papulata* Chace, 1976  
*Leptochela serratorbita* Bate, 1888  
*Leptochela* sp.  
*Pasiphaea merriami* Schmitt, 1931  
*Pasiphaea multidentata* Esmark, 1866

**Superfamily Rhynchocinetoidae Ortmann, 1890**

**Bresiliidae**

*Discias atlanticus* Gurney, 1939  
*Discias serratirostris* Lebour, 1949  
*Discias vernbergi* Boothe & Heard,  
*Discias* sp.

**Eugonatonotidae Chace, 1936**

*Eugonatonotus crassus* (A. Milne Edwards, 1881)

**Rhynchocinetidae Ortmann, 1890**

*Rhynchocinetes rigens* Gordon, 1936

**Superfamily Palaemonoidea Rafinesque, 1815****Gnathophyllidae Dana, 1852**

*Gnathophylloides mineri* Schmitt, 1933

*Gnathophyllum americanum* Guerin-Meneville, 1855

*Gnathophyllum modestum* Hay, 1917

**Palaemonidae Rafinesque, 1815**

*Anchistioides antiguensis* (Schmitt, 1924)

*Anchistioides* sp.

*Brachycarus biunguiculatus* (Lucas, 1846)

*Leander paulensis* Ortmann, 1897

*Leander tenuicornis* (Say, 1818)

*Macrobrachium acanthurus* (Wiegmann, 1836)

*Macrobrachium carcinus* (Linnaeus, 1758)

*Macrobrachium crenulatum* Holthuis, 1950

*Macrobrachium faustinum* (Saussure, 1857)

*Macrobrachium heterochirus* (Wiegmann, 1836)

*Macrobrachium ohione* (Smith, 1874)

*Macrobrachium surinamicum?* Holthuis, 1948

*Neopontonides beaufortensis* (Borradaile, 1920)

*Palaemon floridanus* Chace, 1942

*Palaemonetes intermedius* Holthuis, 1949

*Palaemonetes paludosus* (Gibbes, 1850)

*Palaemonetes pugio* Holthuis, 1949

*Palaemonetes vulgaris* (Say, 1818)

*Periclimenaeus ascidiarum* Holthuis, 1951

*Periclimenaeus* cf. *atlanticus* (Rathbun, 1901)

*Periclimenaeus* cf. *chacei* Abele, 1917

*Periclimenaeus schmitti* Holthuis, 1951

*Periclimenaeus wilsoni* (Hay, 1917)

*Periclimenaeus* sp.

*Periclimenes americanus* (Kingsley, 1878)

*Periclimenes longicaudatus* (Stimpson, 1860)

*Periclimenes magnus* Holthuis, 1951

*Periclimenes pedersoni* Chace, 1958

*Periclimenes yucatanicus* (Ives, 1891)

*Periclimenes* sp.

*Periclimenes* sp. A

*Periclimenes* sp. B

*Periclimenes* sp. (near *americanus* (Kingsley, 1878))

*Pontonia domestica* Gibbes, 1850

*Pontonia margarita* Smith, 1869

*Pontonia mexicana* Guerin-Meneville, 1855

*Pontonia* sp.  
*Typton gnathophylloides* Holthuis, 1951  
*Typton vulcanus* Holthuis, 1951

## **Superfamily Psalidopodoidea Wood-Mason & Alcock, 1872**

### **Psalidopodidae Wood-Mason & Alcock, 1872**

*Psalidopus barbouri* Chace, 1939

## **Superfamily Alpheoidea Rafinesque, 1815**

### **Alpheidae Rafinesque, 1815**

*Alpheopsis* cf. *labis* Chace, 1972  
*Alpheus amblyonyx* Chace, 1972  
*Alpheus armatus* Rathbun, 1901  
*Alpheus armillatus* H. Milne Edwards, 1837  
*Alpheus floridanus* Kingsley, 1878  
*Alpheus formosus* Gibbes, 1850  
*Alpheus heterochaelis* Say, 1818  
*Alpheus macrocheles* (Hailstone, 1835)  
*Alpheus* nr. *macrocheles* (Hailstone, 1835)  
*Alpheus maleator* Dana, 1852  
*Alpheus normanni* Kingsley, 1879  
*Alpheus* cf. *normanni* Kingsley, 1879  
*Alpheus nuttingi* (Schmitt, 1924)  
*Alpheus paracrinitus* Miers, 1881  
*Alpheus thomasi* Hendrix & Gore, 1973  
*Alpheus verrilli* (Schmitt, 1924) (?= *Alpheus armillatus*)  
*Alpheus* sp.  
*Alpheus* sp. A  
*Alpheus* sp. B  
*Alpheus* sp. C  
*Automate evermanni* Rathbun, 1901  
*Automate gardineri* Coutiere, 1902  
*Leptalpheus forceps* Williams, 1965  
*Salponeus ortmanni* (Rankin, 1898)  
*Synalpheus apioceros* Coutiere, 1909  
*Synalpheus* cf. *apioceros* Coutiere, 1909  
*Synalpheus bousfieldi* Chace, 1972  
*Synalpheus brooksi* Coutiere, 1909  
*Synalpheus fritzmuelleri* Coutiere, 1909  
*Synalpheus goodei* Coutiere, 1909  
*Synalpheus heardi* Dardeau, 1984  
*Synalpheus herricki* Coutiere, 1909  
*Synalpheus longicarpus* (Herrick, 1891)  
*Synalpheus minus* (Say, 1818)  
*Synalpheus pandionis* Coutiere, 1909

*Synalpheus* cf. *pandionis* Coutiere, 1909  
*Synalpheus paraneptunus* Coutiere, 1909  
*Synalpheus pectiniger* Coutiere, 1907  
*Synalpheus townsendi* Coutiere, 1909  
*Synalpheus* cf. *townsendi* Coutiere, 1909  
*Synalpheus* sp.  
*Synalpheus* sp. A

### **Hippolytidae Dana, 1852**

*Bythocaris* n. sp.  
*Hippolyte curacaoensis* Schmitt, 1924  
*Hippolyte pleuracanthus* (Stimpson, 1871)  
*Hippolyte zostericola* (Smith, 1873)  
*Hippolyte* sp.  
*Latreutes fucorum* (Fabricius, 1798)  
*Latreutes parvulus* (Stimpson, 1866)  
*Lysmata rathbunae* Chace, 1970  
*Lysmata wurdemanni* (Gibbes, 1850)  
*Lysmata* sp.  
*Thor floridanus* Kingsley, 1878  
*Thor* sp.  
*Tozeuma carolinense* Kingsley, 1878  
*Tozeuma serratum* (A. Milne Edwards, 1881)  
*Trachycaris restrictus* (A. Milne Edwards, 1878)  
*Trachycaris* sp.

### **Ogyrididae Hay & Shore, 1918**

*Ogyrides alphaerostris* (Kingsley, 1880)  
*Ogyrides hayi* Williams, 1981

### **Processidae Ortmann, 1896**

*Ambidexter symmetricus* Manning & Chace, 1971  
*Processa bermudensis* (Rankin, 1900)  
*Processa fimbriata* Manning & Chace, 1971  
*Processa guyanae* Holthuis, 1959 (= *Processa tenuipes* Manning & Chace, 1971)  
*Processa hemphilli* Manning & Chace, 1971  
*Processa profunda* Manning & Chace, 1971  
*Processa vicina* Manning & Chace, 1971  
*Processa* sp.  
*Processa* sp. (near *vicina* Manning & Chace, 1971)  
Processidae sp.

## **Superfamily Pandaloidea Haworth, 1825**

### **Pandalidae Haworth, 1825**

*Heterocarpus ensifer* A. Milne Edwards, 1881  
*Heterocarpus oryx* A. Milne Edwards, 1881  
*Pandalus borealis* Kroyer, 1838  
*Plesionika acanthonotus* (Smith, 1882)  
*Plesionika acanthonotus/holthuisi* (?)

*Plesionika edwardsii* (Brandt, 1851)  
*Plesionika escatilis* (Stimpson, 1860)  
*Plesionika ensis* (A. Milne Edwards, 1881)  
*Plesionika holthuisi* Crosnier & Forest, 1968  
*Plesionika longicauda* (Rathbun, 1902)  
*Plesionika longipes* (A. Milne Edwards, 1881)  
*Plesionika martia* (A. Milne Edwards, 1883)  
*Plesionika polycanthomerus* Pequegnat, 1970  
*Plesionika tenuipes* (Smith, 1881)  
*Plesionika williamsi* Forest, 1964  
*Plesionika willisi* (L. Pequegnat, 1970)  
*Plesionika* sp.  
*Plesionika* n. sp.  
*Stylopandalis richardi* (Coutiere, 1905) (= *Plesionika richardi*)

## **Superfamily Crangonoidea Haworth, 1825**

### **Crangonidae Haworth, 1825**

*Metacrangon jacqueti agassizii* (Smith, 1882)  
*Pontophilus brevirostris* Smith, 1882  
*Pontophilus gorei* Dardeau, 1980 (= *Philoceras?* DKC)  
*Pontophilus gracilis* Smith, 1882  
Glyphocrangonidae Smith, 1884  
*Glyphocrangon aculeata* A. Milne Edwards, 1881  
*Glyphocrangon haematonotus* Holthuis, 1971  
*Glyphocrangon longleyi* Schmitt, 1931  
*Glyphocrangon nobile* A. Milne Edwards, 1881  
*Glyphocrangon spinicauda* A. Milne Edwards, 1881  
*Glyphocrangon* sp.

## **Infraorder Astacidea Latreille, 1803 Superfamily Nephropoidea Dana, 1852**

### **Nephropidae Dana, 1852**

*Acanthacaris caeca* (A. Milne Edwards, 1881)  
*Nephropsis aculeata* Smith, 1881  
*Nephropsis rosea* Bate, 1888

## **Superfamily Astacoidea Latreille, 1803**

### **Cambaridae Hobbs, 1942**

*Cambarellus schmitti* Hobbs, 1942 (PARATYPE)  
*Cambarus byersi* Hobbs, 1941 (PARATYPE)  
*Cambarus floridanus* Hobbs, 1941 (PARATYPE)  
*Cambarus pilosus* Hay, 1899

*Orconectes longimanus* (Faxon, 1898)  
*Orconectes meeki* (Faxon, 1898)  
*Orconectes menae* (Creaser, 1931) (PARATYPE)  
*Orconectes neglectus* (Faxon, 1885)  
*Orconectes palmeri* (Faxon, 1898)  
*Procambarus apalachicola* Hobbs, 1942 (PARATYPE)  
*Procambarus bivittatus* Hobbs, 1942 (PARATYPE)  
*Procambarus econfinae* Hobbs, 1942 (PARATYPE)  
*Procambarus escambiensis* Hobbs, 1942 (PARATYPE)  
*Procambarus geodytes* Hobbs, 1942 (PARATYPE)  
*Procambarus kilbyi* (Hobbs, 1940) (PARATYPE)  
*Procambarus latipleurum* Hobbs, 1942 (PARATYPE)  
*Procambarus lucifugusalachua* (Hobbs, 1940) (PARATYPE)  
*Procambarus lucifugus lucifugus* (Hobbs, 1940) (PARATYPE)  
*Procambarus okaloosa* Hobbs, 1942 (PARATYPE)  
*Procambarus pallidus* (Hobbs, 1940) (PARATYPE)  
*Procambarus pubischelae* Hobbs, 1942 (PARATYPE)  
*Procambarus pygmaeus* Hobbs, 1942 (PARATYPE)  
*Procambarus rathbunae* (Hobbs, 1940) (PARATYPE)  
*Procambarus seminolae* Hobbs, 1942 (PARATYPE)  
*Procambarus shermani* Hobbs, 1942 (PARATYPE)  
*Procambarus youngi* Hobbs, 1942 (PARATYPE)

**Infraorder Thalassinidea Latreille, 1831**  
**Superfamily Thalassinoidea Latreille, 1831**

**Axiidae Huxley, 1879**

*Axiopsis jenneri* (Williams, 1974)  
*Axiopsis* sp.  
*Enoplometopus (Hoplometopus) antillensis* Lutken, 1865  
*Axiidae* sp.

**Callianassidae Dana, 1852**

*Callianassa acanthochirus* (Stimpson, 1866)  
*Callianassa atlantica* Rathbun, 1926  
*Callianassa marginata* Rathbun, 1901  
*Callianassa trilobata* Biffar, 1970  
*Gourettia latispina* (Dawson, 1967) (= *Callianassa latispina*)

**Upogebiidae Borradaile, 1903**

*Upogebia affinis* (Say, 1818)  
*Upogebia* sp.

**Infraorder Palinura Latreille, 1903**  
**Superfamily Eryonoidea de Haan, 1841**

**Polychelidae Wood-Mason, 1874**

*Polycheles typhlops perarmatus* Holthuis, 1952

*Polycheles typhlops typhlops* Heller, 1862

*Stereomastis sculpta sculpta* (S.Smith, 1880) (= *Polycheles sculptus*)

**Superfamily Palinuroidea Latreille, 1803**

**Palinuridae Latreille, 1803**

*Justitia longimanus* (H. Milne Edwards, 1837)

*Panulirus argus* (Latreille, 1804)

*Panulirus* cf. *argus* (Latreille, 1804)

*Panulirus guttatus* (Latreille, 1804)

*Panulirus laevicauda* (Latreille, 1817)

*Panulirus polyphagus* (Herbst, 1793)

*Panulirus* sp.

**Scyllaridae Latreille, 1825**

*Evibacus princeps* (Smith, 1869)

*Parribacus antarcticus* (Lund, 1793)

*Scyllarides aequinoctialis* (Lund, 1793)

*Scyllarides nodifer* (Stimpson, 1866)

*Scyllarus americanus* (Smith, 1869)

*Scyllarus chacei* Holthuis, 1960

*Scyllarus depressus* (Smith, 1881)

*Scyllarus* sp.

**Synaxidae Bate, 1881**

*Palinurellus gundlachi* von Martens, 1878

**Infraorder Anomura H. Milne Edwards, 1832**

**Superfamily Coenobitoidea Dana, 1851**

**Coenobitidae Dana, 1851**

*Coenobita clypeatus* (Herbst, 1791)

**Diogenidae Ortmann, 1892**

*Calcinus tibicen* (Herbst, 1791)

*Cancellus ornatus* Benedict, 1901

*Clibanarius antillensis* Stimpson, 1858

*Clibanarius cubensis* (Saussure, 1858)

*Clibanarius tricolor* (Gibbes, 1850)

*Clibanarius vittatus* (Bosc, 1802)

*Dardanus fucosus* Biffar & Provenzano, 1972

*Dardanus* cf. *fucosus* Biffar & Provenzano, 1972

*Dardanus insignis* (Saussure, 1858)

*Dardanus venosus* (H. Milne Edwards, 1848)

*Dardanus* sp.

*Isocheles wurdemanni* Stimpson, 1862  
*Paguristes anomalus* Bouvier, 1918  
*Paguristes erythropros* Holthuis, 1959  
*Paguristes grayi* Benedict, 1901  
*Paguristes hernancortezii* McLaughlin & Provenzano, 1974  
*Paguristes hummi* Wass, 1955  
*Paguristes lymani* (A. Milne Edwards & Bouvier, 1893)  
*Paguristes moorei* Benedict, 1901  
*Paguristes puncticeps* Benedict, 1901  
*Paguristes sericeus* A. Milne Edwards, 1880  
*Paguristes tortugae* Schmitt, 1933  
*Paguristes cf. tortugae* Schmitt, 1933  
*Paguristes triangulatus* A. Milne Edwards & Bouvier, 1893  
. *Paguristes wassi* Provenzano, 1961  
*Petrochirus diogenes* (Linnaeus, 1758)

### **Superfamily Paguroidea Latreille, 1803**

#### **Lithodidae Samouelle, 1819**

*Paralomis cubensis* Chace, 1939

#### **Paguridae Latreille, 1803**

*Catapagurus sharreri* A. Milne Edwards, 1880  
*Iridopagurus caribbensis* (A. Milne Edwards & Bouvier, 1893) (= *Spiropagurus dispar* Stimpson, 1858)  
*Manucomplanus corallinus* (Benedict, 1892)  
*Pagurus annulipes* (Stimpson, 1860)  
*Pagurus bonairensis* Schmitt, 1936  
*Pagurus brevidactylus* (Stimpson, 1858)  
*Pagurus bullisi* Wass, 1963  
*Pagurus carolinensis* McLaughlin, 1975  
*Pagurus defensus* (Benedict, 1892)  
*Pagurus impressus* (Benedict, 1892)  
*Pagurus longicarpus* Say, 1817  
*Pagurus marshi* Benedict, 1901  
*Pagurus miamensis* Provenzano, 1959  
*Pagurus piercei* Wass, 1963  
*Pagurus politus* (Smith, 1882)  
*Pagurus pollicaris* Say, 1817  
*Pagurus pygmaeus* (Bouvier, 1918)  
*Pagurus stimpsoni* (A. Milne Edwards & Bouvier, 1893)  
*Phimochirus holthuisi* (Provenzano, 1961)  
*Pylopaguropsis atlantica* Wass, 1963  
*Pylopagurus discoidalis* (A. Milne Edwards, 1880)  
*Rhodochirus rosaceus* (A. Milne Edwards & Bouvier, 1893)  
*Solenopagurus lineatus* (Wass, 1963)

#### **Parapaguridae**

*Parapagurus pictus* (Smith, 1883)

## Superfamily Galatheoidea Samouelle, 1819

### Chirostylidae Ortmann, 1892

*Eumunida picta* Smith, 1883

*Uroptychus nitidus* (A. Milne Edwards, 1880)

### Galatheidae Samouelle, 1819

*Galathea rostrata* A. Milne Edwards, 1880

*Munida affinis* A. Milne Edwards, 1880

*Munida angulata* Benedict, 1902

*Munida iris iris* A. Milne Edwards, 1880

*Munida* cf. *iris* A. Milne Edwards, 1880

*Munida irrasa* A. Milne Edwards, 1880

*Munida longipes* A. Milne Edwards, 1880

*Munida microphthalma* A. Milne Edwards, 1880

*Munida miles* A. Milne Edwards, 1880

*Munida pusilla* Benedict, 1902

*Munida simplex* Benedict, 1902

*Munida spinifrons* Henderson, 1885

*Munida stimpsoni* A. Milne Edwards, 1880

*Munida valida* Smith, 1883

*Munida* sp.

*Munida* sp. (*longipes*? A. Milne Edwards, 1880)

*Munida* sp. (near *sculpta* Benedict, 1902)

*Munidopsis erinacea* (A. Milne Edwards, 1880)

*Munidopsis expansa* Benedict, 1902

*Munidopsis robusta* (A. Milne Edwards, 1880)

*Munidopsis serricornis* (Loven, 1852)

*Munidopsis sharreri* (A. Milne Edwards, 1880)

*Munidopsis spinifer* (A. Milne Edwards, 1880)

*Munidopsis spinoculata* (A. Milne Edwards, 1880)

*Munidopsis spinosa* (A. Milne Edwards, 1880)

*Pleuroncodes* sp.

### Porcellanidae Haworth, 1825

*Euceramus praelongus* Stimpson, 1860

*Megalobrachium soriatum* (Say, 1818)

*Pachycheles monilifer* (Dana, 1852)

*Pachycheles rugimanus* A. Milne Edwards, 1880

*Parapetrolisthes tortugensis* (Glassell, 1945)

*Petrolisthes armatus* (Gibbes, 1850)

*Petrolisthes galathinus* (Bosc, 1802)

*Polyonyx gibbesi* Haig, 1956

*Porcellana sayana* (Leach, 1820)

*Porcellana sigsbeiana* A. Milne Edwards, 1880

## Superfamily Hippoidea Latreille, 1825

**Albuneidae Stimpson, 1858**

*Albunea gibbesii* Stimpson, 1859

*Albunea paretii* Guerin, 1853

*Lepidopa websteri* Benedict, 1903

**Hippidae Latreille, 1825**

*Emerita talpoida* (Say, 1817)

**Infraorder Brachyura Latreille, 1803**  
**Section Dromiacea de Haan, 1833**  
**Superfamily Dromioidea de Haan, 1833**

**Dromiidae de Haan, 1833**

*Dromia erythropus* (George Edwards, 1771)

*Dromidia antillensis* Stimpson, 1858

*Dromidia* sp.

*Hypoconcha arcuata* Stimpson, 1858

*Hypoconcha sabulosa* (Herbst, 1799)

*Hypoconcha spinosissima* Rathbun, 1933

*Hypoconcha* sp.

**Tymolidae**

*Clythrocerus perpusillus* Rathbun, 1900

*Clythrocerus stimpsoni* Rathbun, 1937

*Clythrocerus* sp.

**Section Archaeobrachyura Guinot, 1977**  
**Superfamily Cyclodorippoidea Ortmann, 1892**

**Cyclodorippidae Ortmann, 1892**

*Cyclodorippe antennaria* A. Milne Edwards, 1880

**Superfamily Homoloidea de Haan, 1839**

**Homolidae de Haan, 1839**

*Homola barbata* (Fabricius, 1793)

*Homola* sp.

**Latreilliidae Stimpson, 1858**

*Latreillia elegans*, Roux, 1830 (= *Latreillia manningi* Williams, 1982)

**Superfamily Raninoidea de Haan, 1839**

**Raninidae de Haan, 1839**

- Lyreidus nitidus* (A. Milne Edwards, 1880)  
*Ranilia constricta* (A. Milne Edwards, 1880)  
*Ranilia muricata* H. Milne Edwards, 1837  
*Raninoides benedicti* Rathbun, 1935  
*Raninoides lamarcki* A. Milne Edwards & Bouvier, 1923  
*Raninoides loevis* (Latreille, 1825)  
*Symethis variolosa* (Fabricius, 1793)

**Section Oxystomata H. Milne Edwards, 1834**  
**Superfamily Dorippoidea MacLeay, 1838****Dorippidae MacLeay, 1838**

- Ethusa mascarone americana* A. Milne Edwards, 1880  
*Ethusa microphthalma* Smith, 1881  
*Ethusa tenuipes* Rathbun, 1897  
*Ethusa* sp.  
*Ethusina* sp.

**Superfamily Leucosioidea Samouelle, 1819****Calappidae de Haan, 1833**

- Acanthocarpus alexandri* Stimpson, 1871  
*Acanthocarpus bispinosus* A. Milne Edwards, 1880  
*Calappa angusta* A. Milne Edwards, 1880  
*Calappa flammea* (Herbst, 1794)  
*Calappa gallus* (Herbst, 1803)  
*Calappa ocellatus* Holthuis, 1958  
*Calappa sulcata* Rathbun, 1898  
*Calappa* sp.  
*Calappa* sp. (near *angusta* A. Milne Edwards, 1880)  
*Cycloes bairdii* Stimpson, 1860  
*Cycloes* sp.  
*Hepatus epheliticus* (Linnaeus, 1763)  
*Hepatus pudibundus* (Herbst, 1785)  
*Hepatus* sp.  
*Osachila antillensis* Rathbun, 1916  
*Osachila semilevis* Rathbun, 1916  
*Osachila tuberosa* Stimpson, 1871  
*Osachila* sp.  
*Paracyclois atlantis* Chace, 1939

**Leucosiidae Samouelle, 1819**

- Callidactylus asper* Stimpson, 1871  
*Callidactylus* sp.  
*Ebalia cariosa* (Stimpson, 1860)  
*Ebalia stimpsonii* A. Milne Edwards, 1880

*Ebalia* sp.  
*Iliacantha intermedia* Miers, 1886  
*Iliacantha liodactylus* Rathbun, 1898  
*Iliacantha sparsa* Stimpson, 1871  
*Iliacantha subglobosa* Stimpson, 1871  
*Iliacantha* sp.  
*Lithadia cadaverosa* Stimpson, 1871  
*Lithadia* sp.  
*Myropsis quinquespinoza* Stimpson, 1871  
*Myropsis* sp.  
*Persephona crinita* Rathbun, 1931  
*Persephona mediterranea* (Herbst, 1794) (= *Persephona punctata*)  
*Persephona* sp.  
*Speloeophorus elevatus* Rathbun, 1898  
*Speloeophorus nodosus* (Bell, 1855)  
*Speloeophorus pontifer* (Stimpson, 1871)  
*Speloeophorus* sp.  
Leucosiidae sp.  
Leucosiidae sp. (indeterminate)  
*Uhlias* sp.

## **Section Oxyrhyncha Latreille, 1803** **Superfamily Majoidea Samouelle, 1819**

### **Majidae Samouelle, 1819**

*Acanthonyx petiverii* H. Milne Edwards, 1834  
*Aepinus* sp.  
*Anasimus latus* Rathbun, 1894  
*Anasimus* sp.  
*Anomalothir furcillatus* (Stimpson, 1871)  
*Arachnopsis filipes* Stimpson, 1871  
*Arachnopsis* sp.  
*Batrachonotus fragosus* Stimpson, 1871  
*Batrachonotus* sp.  
*Chorinus heros* (Herbst, 1790)  
*Coelocerus spinosus* A. Milne Edwards, 1875  
*Collodes obesus* A. Milne Edwards, 1878  
*Collodes robustus* Smith, 1880  
*Collodes trispinosus* Stimpson, 1871  
*Collodes* n. sp.  
*Collodes* sp.  
*Epialtus dilatatus* A. Milne Edwards, 1878  
*Epialtus* sp.  
*Euprognatha rastellifera* Stimpson, 1871  
*Euprognatha* sp.  
*Hemus cristulipes* A. Milne Edwards, 1875  
*Hemus* sp.  
*Libinia dubia* H. Milne Edwards, 1834  
*Libinia emarginata* Leach, 1815

*Libinia* sp.  
*Macrocoeloma camptocerum* (Stimpson, 1871)  
*Macrocoeloma septemspinosum* (Stimpson, 1871)  
*Macrocoeloma trispinosum* (Latreille, 1825)  
*Macrocoeloma trispinosum nodipes* (Desbonne, 1867)  
*Macrocoeloma* sp.  
*Metoporphaphis calcarata* (Say, 1818)  
*Metoporphaphis* sp.  
*Microphrys bicornutus* (Latreille, 1825)  
*Microphrys* sp.  
*Mithrax acuticornis* Stimpson, 1870  
*Mithrax carribaeus* Rathbun, 1900  
*Mithrax coryphe* (Herbst, 1801)  
*Mithrax forceps* (A. Milne Edwards, 1875)  
*Mithrax hispidus* (Herbst, 1790)  
*Mithrax holderi* Stimpson, 1871  
*Mithrax pleuracanthus* Stimpson, 1871  
*Mithrax sculptus* (Lamarck, 1818)  
*Mithrax spinosissimus* (Lamarck, 1818)  
*Mithrax tortugae* Rathbun, 1920  
*Mithrax verrucosus* H. Milne Edwards, 1832  
*Mithrax* sp.  
*Mocosoia crebripunctata* Stimpson, 1871  
*Mocosoia* sp.  
*Nibilia antilocapra* (Stimpson, 1871)  
*Pelia mutica* (Gibbes, 1850)  
*Pelia* sp.  
*Picroceroides tubularis* Miers, 1886  
*Pitho aculeata* (Gibbes, 1850)  
*Pitho anisodon* (von Martens, 1872)  
*Pitho lherminieri* (Schramm, 1867)  
*Pitho mirabilis* (Herbst, 1794)  
*Pitho quadridentata* (Miers, 1879)  
*Pitho* sp.  
*Podochela gracilipes* Stimpson, 1871  
*Podochela lamelligera* (Stimpson, 1871)  
*Podochela riisei* Stimpson, 1860  
*Podochela sidneyi* Rathbun, 1924  
*Podochela* n. sp.?  
*Podochela* sp.  
*Pyromaia arachna* Rathbun, 1924  
*Pyromaia cuspidata* Stimpson, 1871  
*Rochinia crassa* (A. Milne Edwards, 1879)  
*Rochinia tanneri* (Smith, 1883)  
*Sphenocarcinus corrosus* A. Milne Edwards, 1875  
*Stenocionops furcata coelata* (A. Milne Edwards, 1878)  
*Stenocionops furcata furcata* (Olivier, 1791)  
*Stenocionops spinimana* (Rathbun, 1892)  
*Stenocionops spinosissima* (Saussure, 1857)  
*Stenocionops* sp.  
*Stenorhynchus seticornis* (Herbst, 1788)  
*Stenorhynchus* n. sp. (Goeke)

*Stenorhynchus* sp.  
*Stilbomastax margaritifera* (Monod, 1939)  
*Thoe puella* Stimpson, 1860  
*Tyche emarginata* White, 1847

## **Superfamily Parthenopoidea MacLeay, 1838**

### **Parthenopidae MacLeay, 1838**

*Cryptopodia concava* Stimpson, 1871  
*Heterocrypta granulata* (Gibbes, 1850)  
*Mesorhoea sexspinosa* Stimpson, 1871  
*Parthenope agona* (Stimpson, 1871)  
*Parthenope fraterculus* (Stimpson, 1871)  
*Parthenope* cf. *fraterculus* (Stimpson, 1871)  
*Parthenope granulata* (Kingsley, 1879)  
*Parthenope pourtalesii* (Stimpson, 1871)  
*Parthenope serrata* (H. Milne Edwards, 1834)  
*Parthenope* sp. (near *fraterculus* (Stimpson, 1871))  
*Parthenope* sp.  
*Solenolambrus tenellus* Stimpson, 1871  
*Solenolambrus typicus* Stimpson, 1871  
*Solenolambrus* sp.  
Parthenopidae sp.

## **Section Cancridea Latreille, 1803** **Superfamily Cancroidea Latreille, 1803**

### **Atelecyclidae**

*Trichopeltarion nobile* A. Milne Edwards, 1880

### **Cancridae Latreille, 1803**

*Cancer borealis* Stimpson, 1859  
*Cancer irroratus* Say, 1817

## **Section Brachyrhyncha Borradaile, 1907** **Superfamily Portunoidea Rafinesque, 1815**

### **Geryonidae Colosi, 1923**

*Geryon fenneri* Holthuis & Manning, 1984 (PARATYPE)  
*Geryon quinquedens* Smith, 1879

### **Portunidae Rafinesque, 1815**

*Arenaeus cribrarius* (Lamarck, 1818)  
*Bathynectes longispina* Stimpson, 1871  
*Benthochascon schmitti* (Rathbun, 1931)

*Callinectes exasperatus* (Gerstaecker, 1856)  
*Callinectes marginatus* (A. Milne Edwards, 1861)  
*Callinectes ornatus* Ordway, 1863  
*Callinectes sapidus* Rathbun, 1896  
*Callinectes similis* Williams, 1966  
*Callinectes* sp.  
*Cronius ruber* (Lamarck, 1818)  
*Cronius tumidulus* (Stimpson, 1871)  
*Cronius* sp.  
*Ovalipes guadulpensis* (Saussure, 1858)  
*Ovalipes ocellatus* (Herbst, 1799)  
*Ovalipes ocellatus floridanus* Hay & Shore, 1918  
*Ovalipes stephensoni* Williams, 1976  
*Ovalipes* sp.  
*Portunus anceps* (Saussure, 1858)  
*Portunus depressifrons* (Stimpson, 1859)  
*Portunus floridanus* Rathbun, 1930  
*Portunus gibbesii* (Stimpson, 1859)  
*Portunus ordwayi* (Stimpson, 1860)  
*Portunus sayi* (Gibbes, 1850)  
*Portunus sebae* (H. Milne Edwards, 1834)  
*Portunus spinicarpus* (Stimpson, 1871)  
*Portunus spinimanus* Latreille, 1819  
*Portunus* sp.

## Superfamily Xanthoidea MacLeay, 1838

### Goneplacidae MacLeay, 1838

*Bathyplox typhla* A. Milne Edwards, 1880  
*Chacellus filiformis* Guinot, 1969  
*Chacellus* sp.  
*Eucratopsis crassimanus* (Dana, 1852)  
*Euphrosynoplax clausa* Guinot, 1969  
*Euryplax nitida* Stimpson, 1859  
*Euryplax* sp.  
*Frevillea barbata* A. Milne Edwards, 1880  
*Frevillea hirsuta* (Borradaile, 1916)  
*Glyptoplax smithii* A. Milne Edwards, 1880  
*Nanoplax xanthiformis* (A. Milne Edwards, 1880)  
*Nanoplax* sp.  
*Nanoplax* sp. (near *Nanoplax xanthiformis*)  
*Neopilumnoplax americana* (Rathbun, 1898)  
*Panoplax depressa* Stimpson, 1871  
*Prinoplax atlantica* Kendall, 1891  
*Pseudorhombila quadridentata* (Latreille, 1828)  
*Robertsella mystica* Guinot, 1969  
*Speocarcinus carolinensis* Stimpson, 1859  
*Speocarcinus lobatus* Guinot, 1969  
*Speocarcinus monotuberculatus* Felder & Rabalais, 1986  
*Thalassoplax angusta* Guinot, 1969

*Trapezioplax tridentata* (A. Milne Edwards, 1880)  
Goneplacidae sp.

### **Xanthidae MacLeay, 1838**

*Actaea* sp.

*Allactaea lithostrota* Williams, 1974

*Banareia palmeri* (Rathbun, 1894) (= *A. palmeri*)

*Carpilius corallinus* (Herbst, 1783)

*Carpoporus papulosus* Stimpson, 1871

*Carpoporus* sp.

*Cataleptodius floridanus* (Gibbes, 1850)

*Domecia acanthophora acanthophora* (Desbonne & Schramm, 1867)

*Eriphia gonagra* (Fabricius, 1781)

*Eucratodes agassizii?* A. Milne Edwards, 1880

*Eurypanopeus abbreviatus* (Stimpson, 1860)

*Eurypanopeus depressus* (Smith, 1869)

*Eurytium limosum* (Say, 1818)

*Glyptoxanthosus erosus* (Stimpson, 1859) (= *Glyptoxanthus*)

*Glyptoxanthosus* sp.

*Hexapanopeus angustifrons* (Benedict & Rathbun, 1891)

*Hexapanopeus* sp.

*Leptodius* sp.

*Lobopilumnus agassizii* (Stimpson, 1871)

*Menippe mercenaria* (Say, 1818)

*Menippe nodifrons* Stimpson, 1859

*Menippe* sp.

*Micropanope nuttingi* (Rathbun, 1898)

*Micropanope* cf. *pusilla* A. Milne Edwards, 1880

*Micropanope sculptipes* Stimpson, 1871

*Micropanope* sp.

*Neopanope packardii* (Kingsley, 1879)

*Neopanope texana* (Stimpson, 1859)

*Neopanope* sp.

*Panopeus bermudensis* Benedict & Rathbun, 1891

*Panopeus herbstii* H. Milne Edwards, 1834

*Panopeus occidentalis* Saussure, 1857

*Panopeus* sp.

*Paractaea rufopunctata nodosa* (Stimpson, 1860)

*Pilumnus dasypodus* Kingsley, 1879

*Pilumnus floridanus* Stimpson, 1871

*Pilumnus gemmatus* Stimpson, 1860

*Pilumnus lacteus* Stimpson, 1871

*Pilumnus longleyi* Rathbun, 1930

*Pilumnus marshi* Rathbun, 1901

*Pilumnus nudimanus* Rathbun, 1900

*Pilumnus pannosus* Rathbun, 1896

*Pilumnus sayi* Rathbun, 1897

*Pilumnus spinosissimus* Rathbun, 1898

*Pilumnus* sp. (near *longleyi* Rathbun, 1930)

*Pilumnus* sp.

*Pseudomedeus agassizii* (A. Milne Edwards, 1880)

*Pseudomedeus distinctus* (Rathbun, 1898) (= *Micropanope distinctus*)

*Rhithropanopeus harrisii* (Gould, 1841)  
*Tetraxanthus rathbunae* Chace, 1939  
*Xantho denticulata* White, 1847  
Xanthidae sp.

## Superfamily Grapsidoidea MacLeay, 1838

### Gecarcinidae MacLeay, 1838

*Cardisoma guanhumi* Latreille, 1825

### Grapsidae MacLeay, 1838

*Aratus pisonii* (H. Milne Edwards, 1837)  
*Euchirograpsus americanus* A. Milne Edwards, 1880  
*Euchirograpsus* sp.  
*Goniopsis cruentata* (Latreille, 1803)  
*Grapsus grapsus* (Linnaeus, 1758)  
*Pachygrapsus gracilis* (Saussure, 1858)  
*Pachygrapsus transversus* (Gibbes, 1850)  
*Plagusia depressa* (Fabricius, 1775)  
*Platychirograpsus spectabilis* de Mans, 1896  
*Sesarma africanum* Milne Edwards, 1837  
*Sesarma cinereum* (Bosc, 1802)  
*Sesarma curacaoense* de Man, 1892  
*Sesarma reticulatum* (Say, 1817)  
Grapsidae sp.

## Superfamily Pinnotheroidea de Haan, 1833

### Pinnotheridae de Haan, 1833

*Dissodactylus borradailei* Rathbun, 1918  
*Dissodactylus calmani* Rathbun, 1918  
*Dissodactylus crinitichelis* Moreira, 1901  
*Dissodactylus mellitae* (Rathbun, 1900)  
*Fabia tellinae* Cobb, 1973  
*Fabia* sp.  
*Pinnaxodes floridensis* Wells & Wells, 1961  
*Pinnixa chaetopterana* Stimpson, 1860  
*Pinnixa cristata* Rathbun, 1900  
*Pinnixa floridana* Rathbun, 1918  
*Pinnixa retinens* Rathbun, 1918  
*Pinnixa sayana* Stimpson, 1860  
*Pinnixa* sp.  
*Pinnotheres maculatus* Say, 1818  
*Pinnotheres moseri* Rathbun, 1918  
*Pinnotheres ostreum* Say, 1817

## Superfamily Ocypodoidea Rafinesque, 1815

### Ocypodidae Rafinesque, 1815

*Ocypode quadrata* (Fabricius, 1787)

*Uca minax* (Le Conte, 1855)

*Uca pugilator* (Bosc, 1802)

*Uca rapax* (Smith, 1870)

*Uca speciosa* (Ives, 1891)

### Palicidae Rathbun, 1898

*Palicus affinis* A. Milne Edwards & Bouvier, 1899

*Palicus alternatus* Rathbun, 1897

*Palicus faxoni* Rathbun, 1897

*Palicus gracilipes?* (A. Milne Edwards, 1880)

*Palicus gracilis* (Smith, 1883)

*Palicus sicus* (A. Milne Edwards, 1880)

*Palicus* sp.

**Subphylum Uniramia**  
**Class Insecta**  
**Subclass Pterygota**  
**Infraclass Neoptera**  
**Superorder Holometabola**  
**Order Diptera**  
**Suborder Nematocera**  
**Superfamily Tipuloidea**

### Tipulidae

?*Limonia* sp.

**Phylum Bryozoa**  
**Class Stenolaemata**  
**Order Cyclostomata**  
**Division Articulata (=Camptostega)**

**Crisiidae**

*Crisia ramosa* Harmer, 1891

**Division Tubuliporina (=Acamptostega;Paralleta;Tubulata)**

**Diaperoeciidae**

*Diaperoecia floridana* Osburn, 1940

*Diaperoecia rugosa* Osburn, 1940

**Class Gymnolaemata**  
**Order Ctenostomata**  
**Suborder Carnosa**  
**Superfamily Paludicelloidea**

**Victorellidae**

*Victorella* sp.

**Superfamily Vesicularioidea**

**Vesiculariidae**

*Amathia alternata* Lamouroux, 1816

*Amathia convoluta* Lamouroux, 1816

*Amathia distans* Busk, 1886

*Amathia* sp.

*Zoobotryon verticillatum* (delle Chiaje, 1828)

**Order Cheilostomata**  
**Suborder Anasca**  
**Division Inovicellata**

**Aeteidae**

*Aetea truncata* (Landsborough, 1852)

## Division Malacostega

### Membraniporidae

- Conopeum reticulum* (Linnaeus, 1767)  
*Membranipora membranacea* Linnaeus, 1766  
*Membranipora tenuis* Desor, 1848  
*Membranipora tuberculata* (Bosc, 1802)  
*Membranipora savartii* (Audouin, 1826)  
*Membranipora serrata?* (Hincks, )

### Flustridae(=Hincksinidae)

- Antropora leucocypha* (Marcus, 1937)

### Calloporidae (=Alderinidae)

- Alderina irregularis* (Smitt, 1873)  
*Alderina smitti* Osburn,  
*Aplousina gigantea* Canu & Bassler, 1927  
*Crassimarginatella crassimarginata* (Hincks, 1880)

### Cupuladriidae

- Cupuladria canariensis* (Busk, 1859)  
*Cupuladria doma* (d'Orbigny, 1859)  
*Discoporella umbellata* (DeFrance, 1823)  
*Discoporella umbellata depressa* (Conrad, 1841)

## Division Coelostega (=Coilostega)

### Onychocellidae (=Opsiulidae)

- Floridina parvicella* Canu & Bassler,  
*Floridinella typica* Canu & Bassler, 1928  
*Smittipora americana* (Canu & Bassler, 1928)

### Steginoporellidae (=Steganoporellidae)

- Steginoporella magnilabris* (Busk, 1854)

### Thalamoporellidae

- Thalamoporella gothica* Osburn, 1948  
*Thalamoporella gothica floridana* Osburn, 1940

## Division Pseudostega

### Cellariidae

- Cellaria nodosa* Canu & Bassler, 1928  
*Cellaria sinuosa* (Hassall, 1842)

## Division Cellularina

### Scrupocellariidae

*Scrupocellaria bertholletii* (Audouin, 1826)

*Scrupocellaria regularis* Osburn, 1940

### Epistomidae

*Synnotum aegyptiacum* (Audouin, 1826)

### Farciminariidae

*Nellia oculata* Busk, 1852

*Nellia tenella* (Lamarck, 1816)

### Bugulidae

*Bugula microoecia* Osburn, 1914

*Bugula neritina* (Linnaeus, 1758)

*Bugula stolonifera* Ryland, 1960

*Bugula turrita* (Desor, 1848)

*Bugula* sp.

*Caulibugula armata* Verrill, 1900

*Caulibugula pearsei* Maturo, 1966

### Beaniidae

*Beania cupulariensis* Osburn, 1914

*Beania klugei* Cook, 1968

## Suborder Cribrimorpha (=Acanthostega)

### Cribrilinidae

*Cribrilaria radiata* (Moll, 1803)

## Suborder Ascophora

### Umbonulidae

*Hippopleurifera mucronata* (Smitt, 1873)

### Adeonidae

*Adeona violacea* (Johnson, 1847)

*Bracebridgia subsulcata* (Smith, 1873)

### Celleporariidae

*Celleporaria albirostris* (Smitt, 1873)

*Celleporaria magnifica* (Osburn, 1914)

### Petraliellidae

*Hippopetraliella marginata* (Canu & Bassler, 1928)

*Petraliella bisinuata* (Smitt, 1873)

### **Arachnopusiidae**

*Tremogasterina granulata* Canu & Bassler, 1928

### **Hippothoidae**

*Trypostega venusta* (Norman, 1864)

### **Hippopodinidae**

*Hippopodina feegeensis* (Busk, 1884)

### **Smittinidae**

*Parasmittina nitida* (Verrill, 1879)

*Parasmittina signata* (Waters, 1889)

*Smittina egyptiaca* Waters, 1909

*Smittina trispinosa* (Johnson, 1838)

*Smittina trispinosa nitida* (Verrill, 1879)

### **Phylactelliporidae**

*Phylactellipora aviculifera* (Osburn, 1914)

### **Schizoporellidae**

*Buffonellaria spathulata rettoulata* Canu & Bassler, 1928

*Hippodiplosia pertusa* (Esper, 1794)

*Hippodiplosia carvalhoi* Marcus,

*Schizoporella errata* Waters, 1878

*Schizoporella errata pungens* Canu & Bassler, 1928

*Schizoporella floridana* Osburn, 1914

*Stylopoma informata* (Lonsdale, 1845)

### **Stomachetosellidae**

*Cigclisula serrulata* (Smitt, 1873)

*Cigclisula turrita* (Smitt, 1873)

### **Cleidochasmatidae**

*Cleidochasma contractum* (Waters, 1899)

*Cleidochasma porcellanum* (Busk, 1860)

*Hippoporella uvulifera* (Osburn, 1914)

*Hippoporidra calcarea* (Smitt, 1873)

*Hippoporidea* sp.

*Lacerna signata* (Waters, 1889)

### **Microporellidae**

*Microporella ampla* Canu & Bassler, 1928

*Microporella marsupiata* (Busk, )

*Microporella* sp.

*Microporella* sp. "G" of Maturo

### **Reteporidae**

*Rhynchozoon solidum* Osburn, 1914

*Sertella marsupiata* (Smitt, 1873)

**Celleporidae**

*Cellepora hyaline* (Linnaeus, 1766)

*Holoporella albirostris* Smitt, 1873

*Holoporella magnifica* Osburn, 1914

*Holoporella pusilla* (Smitt, 1873)

*Holoporella subalba* Canu & Bassler, 1928

*Holoporella tubulosa* Canu & Bassler, 1928

*Holoporella vagans* (Busk, 1885)

**Cheliporinidae**

*Hippaliosina rostigera* (Smitt, 1873)

**Phylum Brachiopoda**  
**Class Inarticulata**  
**Order Lingulida**  
**Superfamily Lingulacea**

**Lingulidae**

*Glottidia pyramidata* (Stimpson, 1860)

*Lingula* sp.

**Class Articulata**  
**Order Terebratulida**  
**Suborder Terebratellidina**  
**Superfamily Terebratellacea**

**Platidiidae**

*Platidia clepsydra* Cooper, 1973

**Phylum Chaetognatha**  
**Class Sagittoidea**  
**Order Aphragmophora**  
**Suborder Ctenodontina**

**Sagittidae**

*Sagitta enflata* Grassi, 1881

**Phylum Echinodermata**  
**Subphylum Crinozoa**  
**Class Crinoidea**  
**Subclass Articulata**  
**Order Comatulida**  
**Superfamily Comasteracea**

**Comasteridae**

- Comactinia echinoptera* (Muller, 1840)  
*Comactinia meridionalis* (L. Agassiz, 1865)  
*Leptonemaster venustus* (A. H. Clark, 1909)  
*Nemaster rubiginosa* (Pourtales, 1869)  
*Neocomatella pulchella* (Pourtales, 1878)

**Subphylum Asterozoa**  
**Class Stelleroidea**  
**Subclass Asteroidea**  
**Order Platyasterida**

**Luidiidae**

- Luidia alternata* (Say, 1825)  
*Luidia barbadensis* Perrier, 1876  
*Luidia clathrata* (Say, 1825)  
*Luidia elegans* Perrier, 1876  
*Luidia rosaurae* John & Clark, 1954  
*Luidia senegalensis* (Lamarck, 1816)

**Order Paxillosida**

**Astropectinidae**

- Astropecten antillensis* Lutken,  
*Astropecten articulatus* (Say, 1825)  
*Astropecten duplicatus* Gray, 1840  
*Astropecten nitidus* Verrill, 1915  
*Tethyaster grandis* (Verrill, 1899)  
*Tethyaster vestitus* (Say, 1825)

**Benthopectinidae**

- Pectinaster gracilis* Verrill, 1915

**Order Valvatida**

**Goniasteridae**

- Anthenoides piercei* Perrier, 1881

*Goniaster tessellatus* (Lamarck, 1816)

*Plinthaster dentatus* (Perrier, 1883)

*Rosaster alexandri* (Perrier, 1894)

### **Ophidiasteridae**

*Linckia guildingii* (Gray, 1875)

*Linckia nodosa* Perrier, 1875

*Narcissia trigonera* Sladen, 1889

### **Chaetasteridae**

*Chaetaster nodosus* Perrier, 1876

### **Oreasteridae**

*Oreaster reticulatus* (Linnaeus, 1758)

## **Order Spinulosida**

### **Pterasteridae**

*Pteraster caribbaeus* Perrier, 1881

### **Echinasteridae**

*Echinaster (Echinaster) modestus* (Perrier, 1881)

*Echinaster (Othilia) echinophorus* (Lamarck, 1816)

*Echinaster (Othilia) graminicola* Campbell & Turner, 1984

*Echinaster (Othilia) ?graminicola* Campbell & Turner, 1984

*Echinaster (Othilia) paucispinus* (Clark, 1987)

*Echinaster (Othilia) sentus* (Say, 1825)

*Echinaster (Othilia) aff. sentus* (Say, 1825)

*Echinaster (Othilia) spinulosus* Verrill, 1870

*Echinaster (Othilia) aff. spinulosus* Verrill, 1878

*Echinaster aff. spinulosus aff. paucispinus*

*Echinaster* sp.

## **Order Forcipulata**

### **Asteriidae**

*Asterias forbesi* (Desor, 1848)

*Coscinasterias tenuispina* (Lamarck, 1816)

## **Subclass Ophiuroidea** **Order Phrynophiurida** **Suborder Ophiomyxina**

### **Ophiomyxidae**

*Ophiomyxa flaccida* (Say, 1825)

## Suborder Euryalina

### Gorgonocephalidae

*Astrophyton muricatum* (Lamarck, 1816)

*Astroporpa annulata* Lutken, 1856

*Schizostella bifurcata*

### Asteroschematidae

*Asteroscheme intectum* Lyman, 1865

*Asteroscheme tenue* Lyman, 1865

*Asteroscheme* sp.

## Order Ophiurida Suborder Chilophiurina

### Ophiuridae

*Ophiolepis elegans* Lutken, 1859

*Ophiolepis paucispina* (Say, 1825)

*Ophiura acervata* (Lyman, 1869)

*Ophiuroidea* sp. (juveniles)

### Ophiocomidae

*Ophiocoma echinata* (Lamarck, 1816)

*Ophiocoma pumila* Lutken, 1859

*Ophiocoma wendti* Muller & Troschel, 1842

*Ophiocomella caribbaea* A. H. Clark, 1939

*Ophiopsila riisei* Lutken, 1859

### Oreasteridae

*Oreaster reticulatus* (Linne, 1758)

### Ophiidermatidae

*Ophioderma appressum* (Say, 1825)

*Ophioderma brevicaudum* Lutken, 1856

*Ophioderma brevispinum* (Say, 1825)

*Ophioderma cinereum* Muller & Troschel, 1842

*Ophioderma guttatum* Lutken, 1859

*Ophioderma squamosissimum* Lutken, 1856

## Suborder Gnathophiurina

### Ophiactidae

*Hemipholis elongata* (Say, 1825)

*Ophiactis savignyi?* (Muller & Troschel, 1842)

### **Amphiuridae**

- Amphiodia pulchella* (Lyman, 1869)  
*Amphioplus abditus* (Verrill, 1871)  
*Amphioplus coniertodes* H. L. Clark, 1918  
*Amphioplus thrombodes* H. L. Clark, 1918  
*Amphiura stimpsoni* Lutken, 1859  
*Axiognathus squamata* (delle Chiaje, 1828)  
*Micropholis atra* (Stimpson, 1952)  
*Ophiophragmus filograneus* (Lyman, 1875)  
*Ophiophragmus septus* (Lutken, 1859)  
*Ophiophragmus wurdemani* (Lyman, 1860)  
*Ophiophragmus* sp.  
*Ophiostigma isacanthum* (Say, 1825)

### **Ophiothricidae**

- Ophiothrix angulata* (Say, 1825)  
*Ophiothrix angulata* var. *megalaspis* H. L. Clark,  
*Ophiothrix brachyactis* H. L. Clark, 1915  
*Ophiothrix lineata* Lyman, 1860  
*Ophiothrix orstedii* Lutken, 1856  
*Ophiothrix pallida* Ljungman, 1871  
*Ophiothrix suensonii* Lutken, 1856  
*Ophiothrix* sp.

## **Subphylum Echinozoa**

### **Class Echinoidea**

#### **Subclass Perischoechnoidea**

#### **Order Cidaroida**

### **Cidaridae**

- Cidaris abyssicola* (A. Agassiz, 1869)  
*Cidaris blakei* (A. Agassiz,  
*Cidaris rugosa* (H. L. Clark, 1907)  
*Eucidaris thouarsii* (Valentin, 1846)  
*Eucidaris tribuloides* (Lamarck, 1816)  
*Stylocidaris affinis* (Philippi, 1845)  
*Stylocidaris lineata* Mortensen, 1910  
*Tretocidaris bartletti* (A. Agassiz, 1880)

#### **Subclass Euechinoidea**

### **Superorder Diadematacea**

#### **Order Echinothurioida**

### **Echinothuridae**

- Araeosoma belli* Mortensen, 1903  
*Araeosoma fenestratum* (Wyn. Thomson, 1872)  
*Hygrosoma petersii* (A. Agassiz, 1880)

*Phormosoma placenta sigsbei* A. Agassiz, 1880

## Order Diadematoida

### Diadematidae

*Astropyga magnifica* A. H. Clark, 1934

*Centrostephanus rubricingulus* H. L. Clark, 1921

*Diadema antillarum* Philippi, 1845

### Aspidodiadematidae

*Aspidodiadema jacobyi* A. Agassiz, 1880

*Plesiodiadema antillarum* (A. Agassiz, 1880)

## Superorder Echinacea

### Order Salenioida

#### Saleniidae

*Salenia goesiana* Lovan, 1874

## Order Arbacioida

#### Arbaciidae

*Arbacia punctulata* (Lamarck, 1816)

*Coelopleurus floridanus* A. Agassiz, 1872

## Order Temnopleuroida

#### Temnopleuridae

*Genocidaris maculata* A. Agassiz, 1869

*Trigonocidaris albida* A. Agassiz, 1869

#### Toxopneustidae

*Lytechinus callipeplus* H. L. Clark, 1912

*Lytechinus euerces* H. L. Clark, 1912

*Lytechinus variegatus* (Lamarck, 1816)

*Tripneustes ventricosus* (Lamarck, 1816)

## Order Echinoida

#### Echinidae

*Echinus gracilis* A. Agassiz, 1869

**Echinometridae**

*Echinometra lucunter* (Linnaeus, 1758)

*Echinometra vanbrunti* A. Agassiz, 1863

*Echinometra viridus* A. Agassiz, 1863

**Superorder Gnathostomata**  
**Order Holoctypoida****Echinoneidae**

*Echinoneus cyclostomus* Leske, 1758

**Oligopygidae**

*Oligopygus wetherbyi* de Loriol, 1887

**Suborder Clypeasterina****Clypeasteridae**

*Clypeaster chesheri* Serafy, 1970 (PARATYPE)

*Clypeaster cyclopilus* H. L. Clark, 1941

*Clypeaster euclastus* H. L. Clark, 1941

*Clypeaster lampus* H. L. Clark, 1941

*Clypeaster prostratus* Ravenel, 1848

*Clypeaster ravenelii* (A. Agassiz, 1869)

*Clypeaster rosaceus* (Linnaeus, 1758)

*Clypeaster rotundus* A. Agassiz, 1863

*Clypeaster speciosus* Verrill, 1870

*Clypeaster subdepressus* (Gray, 1825)

*Clypeaster* sp.

**Suborder Laganina****Fibulariidae**

*Echinocyamus grandiporus* Mortensen, 1907

*Echinocyamus macrostomus* Mortensen, 1907

**Suborder Scutellina****Echinarachniidae**

*Echinarachnius parma* (Lamarck, 1816)

**Mellitidae**

*Encope aberrans* Martens, 1867

*Encope emarginata* (Leske, 1778)

*Encope michelini* L. Agassiz, 1841  
*Encope micropora* L. Agassiz, 1841  
*Encope stokesii* L. Agassiz, 1841  
*Encope tamiamiensis* Mansfield, 1932  
*Leodia sexiesperforata* (Leske, 1778)  
*Mellita longifissa* Michelin, 1858  
*Mellita quinquiesperforata* (Leske, 1778)

## Order Cassiduloida

### Echinolampadidae

*Conolampas sigsbei* A. Agassiz, 1878  
*Echinolampas depressa* Gray, 1851

### Cassidulidae

*Cassidulus gouldii* (Bouve, 1847)

## Order Spatangoida Suborder Aphisternata

### Palaeostomatidae

*Archaeopneustes hystrix* (A. Agassiz, 1880)  
*Homolampus fragilis* (A. Agassiz, 1869)  
*Paleopneustes cristatus* A. Agassiz, 1873  
*Paleopneustes tholoformis* Chesher, 1968

### Schizasteridae

*Agassizia excentrica* A. Agassiz, 1869  
*Moiria atropos* (Lamarck, 1816)  
*Paraster doderleini* Chesher,  
*Schizaster orbignyianus* A. Agassiz, 1880

### Brissidae

*Brissus unicolor* (Leske, 1778)  
*Brissopsis alta* Mortensen, 1907  
*Brissopsis atlantica* Mortensen, 1907  
*Brissopsis elongata* Mortensen, 1907  
*Brissopsis mediterranea* Mortensen, 1913  
*Eupatagus antillarum* Cotteau,  
*Meoma ventricosa* (Lamarck, 1816)  
*Metalia spatagus* (Linnaeus, 1758)  
*Plagiobrissus grandis* (Gmelin, 1788)  
*Plethotaenia angularis* Chesher, 1968  
*Plethotaenia spatangoides* (A. Agassiz, 1883)

### Loveniidae

*Echinocardium laevigaster* A. Agassiz, 1869

**Asterostomatidae**

*Linopneustes longispinus* (A. Agassiz, 1878)

**Class Holothuroidea**  
**Holothuroidea sp.**  
**Subclass Dendrochirota**  
**Order Dendrochirotida**

Dendrochirota sp. A

Dendrochirota sp. B

Dendrochirota sp. C

**Psolidae**

*Psolus pawsoni* Miller & Turner, 1986 (PARATYPE)

*Psolus tuberculosus* Theel, 1886

**Phyllophoridae**

*Allothyone mexicana* (Deichmann, 1946)

*Pentamera pulcherrima* Ayres, 1854

*Phyllophorus occidentalis* (Ludwig, 1885)

*Thyone briareus* (LeSueur, 1824)

*Thyone crassidiscus* Pawson & Miller, 1980

*Thyone inermis* Heller, 1886

*Thyone pawsoni* (Tommasi, 1972)

*Thyone pseudofusus* (Deichmann, 1931)

*Thyone solida* Deichmann, 1930

*Thyone* sp.

**Sclerodactylidae**

*Pseudothyone belli* (Ludwig, 1887)

*Sclerodactyla briareus* (LeSueur, 1824)

**Cucumariidae**

*Euthyonacta solida* (Deichmann, 1930)

*Ocnus pygmaeus* (Theel, 1886)

*Pentacta* sp.

*Thyonella gemmata* (Pourtales, 1851)

*Thyonella pervicax* (Theel, 1886)

*Thyonella sabanillaensis* (Deichmann, 1931)

**Class Aspidochirota**  
**Order Aspidochirotida**

**Holothuriidae**

*Holothuria lentiginosa* Miller & Pawson, 1979

*Holothuria mexicana* Ludwig, 1875

*Holothuria princeps* Selenka, 1867

*Holothuria surinamensis* Ludwig, 1875  
*Holothuria thomasi* Pawson & Caycedo, 1980  
*Holothuria (Halodeima) grisea* Selenka, 1867  
*Holothuria* sp. B

**Stichopodidae**

*Astichopus multifidus* (Sluiter, 1910)  
*Isostichopus badionotus* (Selenka, 1867)

**Synallactidae**

*Amphigymnas bahamensis* Deichmann, 1930

**Subclass Apodacea**  
**Order Apodida**

Apoda sp. E

**Synaptidae**

*Leptosynapta parvipatina* Clark, 1924  
*Leptosynapta* sp. D  
*Synaptula hydriformis* (LeSueur, 1824)

**Order Molpadiida**

**Molpadiidae**

*Molpadia oolitica* Pourtales, 1857

**Caudinidae**

*Paracaudina chilensis obesacauda* (Clark, 1907)

**Phylum Chordata**  
**Subphylum Tunicata (=Urochordata)**  
**Class Ascidiacea**  
**Order Aplousobranchia**

**Polyclinidae**

*Amaroucium bermudensis* Van Name, 1902

*Amaroucium constellatum* Verrill, 1871

*Amaroucium exile* Van Name,

*Amaroucium* sp.

**Didemnidae**

*Didemnum candidum* Savigny, 1816

*Didemnum* sp.

*Echinocardium verrilli* Van Name, 1902

*Trididemnum savignii* (Herdman, 1866)

**Polycitoridae**

*Clavelina gigantea* (Sluiter, 1919)

*Clavelina oblonga* Herdman, 1880

*Clavelina picta* (Verrill, 1900)

*Clavelina* sp.

*Distaplia bermudensis* Van Name, 1902

*Eudistoma capsulatum* (Van Name, 1902)

*Eudistoma hepaticum* Van Name, 1921

**Order Stolidobranchia**

**Styelidae**

*Botryllus schlosseri* (Pallas, 1766)

*Polyandrocarpa tinctoria* (Van Name, 1902)

*Polycarpa obtecta* Traustedt, 1883

*Styela plicata* (LeSueur, 1823)

*Symplegma viride* Herdmann, 1886

*Styela* sp. A

*Styela* sp. B

**Pyuridae**

*Pyura vittata* (Stimpson, 1852)

**Molgulidae**

*Bostrichobranchus pilularis* (Verrill, 1871)

*Molgula occidentalis* Traustedt, 1883

*Molgula* sp. C

## **Class Appendicularia**

**Oikopleuridae**

*Oikopleura* sp.